Beyond 1 Gbit/s transmission over 1 mm diameter plastic optical fiber employing DMT for in-home communication systems

Citation for published version (APA):

Visani, D., Okonkwo, C. M., Loquai, S., Yang, H., Shi, Y., Boom, van den, H. P. A., Ditewig, A. M. H., Tartarini, G., Schmauss, B., Lee, J., Koonen, A. M. J., & Tangdiongga, E. (2011). Beyond 1 Gbit/s transmission over 1 mm diameter plastic optical fiber employing DMT for in-home communication systems. *Journal of Lightwave Technology*, 29(4), 622-628. <https://doi.org/10.1109/JLT.2011.2108263>

DOI:

[10.1109/JLT.2011.2108263](https://doi.org/10.1109/JLT.2011.2108263)

Document status and date:

Published: 01/01/2011

Document Version:

Publisher's PDF, also known as Version of Record (includes final page, issue and volume numbers)

Please check the document version of this publication:

- A submitted manuscript is the version of the article upon submission and before peer-review. There can be important differences between the submitted version and the official published version of record. People interested in the research are advised to contact the author for the final version of the publication, or visit the DOI to the publisher's website.
- The final author version and the galley proof are versions of the publication after peer review.
- The final published version features the final layout of the paper including the volume, issue and page numbers.

[Link to publication](#)

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal.

If the publication is distributed under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license above, please follow below link for the End User Agreement:

www.tue.nl/taverne

Take down policy

If you believe that this document breaches copyright please contact us at:

openaccess@tue.nl

providing details and we will investigate your claim.

Beyond 1 Gbit/s Transmission Over 1 mm Diameter Plastic Optical Fiber Employing DMT for In-Home Communication Systems

Davide Visani, *Student Member, IEEE*, Chigo Okonkwo, *Member, IEEE*, Sven Loquai, Hejie Yang, *Student Member, IEEE*, Yan Shi, *Student Member, IEEE*, Henrie van den Boom, Ton Ditewig, Giovanni Tartarini, *Member, IEEE*, Bernhard Schmauss, *Member, IEEE*, Jeffrey Lee, *Member, IEEE*, Ton Koonen, *Fellow, IEEE*, and Eduward Tangdionga, *Member, IEEE*

Abstract—Multi-Gbit/s transmission over 1 mm diameter graded index plastic optical fiber (GI-POF) is reported. Transmission rates between 5.3 and 7.6 Gbit/s are achieved for fiber lengths between 10 and 50 m using discrete multi-tone modulation (DMT) in an intensity modulated direct detection system using directly modulated eye-safe VCSEL and silicon photodiode (PD). The used system bandwidth is only 1.42 GHz resulting in a spectral efficiency of >3.7 bits/s/Hz. All employed components represent a low-cost, off-the-shelf cost-effective solution for high-speed in-home communication systems.

Index Terms—Home communication systems, frequency division multiplexing, optical fiber communication, signal processing.

I. INTRODUCTION

IN-HOME communication systems are becoming of increasing importance for the exchange of information among varieties of consumer electronics in the home, due to emerging services such as video services which require broadband communication. While ongoing standardization activities are specifying regulations for transmission rates of up to 1 Gbit/s for in-home communication over power lines, coaxial and CAT-5 cables [1], [2], the solutions for offering high data rate and converged services over one optical infrastructure for in-home networks are gaining traction. Several optical solutions have been proposed for short-range in-home communication scenarios. The first proposed physical layer approach, based on standard silica 50/62.5 μm core diameter multimode fiber (MMF), is considered especially for transmission rates beyond 10 Gbit/s [3]. However, as the main constraint for in-home

networking is the requirement for cheap and user-friendly solutions in brown-field deployment, plastic optical fibers (POFs) are now been considered for short-range links [4]. Among different POF solutions, 1 mm diameter polymethylmetacrylate (PMMA) POFs are an attractive solution for the advantages of ‘do-it-yourself’ installation [5], due to inexpensive and simple connectorization, easy maintenance, use of visible light transceivers and small bending radius compared with conventional MMFs. Step-index (SI) POF with a numerical aperture (NA) of 0.5 presents a low bandwidth-distance product (80 MHz at 50 m [5]). For this reason the use of graded-index (GI) PMMA POF is a state-of-the-art solution for multi-Gbit/s transmission [6].

Providing between 1 and 2 GHz at 50 m, GI-POF presents a much larger bandwidth when compared to SI-POF. To achieve the maximum bit-rate of the channel spectral efficient modulation formats should be employed. The potential of orthogonal frequency division modulation (OFDM) for achieving high spectral efficient transmission over an optical link, with robustness against impairments such as modal or chromatic dispersion due to its simple and effective equalization in the frequency domain, has been demonstrated [7]–[9]. In particular, the baseband version of OFDM known as discrete multi-tone (DMT) modulation has been studied in recent years within intensity modulation and direct detection (IM-DD) schemes to maintain a cost-effective solution as well as maximizing the channel capacity.

Using this technique, together with adaptive bit and power allocation, more than 40 Gbit/s transmission over 100 m of 50 μm core size perfluorinated GI-POF using high-performance and high-cost infrared transceivers [10], 4.7 Gbit/s transmissions over 50 m 1 mm multi-core POF using avalanche photo-detector [11], and 10 Gbit/s over 25 m of SI-POF using high power laser [12] has been demonstrated. However, all this proposed solutions employ neither cost-effective nor eye-safe optical components.

In this paper, we show transmission performance over 50 m using eye-safe transceivers according to the regulations [13] and off-the-shelf optoelectronic components. In particular, we employ the DMT modulation technique with 256 subcarriers and up to 32 level quadrature amplitude modulation (32-QAM) using a rate-adaptive bit-loading algorithm.

The achieved results show that PMMA GI-POF of 1 mm core diameter provides suitable solutions for short-range multi-gigabit in-home networks.

Manuscript received June 30, 2010; revised December 20, 2010; accepted January 18, 2011. Date of publication January 24, 2011; date of current version February 18, 2011. This work was supported in part by EU program FP7 ICT-224521 POF-PLUS and Dutch Program IOP-GenCom IGC0507 on Future Home Networks.

D. Visani and G. Tartarini are with Dipartimento di Elettronica, Informatica e Sistemistica, Università di Bologna, 40136 Bologna, Italy (e-mail: (davide.visani3, giovanni.tartarini)@unibo.it).

D. Visani, C. Okonkwo, H. Yang, Y. Shi, H. van den Boom, T. Ditewig, T. Koonen, and E. Tangdionga, are with the COBRA Research Institute, Technical University of Eindhoven, 5600MB Eindhoven, the Netherlands (e-mail: (d.visani; c.m.okonkwo; h.yang1; y.shi; h.p.a.v.d.boom; a.m.h.ditewig; a.m.j.koonen; e.tangdionga)@tue.nl).

S. Loquai is with POF Application Center, D-90489 Nuremberg, Germany (e-mail: sven.loquai@pofac.ohm-hochschule.de).

J. Lee is with Philotech GmbH, D-82024 Taufkirchen, Germany (e-mail: jeffrey.lee@ieee.org).

Digital Object Identifier 10.1109/JLT.2011.2108263

The paper is organized as follows: the introduction is followed by brief overview on DMT and the bit-loading algorithm employed in Section II. In Section III, the experimental setup and results are discussed. The evaluation of the DMT and optical parameters is outlined. To underline the possible limitations in a real in-home deployment, the implication of lower bending radius is studied. Finally the paper is concluded in Section IV.

II. DMT AND BIT-LOADING

DMT technique has been widely used in digital subscriber copper lines (xDSL) to efficiently use the bandwidth-limited and noisy copper channel. Based on digital signal processing (DSP) equalization, the possibility to use each subcarrier as a separate narrowband channel provides the possibility to allocate an arbitrary number of bits (constellation size) to each subcarrier. For optimal allocation, bit and power loading algorithms are used to adapt to the channel response.

A rate-adaptive bit loading algorithm to achieve the maximum number of bits b within a DMT frame period with a power constraint is employed [14]. This is an optimization problem that can be expressed as follows [15]:

$$\begin{aligned} \max_{E_n}(b) &= \max_{E_n} \left(\sum_{n=1}^N b_n \right) \\ &= \max_{E_n} \left(\sum_{n=1}^N \frac{1}{2} \log_2 \left(1 + \frac{E_n \cdot g_n}{\Gamma} \right) \right) \end{aligned} \quad (1)$$

subject to

$$\sum_{n=1}^{N-1} E_n = E_{\text{tot}} \quad (2)$$

where N is the number of subcarriers, E_n is the power associated to the n th subcarrier, b_n is the number of bit of the n th subcarrier, g_n is the signal-to-noise ratio (SNR) of the n th subcarrier when unit energy is applied. Moreover, Γ is the SNR gap, i.e., the difference in SNR required to achieve maximum capacity as defined by the Shannon Limit. Finally, E_{tot} is the fixed total available energy for transmission.

The target is to optimize the number of bits per subcarrier b_n , and the corresponding energy distribution per subcarrier E_n , in order to maximize the total number of bit b . An optimal solution can be found using the water-filling approach [16], but the method proposed by Chow in [14] is more computationally efficient, and hence used in this paper.

According to Chow algorithm, we order the subcarriers according to the value of g_n , and discard the subcarriers which are least energy-efficient for transmitting bits. The energy is redistributed equally among the remaining subcarriers to support higher data rates. Due to the logarithmic relationship, the resulting non-integer number of allocated bits per subcarrier is rounded to the nearest integer. The corresponding energy is adjusted to support the newly allocated integer number of bits to give the same performance. This adjustment causes non-uniform energy distribution among the subcarriers.

Fig. 1. Experimental setup.

Fig. 2. Photos of the (a) red VCSEL and (b) the PIN-PD used in our setup.

The resulting number of bits per subcarrier b_n determines the modulation level associated to the n th subcarrier. Using quadrature amplitude modulation (QAM) means that the n th subcarrier is allocated 2^{b_n} -QAM. The distance between QAM constellation points is chosen such that the average power of the n th subcarrier is equal to E_n .

III. RESULTS AND DISCUSSIONS

The experimental setup is depicted in Fig. 1. A Firecomms red VCSEL with a wavelength of 667 nm (Fig. 2(a)) is directly modulated by the DMT signal generated from a Tektronix AWG7122B arbitrary waveform generator (AWG) with a bandwidth of 10 GHz. The modulated optical power is launched, without the use of a lens, into a 1 mm diameter Optimedia PMMA GI-POF with the power level of 0 dBm. The optical signal after 50 m link (-15.5 dBm) is coupled, using a lens, to a PIN-based PD (Fig. 2(b)) with a photosensitive diameter of $400 \mu\text{m}$ and a responsivity of 0.5 A/W at 660 nm. The PD is equipped with a trans-impedance amplifier (TIA), mounted very close to the photodiode chip, with a trans-impedance gain of $10 \text{ k}\Omega$. This receiver scheme and the use of a matched PD-TIA guarantees a high sensitivity and large bandwidth of the receiver.

The received electrical signal is sampled by a 16 GHz real-time Tektronix DPO72004 digital phosphor oscilloscope (DPO). Both DMT modulation and demodulation are realized offline in MATLAB. Since the AWG and DPO are not synchronized, the clock/phase recovery is performed by the DMT demodulator.

Regarding the digital signal processing (DSP), the DMT digital (de)modulator is implemented offline, hence there

Fig. 3. Optical output power (mW) versus VCSEL bias current (mA).

Fig. 4. IIP2 and IIP3 (dBm) of our experimental setup with two tone at 365 and 375 MHz versus VCSEL bias current (mA).

are few limitations in DSP. 8-bit precision is used in the digital-to-analog conversion (DAC) and the analog-to-digital conversion (ADC) in the AWG and the real-time oscilloscope, leading to negligible quantization noise.

The design of the optical link is critical to the performance of the system. Firstly, the VCSEL optimum bias parameter is addressed. Fig. 3 shows the static Light-Current characteristics of the VCSEL at the ambient temperature of 21°C. The optical output power is maintained below 1 mW and reaches this value at the bias current of 4 mA. The VCSEL performance shown in Fig. 3 suggests the bias current of 2 mA, implying operation of the VCSEL in the linear region. However, it was found that the optimal bias current is around 4 mA, as will be further discussed in the following subsections. For the dynamic characterization case, a preliminary explanation is given in Fig. 4, which shows the input intercept points of the second and the third order [17], denoted as IIP2 and IIP3 respectively. These are obtained using a two tone test at 365 and 375 MHz. As shown in Fig. 4, the bias current of 4 mA corresponds to the maximum IIP2 and close to maximum IIP3. On the contrary, the bias current of 2 mA presents the lowest IIP2 and IIP3, hence operation in this biasing region could introduce high non-linearities to the system.

Fig. 5. Frequency response of the system including transceivers, POF link, and receiver in the back-to-back case and after 50 m transmission.

TABLE I
DMT SIGNAL PARAMETERS

Number of subcarriers:	256
Cyclic prefix length:	8
Schmidl blocks:	4 every 200 DMT frames
Digital clipping:	Clipping factor $\mu = 8$ dB
Transmitter sampling rate:	4.5 Gsamples/s
Receiver sampling rate:	50 Gsamples/s

A. System Frequency Response

At the optimum bias current of the VCSEL (4 mA), the frequency response of the entire optical system was measured. The modulation bandwidth of the VCSEL is 3 GHz [18], while the response bandwidth of the receiver is around 1.4 GHz. For this reason the frequency response in the optical back-to-back case (using a POF length of 1 m) is limited by the receiver response as shown in Fig. 5.

The bandwidth of the graded-index POF is reported to be more than 1.5 GHz after 50 m transmission [19]. In comparison to the back-to-back case, after 50 m, a 3 dB decrease in power at 1.1 GHz is observed (see Fig. 5). Although the optical channel bandwidth is less than 1.5 GHz, we believe that multi-gigabit transmission is feasible provided that the POF attenuation can be minimized. The graded-index POF attenuation is reported to be 0.2 dB/m at 650 nm in [19], while in this case the attenuation was verified to be 0.3 dB/m at 667 nm. After 50 m transmission, the total optical loss became 15 dB. This high value decreases the received SNR and hence the maximum achievable transmission rate, as shown in the following subsections.

B. 5.3 Gbit/s Transmission Over 50 m PMMA GI-POF

The record transmission result was achieved through the optimal application of the DMT modulation. The AWG generated the DMT waveform with a sampling speed of 4.5 Gsamples/s. As shown in Table I, the characteristics of the waveform are: 256 subcarriers with the spacing of 8.8 MHz, within the bandwidth of 2.25 GHz. As shown in Fig. 5, the 3 dB bandwidth of the system is around 1.1 GHz, this means there will be some unused subcarriers after bit loading (while the DC subcarrier

Fig. 6. Signal-to-noise ratio (SNR) measured before (up) and after (down) bit loading for DMT transmission over 50 m PMMA GI-POF.

is not used). The DPO sampling speed was fixed to the maximum 50 Gsamples/s. This high sampling speed was chosen to obtain a good clock recovery and digital filter suppression. In fact, since sampling speeds of the transmitter and the receiver are not synchronized and the receiver does not include clock-recovery, oversampling is necessary to minimize inter-carrier interference [20]. For cost-effective real implementation, the use of such high sampling speed can be avoided, using Schmidl & Cox approach [21] and/or training symbols [22].

Parameters such as the cyclic prefix length and Schmidl blocks preambles are critical for clock/phase recovery and equalization of the DMT waveform. These were set to 8 and 4 respectively as summarized in Table I. Finally the clipping level is set to 8 dB, which is shown to be optimum for this case study.

In Fig. 6, the SNR is shown before and after bit-loading. Notice that before bit-loading, the SNR measurement result presents a continuous curve from 25 dB to 0 dB. The SNR noticeably decreases at 1.42 GHz. After bit-loading, the SNR assumes a step-like shape similar to the bit-allocation shown in Fig. 7. In particular, since after 1.42 GHz (162th subcarrier) no bits are allocated, the SNR of the last 94 unused subcarriers cannot be evaluated. A spectral efficiency of 3.7 bits/s/Hz is therefore achieved.

We also highlight that the step-like shape of the SNR after bit loading is due to the non-uniform power allocation to each subcarrier as determined by the bit-loading algorithm discussed in Section II. As shown in Fig. 7, power tends to increase with the subcarrier index inside the same bit allocation block, and decreases when a different bit allocation block starts.

Finally, Fig. 8 shows the QAM constellations for 32-QAM and 4-QAM, where 5 and 2 bits are allocated to the lowest and the highest subcarrier indexes respectively. No distortion effects are shown in these constellations which are received after the equalization step.

Fig. 9 shows the maximum achievable bit-rate of the DMT signal versus fiber length using the parameters presented in Table I. Due to the high losses induced by the fiber, the transmission performance is SNR-limited. Hence, Fig. 9 shows a linear relationship between bit-rate and POF length with

Fig. 7. Bit (up) and Power (down) allocation for DMT transmission over 50 m PMMA GI-POF using 256 subcarriers.

Fig. 8. Highest and lowest constellations (respectively 32-QAM and 4-QAM) used in 50 m PMMA GI-POF experiment.

Fig. 9. Maximum achieved bit rate for different POF lengths using bit loading with target BER of 10^{-3} .

negative slope of 60 Mbit/s/m. Since the PMMA GI-POF loss is 0.3 dB/m, this slope is equivalent to 200 Mbit/s/dB.

From the inset in Fig. 9, notice that all the bit error rates (BER) achieved at the various distances remain below 10^{-3} . If a 7% overhead enhanced forward error correction (EFEC) code is inserted, then the BER of $<10^{-3}$ decreases to $<10^{-15}$ [23]. Accounting for EFEC overhead, cyclic prefix and preamble from

Fig. 10. Percentage Bit-rate variation versus number of subcarrier of the DMT signal.

the gross transmission rate of 5.3 Gbit/s, the net bit-rate becomes 4.85 Gbit/s. To determine the implication of the various electrical and optical parameters on the system performance, the following subsections provide further evaluation.

C. Evaluation of DMT and Optical Link Parameters

The results presented in the previous subsection were obtained with the DMT parameters shown in Table I. Here we evaluate the effect of deviation of these parameters on the link performance. We are very much interested in the dependencies of the total bit-rates on different values of subcarrier counts, clipping levels, laser bias currents, and fiber bending loss. In Figs. 10–12 we present the link performance as a function of these four parameters. For the link performance we take the obtained bit-rate relative to the optimum bit-rate, indicated as Δ Bitrate. We define Δ Bitrate as follows,

$$\Delta \text{ Bitrate}(\%) = \frac{\text{Bitrate} - \text{Bitrate}_{\text{ref}}}{\text{Bitrate}_{\text{ref}}} \cdot 100$$

where Bitrate is the achieved result for the applied parameter values, while $\text{Bitrate}_{\text{ref}}$ is the reference bit-rate, equal to the achieved gross bit-rate result of 5.3 Gbit/s shown in the previous subsection.

The first parameter under consideration is the number of subcarriers. Increasing the number of subcarriers will better utilize the available bandwidth, hence an increase in the total bit-rate. Up to 256 subcarriers, the link performance increases considerably, thereafter the performance becomes saturated (see Fig. 10). However, increasing the subcarrier counts will increase the system complexity regarding the digital signal processing steps. A compromise between the number of subcarriers and the complexity of the system is then required. For this reason, choosing 256 subcarriers is the optimum compromise between bit-rate and complexity.

Another important parameter of the DMT signal is the clipping level or crest factor. Fig. 11 shows Δ Bitrate against the crest factor of the DMT signal. The optimum crest factor lies somewhere between 6 and 8 dB. For the record transmission, we chose 8 dB crest factor, but it is important to note that the

Fig. 11. Percentage Bit-rate variation versus crest factor (clipping level) of the DMT signal.

Fig. 12. Percentage Bit-rate variation versus driving bias current.

crest factor of 6 dB also gives a reasonably good result. We remark here that the crest factor of the DMT signal without clipping would be around 14–15 dB which results in more than 30% reduction in bit-rates.

Besides the number of subcarriers and crest factor, which are the main parameters of the DMT signal and can finely be controlled in the DSP, we analyze the optical parameters of the link. Driving bias currents of the light source and bending loss are examined. We have shown in Fig. 4 that a bias current of 4 mA is a good operating point when considering the light source linearity performance. For further clarification, Fig. 12 shows Δ Bitrate versus the DC bias currents of the VCSEL, confirming that the optimum value of bias current is 4 mA. For low bias currents, the link performance is dominated by the signal-to-noise ratio as less light is generated by VCSEL. For high bias currents, laser nonlinearity will reduce the achievable bit-rates.

We operated the VCSEL at the optimum bias current. However, note that with a variation of ± 1 mA, the overall bit-rate will degrade by a maximum of 7% still achieving 4.9 Gbit/s. Thus, in a real system implementation, a slightly lower bit-rate can still be achieved without the use of additional hardware such as current controllers.

Fig. 13. Percentage Bit-rate variation and optical loss versus the bending radius of a 180° bend.

D. Bending Loss

Graded-index POF is today the plastic optical fiber with the highest available bandwidth. For this reason, this type of fiber is highly considered for realizing multi gigabit transmission in an in-home environment.

In a realistic in-home deployment where fibers need to be pulled throughout the corners of homes, another important feature is the resilience against mechanical stresses, including bending. While for 1 mm diameter step-index POF bending losses below 0.5 dB are reported for a bending radius of 20 mm [5], bending losses for graded-index POF are higher. A bending radius of 25 mm is reported [19]. For this reason, we studied the bit-rate penalty due to decreasing bending radius using a half bend (180° bend). Fig. 13 shows Δ Bitrate and optical bending loss against different values of bending radius. No penalty is observed at the bending radius of 25 mm, while a penalty $>7\%$ is noticeable at bending radius below 20 mm. The bit-rate decreases quite linearly for bending radius under 20 mm, and this decrease becomes asymptotically for 7.5 mm and less.

In conclusion, fiber bending affects the link performance due to less optical power received. Due its elasticity, POF is quite tolerant to bending to some degree. Allowing a tolerance of maximum 7% deviation in the highest bit-rate, a bending radius not less than 20 mm is recommended.

IV. CONCLUSION

We have shown transmission technology capable of delivering greater than 5 Gbit/s transmission rate over 1 mm diameter plastic optical fiber. By employing DMT techniques in an intensity-modulated direct detection system and optimizing the electrical and optical system parameters, we demonstrate a record transmission rate of 5.3 Gbit/s and 7.6 Gbit/s over 50 m and 10 m respectively. This record corresponds to a spectral efficiency >3.7 bits/s/Hz.

We also presented detailed evaluation on the DMT parameters and optical transmitter employed. These results highlight the implications of the choice of parameters in realizing this state-of-the-art solution.

By combining the advantages of 1 mm diameter PMMA GI-POF with eye-safe off-the-shelf transceivers, a cost-effective

end-to-end network solution is presented for realizing multi-gigabit transmission.

This solution presents a desired do-it-yourself installation for in-home network environment in comparison to power lines, coaxial and twisted pairs solutions as it can be installed in the same power-line ducts.

In combination with emerging high-capacity, real-time digital signal processing, scalability towards 10 Gbit/s short-range communication over 1 mm diameter POFs is feasible.

REFERENCES

- [1] V. Oksman and S. Galli, "G.hn: The new ITU-T home networking standard," *IEEE Commun. Mag.*, vol. 47, no. 10, pp. 138–145, Oct. 2009.
- [2] *Next Generation Home Networking Transceiver*, ITU-T Recommendation G.9960, Oct. 2009.
- [3] R. E. Freund, C. A. Bunge, N. N. Ledentsov, D. Molin, and C. Caspar, "High-speed transmission in multimode fibers," *J. Lightw. Technol.*, vol. 28, no. 4, pp. 569–586, Feb. 2010.
- [4] I. Mollers *et al.*, "Plastic optical fiber technology for reliable home networking: Overview and results of the EU project pof-all," *IEEE Commun. Mag.*, vol. 47, no. 8, pp. 58–68, Aug. 2009.
- [5] O. Ziemann, J. Krauser, P. E. Zamzow, and W. Daum, *POF Handbook: Optical Short Range Transmission Systems*, 2nd ed. Berlin, Germany: Springer-Verlag, 2008.
- [6] A. Lopez, P. Heredia, J. Mateo, and M. A. Losada, "Comparative analysis of the transmission capabilities of large core plastic optical fibres," in *Proc. ICTON-MW*, 2009, Paper Th3.4.
- [7] J. Armstrong, "OFDM for optical communications," *J. Lightw. Technol.*, vol. 27, no. 3, pp. 189–204, Feb. 1, 2009.
- [8] A. J. Lowery, "Optical OFDM," in *Proc. CLEO/QELS 2008*, May 2008, Paper CWN1.
- [9] N. E. Jolley, H. Kee, P. Pickard, J. Tang, and K. Cordina, "Generation and propagation of a 1550 nm 10 Gbit/s optical orthogonal frequency division multiplexed signal over 1000 m of multimode fibre using a directly modulated DFB," in *Proc. OFC/NFOEC*, 2005, Paper OFP3.
- [10] H. Yang, S. C. J. Lee, E. Tangdiongga, C. Okonkwo, H. van den Boom, F. Breyer, S. Randel, and A. M. J. Koonen, "47.4 Gb/s transmission over 100 m graded-index plastic optical fiber based on rate-adaptive discrete multitone modulation," *J. Lightw. Technol.*, vol. 28, no. 4, pp. 352–359, Feb. 15, 2010.
- [11] H. Yang *et al.*, "4.7 Gbit/s transmission over 50 m long 1 mm diameter multi-core plastic optical fiber," in *Proc. OFC/NFOEC*, 2010, Paper OWA4.
- [12] S. Loquai, R. Kruglov, O. Ziemann, J. Vinogradov, and C. Bunge, "10 Gbit/s over 25 m plastic optical fiber as a way for extremely low-cost optical interconnection," in *Proc. OFC/NFOEC*, 2010, Paper OWA6.
- [13] *Safety of Laser Products—Part 1: Equipment Classification and Requirements*, IEC Standard 60825-1, Mar. 2007, 2nd ed..
- [14] P. S. Chow, J. M. Cioffi, and J. A. C. Bingham, "A practical discrete multitone transceiver loading algorithm for data transmission over spectrally shaped channels," *IEEE Trans. Commun.*, vol. 43, no. 2, pp. 773–775, Feb. 1995.
- [15] K. Joonsuk, C. Jiunn-Tsair, and J. M. Cioffi, "Low complexity bit mapping algorithm for multi-carrier communication systems with fading channels," in *Proc. IEEE Conf. ICUPC'98*, 1998, pp. 927–931.
- [16] T. M. Cover and J. A. Thomas, *Elements of Information Theory*, 2nd ed. New York: Wiley, 2006.
- [17] D. M. Poznar, *Microwave Engineering*, 3rd ed. New York: Wiley, 2005.
- [18] Firecomms 665 nm Multimode VCSEL Product Specification [Online]. Available: <http://www.firecomms.com>
- [19] Optimedia OM-GIGA Product Specification [Online]. Available: <http://www.optimedia.co.kr>
- [20] T. Pollet, P. Spruyt, and M. Moeneclaey, "The BER performance of OFDM systems using non-synchronized sampling," in *IEEE GLOBECOM'94*, Nov. 1994, pp. 253–257.
- [21] T. M. Schmidl and D. C. Cox, "Robust frequency and timing synchronization for OFDM," *IEEE Trans. Commun.*, vol. 45, no. 12, pp. 1613–1621, Dec. 1997.
- [22] Q. Yang, N. Kaneda, L. Xiang, S. Chandrasekhar, W. Shieh, and Y. K. Chen, "Towards real-time implementation of optical OFDM transmission," in *Proc. OFC/NFOEC*, 2010, Paper OMS6.
- [23] *Forward Error Correction for High-Bit Rate DWDM Submarine Systems*, ITU-T Recommendation G.975.1, Feb. 2004.

Davide Visani (S'09) was born in Faenza, Italy, in 1984. He received the B.Sc. and M.Sc. degrees in telecommunications from the University of Bologna, Italy, in 2006 and 2008, respectively. He is currently working toward the Ph.D. degree in optical fiber technologies and Radio over Fiber for in-building and in-home networks at the Dipartimento di Elettronica Informatica e Sistemistica (DEIS), University of Bologna.

In 2010, he spent a year working at the COBRA Research Institute, Eindhoven, The Netherlands.

Chigo Okonkwo was born in the U.K., in 1979. He received the B.Eng., M.Sc., and Ph.D. degrees from University of Essex in 2001, 2002, and 2009, respectively.

In 2004, he joined the Photonic Networks Research Laboratory at University of Essex as a Senior Research Officer working on UK EPSRC funded research projects. He was appointed as a Senior Researcher at the COBRA Research Institute, Eindhoven University of Technology (TU/e) in The Netherlands. His contributions are on all-optical signal processing and plastic optical fiber systems for Access and In-Building Networks within European Union FP7 research projects.

Sven Loquai was born in Coburg, Germany, in 1980. He received the undergraduate degree from Georg-Simon-Ohm University of Applied Science, Nuremberg, Germany, and postgraduate degree from La Trobe University, Melbourne, Australia. He is currently working toward the Ph.D. degree at the University Erlangen-Nuremberg.

His interest lies in the field of high-speed POF transmission systems, semiconductor devices and optical fiber telecommunication.

Hejie Yang (S'07) was born in Tianjin, China in 1982. He received the M.Sc. degree in telecommunications from Technical University of Denmark, The Netherlands, in 2006. Currently, he is working toward the Ph.D. degree in the area of future home network employing radio-over-fiber technologies at COBRA Research Institute, Eindhoven University of Technology, The Netherlands.

Yan Shi (S'10) received the M.Sc. degree in engineering electronic science and technology from Zhejiang University, China, in 2008. She is currently working towards the Ph.D. degree in ECO group of the department of Electrical Engineering, Eindhoven University of Technology, Netherlands.

She is doing her research on POF-PLUS project and her current research areas of interest include ultra-wideband (UWB) signals communication over plastic optical fiber for short reach applications.

Henrie van den Boom is an assistant professor at the Electro-Optical Communication Systems group of the COBRA Institute at Eindhoven University of Technology, The Netherlands.

He has been involved in national and international research projects on coherent optical communication systems, optical cross-connected networks, broadband communications in Hybrid Fiber Coax networks and Polymer Optical Fiber systems and networks. Presently, he is involved in the European FP7 ICT projects ALPHA, BONE, EuroFOS, POF-PLUS and MODE-GAP. He (co-) authored over 120 journal and conference papers.

Ton Ditlewig received the B.Sc. degree in electrical engineering from the Hogeschool Enschede, The Netherlands, in 1990. From 1992 to 2006 he worked on IC design as senior research engineering at Philips Research, The Netherlands.

From 2006 to 2008 he was a Senior Memory Design Engineer at NXP Semiconductors, The Netherlands. From 2008 to 2010 he was with Technical University of Eindhoven, The Netherlands, as a research and education engineer designing electronics for high-speed optical communication systems. Since August 2010 he is a Senior Application Engineer at Philips Lighting working on intelligent Laser Doppler sensors.

Giovanni Tartarini (M'09) received the Ph.D. degree in information and communication technology from the University of Bologna, Bologna, Italy.

He is Associate Professor of Electromagnetic Fields at the University of Bologna. In the years 1987–1990 he worked as Training Consultant in some Colleges of Manila (Philippines) for the Italian Ministry of Foreign Affairs. His present interests are the Applications of Microwave Photonics to Telecommunications Systems and the Numerical Modeling of Optical Components. He is author or coauthor of several scientific works published on Journals or in International Conferences.

Bernhard Schmauss received the Dr.Ing. degree in electrical engineering.

In 1995, he joined Lucent Technologies, in Nuremberg, Germany. From 2003 to 2005 he was professor at the university of applied sciences in Regensburg, Germany. Since October 2005 he is Professor for optical high frequency technology and photonics at the University Erlangen-Nuremberg, Germany. His research interests are fiber lasers, medical application of photonics, various aspects of optical transmission systems and optical sensors. He is Principal Investigator of the Erlangen Graduate School in Advanced Optical Technologies.

Jeffrey Lee received the M.Sc. and Ph.D. degrees in electrical engineering from the Eindhoven University of Technology (TU/e), The Netherlands, in 2005 and 2009, respectively. He conducted his Ph.D. project at Siemens AG in Munich, Germany, dealing with DMT for short-range optical communications.

He has (co-)authored more than 50 refereed papers and conference contributions and received the Corning Outstanding Student Paper Award at the Conference for Optical Fiber Communication (OFC) in 2009. Since 2010, he has been working as OFDM algorithm and hardware designer at Philotech GmbH, Germany.

Ton Koonen (M'00–SM'01–F'07) is a Full Professor at Eindhoven University of Technology, The Netherlands, since 2001.

He is a chairman of the group Electro-Optical Communication Systems since 2004. Before 2001, he worked more than 20 years in applied research in industry, such as at Bell Laboratories in Lucent Technologies, and as a part-time Professor at Twente University, The Netherlands. He is involved in many European research projects, both as participant and as reviewer. His current research interests are in optical fiber access and in-building network techniques.

Prof. Koonen is a Bell Labs Fellow, a Fellow of IEEE, and an elected member of the IEEE Photonic Society Board of Governors.

Eduward Tangdiongga received the M.Sc. and Ph.D. degrees from the Eindhoven University of Technology (TU/e), Eindhoven, The Netherlands, in 1994 and 2001, respectively.

In 1994, he joined the COBRA Research Institute. From 2001 to 2006, he participated in the EU FASHION and the Dutch STW research project on ultrahigh-speed optical switch using semiconductor materials. In 2006 he was appointed as assistant professor on short-haul optical communications. Currently, he is involved in European Union FP7 research programs ALPHA, POF-PLUS, BOOM, and EUROFOS. His research interest includes random signals, radio-over-multimode fiber, and plastic optical fiber.