

# Characterization of mechanical properties of dermis and fat in vivo

***Citation for published version (APA):***

Hendriks, F. M., Brokken, D., Oomens, C. W. J., Baaijens, F. P. T., & Horsten, J. B. A. M. (2001). *Characterization of mechanical properties of dermis and fat in vivo*. Poster session presented at Mate Poster Award 2001 : 6th Annual Poster Contest.

***Document status and date:***

Published: 01/01/2001

***Document Version:***

Publisher's PDF, also known as Version of Record (includes final page, issue and volume numbers)

***Please check the document version of this publication:***

- A submitted manuscript is the version of the article upon submission and before peer-review. There can be important differences between the submitted version and the official published version of record. People interested in the research are advised to contact the author for the final version of the publication, or visit the DOI to the publisher's website.
- The final author version and the galley proof are versions of the publication after peer review.
- The final published version features the final layout of the paper including the volume, issue and page numbers.

[Link to publication](#)

***General rights***

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal.

If the publication is distributed under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license above, please follow below link for the End User Agreement:

[www.tue.nl/taverne](http://www.tue.nl/taverne)

***Take down policy***

If you believe that this document breaches copyright please contact us at:

[openaccess@tue.nl](mailto:openaccess@tue.nl)

providing details and we will investigate your claim.

# Characterization of Mechanical Properties of Dermis and Fat in vivo

F.M. Hendriks<sup>1,2</sup>, D. Brokken<sup>1</sup>, C.W.J. Oomens<sup>2</sup>,  
F.P.T. Baaijens<sup>2</sup>, J.B.A.M. Horsten<sup>1</sup>

<sup>1</sup>Philips Research Laboratories, Eindhoven

<sup>2</sup>Eindhoven University of Technology, Department of Biomedical Engineering

## Introduction

Human skin is a complex tissue consisting of several distinct layers, each consisting of their own components and structure.




Figure 1 Schematic view of cross-section of human skin, showing 4 layers (thicknesses for volar forearm).

To gain a better insight of the overall skin behaviour during shaving, the mechanical behaviour of the different layers will be studied. This work is focussed at the dermis and fat layer.

## Objective

Development of experimental setup and numerical model to evaluate and simulate the mechanical properties of human dermis and fat in vivo.

## Experimental Setup

A 20 MHz ultrasound system (Dermascan, Cortex, DK) is coupled to a pressure chamber with an aperture size of 8mm. The chamber is attached to the skin with double adhesive tape and filled with water. Application of an underpressure (suction) in the chamber with a syringe causes an uplift of the skin. Applied pressures are measured with a pressure sensor. Resulting displacements are obtained from the ultrasound images.




Figure 2 Schematic view of experimental setup. The pressure sensor is located behind the water outlet.

/department of biomedical engineering

## Experimental Results




Figure 3 Forearm skin and fat at atmospheric pressure (left) and at 37 mbar underpressure (right).

37 mbar underpressure results in a fat thicknesses increase from 1.15 to 1.58 mm, dermal thickness is unchanged at 1.21 mm and the skin surface displacement is 0.65 mm.

## Numerical Model

The experiment is simulated with a two layer FEM model (MARC). Dermis and fat are simulated with Mooney material behaviour. Material parameters are obtained by comparison with the experimental results. Manually fitting results in  $C_{10, fat} = 20$  Pa and  $C_{10, dermis} = 50$  kPa.




Figure 1 Enlarged part of axisymmetric 2-layer FEM model showing x-displacements at 37 mbar suction.

## Discussion

The obtained material parameters for dermis are consistent with results from earlier suction experiments [1].

## Future Work

A micro pump will be added to gain better control. Pressure-displacement curves will be measured for various aperture sizes. The constitutive model has to be extended to account for nonlinear behaviour and PARFIT, a parameter estimation tool, will be employed.

## References:

- [1] DIRIDOLLOU, S. et al: In vivo model of the mechanical properties of the human skin under suction Skin Research and Technology, 2000:6:214-221