Tracebook : a dynamic checklist support system

Citation for published version (APA):

Nan, S., Van Gorp, P. M. E., Korsten, H., Vdovják, R., & Kaymak, U. (2014). *Tracebook : a dynamic checklist support system*. (BETA publicatie : working papers; Vol. 450). Technische Universiteit Eindhoven.

Document status and date:

Published: 01/01/2014

Document Version:

Publisher's PDF, also known as Version of Record (includes final page, issue and volume numbers)

Please check the document version of this publication:

- A submitted manuscript is the version of the article upon submission and before peer-review. There can be important differences between the submitted version and the official published version of record. People interested in the research are advised to contact the author for the final version of the publication, or visit the DOI to the publisher's website.
- The final author version and the galley proof are versions of the publication after peer review.
- The final published version features the final layout of the paper including the volume, issue and page numbers.

[Link to publication](#)

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal.

If the publication is distributed under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license above, please follow below link for the End User Agreement:

www.tue.nl/taverne

Take down policy

If you believe that this document breaches copyright please contact us at:

openaccess@tue.nl

providing details and we will investigate your claim.

Tracebook: A Dynamic Checklist Support System

Shan Nan, Pieter Van Gorp, Hendrikus H.M. Korsten,
Richard Vdovjak, Uzay Kaymak

Beta Working Paper series 450

BETA publicatie	WP 450 (working paper)
ISBN	
ISSN	
NUR	982
Eindhoven	March 2014

Tracebook: A Dynamic Checklist Support System

Shan Nan^{*§}, Pieter Van Gorp^{*}, Hendrikus H.M. Korsten^{†*}, Richard Vdovjak[‡], Uzay Kaymak^{*},
Xudong Lu[§] and Huilong Duan[§]

^{*}School of Industrial Engineering, Eindhoven University of Technology, Eindhoven, The Netherlands
{s.nan,p.v.gorp,u.kaymak}@tue.nl

[†]Department of Anaesthesiology and Intensive-Care, Catharina Ziekenhuis Eindhoven, The Netherlands
erik.korsten@catharinaziekenhuis.nl

[‡]Philips Research, Eindhoven, The Netherlands
richard.vdovjak@philips.com

[§]Department of Biomedical Engineering, Zhejiang University, Hangzhou, P.R. China
{lvxd,duanhl}@zju.edu.cn

Abstract—It has recently been demonstrated that checklists can enable significant improvements to patient safety. However, their clinical acceptance is significantly lower than expected. This is due to the lack of good support systems. Specifically, support systems are too static: this holds for paper-based support as well as for electronic systems that digitize paper-based support naively. Both approaches are independent from clinical process and clinical context. In this paper, we propose a process-oriented and context-aware dynamic checklist support system: Tracebook. This system supports the execution of complex clinical processes and rules involving data from Electronic Medical Record systems. Workflow activities and forms are specific to individual patients based on clinical rules and they are dispatched to the right user automatically based on a process model. Besides describing the Tracebook functionality in general, this paper demonstrates the support system specifically on an example application that we are preparing for a controlled clinical evaluation. At last we discuss the difference between Tracebook and other support systems which also rely on a checklist format.

I. INTRODUCTION

Checklists, sometimes referred to as “safety checklists” or “medical checklists”, have in recent years gained support as vehicles for disseminating evidence-based best practices in clinical medicine, with the aim of improving patient safety [1], [2]. In clinical practice, they are completed by a responsive team in a well-defined process with the aim of increasing patient safety. Usually, team members verbally confirm and discuss all the tasks listed on checklists [3]. Sometimes checklists are handed to physicians and support staff working on support procedures [4].

Although two independent studies have reported how surgical safety checklist enabled significant reduction in mortality and morbidity [1], [2], practitioners are still reluctant to adopt these checklist in their daily practice [3]–[8]. The existing support systems are known to have the following limitations which cause adoption barrier: the lack of reminder mechanisms and the excessive length of checklists [4].

In other clinical knowledge related applications, e.g., clinical practice guideline, people have faced similar problems [9]. A number of clinical decision support systems (CDSSs) have been developed to solve the problems [10]. These systems present the best practice knowledge to users dynamically according to specific patient data by sending alerts. However,

studies has found that these alerts did not apply to the patient due to alert fatigue. The reason is that these alerts are isolated from the clinical workflow and context [11].

In this paper, we apply the experiences of CDSSs and propose Tracebook, a dynamic checklist support system aiming to support the implementation of checklists in a process-oriented, context-aware way. Tracebook works as an assistant to dispatch checklists to the right person according to clinical workflow and filter the content of checklists based on clinical rules. Moreover, Tracebook bridges participants who work in different phases and have little communication by presenting history checklists in a comprehensive process model. Additionally, by the name Tracebook, we stress the idea of teamwork. Tracebook intends to make clinical processes more traceable and accountable (e.g., by tracking and showing who was responsible for already completed activities). Also, similar to the non-medical social platforms (e.g., Facebook), Tracebook can make a (care) organization more open to its clients (as well as to colleagues from another organizational unit) so that they can know each other, by means of picture logs.

The remainder of this paper is structured as follows: Section II reviews current checklist support systems’ functions and adoption/implementation barriers. Section III describes the features of a dynamic checklist support system and walks the reader through these features with an example. Section IV describes two other digital checklist support systems and discusses the major differences. Section V discusses the difference between dynamic checklist support systems, computerized clinical pathway systems and computerized provider order entry systems. Finally in section VI, we give a conclusion to this paper.

II. BACKGROUND

Clinical checklists are becoming increasingly popular in recent years for patient safety in both routine and emergency situations. Among these checklists, three of them are well studied and tested, which are the World Health Organization Surgical Safety Checklist (WHO SSC) [1], the SURgical PATient Safety System (SURPASS) [2] and the Surgical-Crisis Checklist [12]. They have shown their great power in several well defined clinical trials [1], [2], [12]. Paper-based checklist

support systems and static digital checklist support systems have been developed for the implementation. However, it has been reported that practitioners are reluctant to use these checklists and their variations due to the insufficiencies of these support systems [4], [5]. In the following subsection, we make a brief review of these checklist support systems' functionalities, achievements and limitations. Then, we discuss the reasons of these limitations.

A. Functionalities of checklist support systems

In 2007, the World Health Organization (WHO) launched the Safe Surgery Saves Lives Initiative, aiming at improving surgical safety by defining a core set of safety standards. The checklist mechanism was selected as the appropriate form to represent these standards because of its success in the aviation industry. This resulted in the WHO SCC, which has in the meanwhile been tested in a prospective pilot study in eight hospitals located in both developed and developing countries.

WHO SSC has three stages, the stage before induction of anesthesia, the stage before skin incision and the stage before the patient leaves the operating room (OR). In each stage, there is a collection of predefined patient safety related checks (e.g., is this the correct patient, the correct operation site/side, etc.). A team including an anesthesiologist, a surgeon and a nurse is required to preform those checks.

Paper-based systems are available to support the implementation of WHO SSC and its variations. They usually consist of one piece of paper with three blocks. In each block, checkable items that belong to one stage are listed. In each stage, a nurse, an anesthesiologist and a surgeon should stand together to confirm verbally whether the listed tasks have been performed and to document the checked results. The surgical process can only proceed after every item has been checked.

SURPASS was initially developed as early as 2004 in the Academic Medical Center (AMC) in Amsterdam, The Netherlands. It aims to improve surgical patient safety by providing a frame for the surgical pathway and promoting interdisciplinary communication.

Different from WHO SSC which is only used in the OR by a nurse, an anesthesiologist and a surgeon, SURPASS extends the use of the checklist to the ward, the OR, the recovery unit and the intensive care unit (ICU), for ward doctors, nurses, surgeons, anesthesiologists, intensivists and operating assistants. SURPASS spans a comprehensive peri-operative process including pre-operative activities on the ward, a time-out in the OR, activities in the recovery unit or ICU, post-operative ward activities and discharge related activities for a multidisciplinary team.

A paper-based support system for SURPASS was firstly introduced in 2008. 18 pages of checkable items are organized per process step. Some of them are optional based on whether or not the patient will receive local anesthesia. Some items are optional based on specific patient conditions. There are also areas to make notes or remarks related to the checks.

To improve the usage of the checklist and streamline the checklist process, in 2011, AMC rolled out SURPASS Digital, a web-based checklist support system integrated into the AMC's hospital information systems. SURPASS Digital

provides static web pages of checkable items. The 18 pages of checklist are presented in a sequential order in the system to illustrate the peri-operative process. Users can review history checks in the system [13].

The purpose of the above two checklist support systems is to give standardized care to patients in routine situations. However, emergencies (e.g., cardiac arrest and massive hemorrhage) happen in critical clinical settings. The Surgical Crisis Checklist has been developed to improve adherence to evidence-based best practices during these emergencies [12]. It has been evaluated in a simulation-based trial.

The Surgical Crisis Checklist is a complementary to the WHO SSC as it provides a step-by-step guidance to rare but serious scenarios which are not included in the WHO SSC. The OR staff can pick up these checklists when certain kinds of emergencies happen.

A paper-based support system is available for the Surgical Crisis Checklist. The system relies on color coding and numbering for organizing the checkable items of 12 anticipated emergency situations. When a crisis happens, the OR staff can find the correct checklist more conveniently than without this organization technique. The checklists essentially have turned evidence-based best practices into actionable steps for dealing with critical scenarios. People are encouraged to confirm and discuss each step verbally. While WHO SSC and SURPASS require signatures of the participants, this is not the case for the Surgical Crisis Checklist.

To summarize, the functionalities of these checklist support systems are compared in TABLE I.

B. Achievements and Insufficiencies

WHO SSC reduced the overall mortality rate from 1.5% to 0.8% and the complication rate decreased from 11% to 7%. The success encouraged WHO to release this checklist globally. More than 1800 hospitals had already used it routinely in 2009 [1].

Though it is wide-spread, the adherence to WHO SSC is reported low. Based on different statistical methods, the completion and compliance of WHO SSC are reported differently. A multi-center study [5] indicates that the completion rate and compliance rate are 61% and 90.2% respectively. Another single-site study [8] shows that the completion rate is 85% and the compliance rate is 69%. Both of these studies expected a 100% completion and compliance. Barriers are identified in these studies, which are redundancy in the checkable items, poor communication, time consumption, inappropriate timing, identification of the role and responsibility of staff as well as users' attitude [5].

A prospective evaluation result shows that SURPASS reduced the mortality rate from 1.5% to 0.8% and the complication rate from 27.3% to 16.7% [2]. This checklist is routinely used in AMC and 5 other hospitals in the Netherlands.

The completion rate of SURPASS is less than expected. 65% of the surgeons completed checklist almost always, and only 35% of the anesthesiologists did so. Surgical staff was interviewed to find out the reasons. The most frequent reasons were "forgotten" with 66%, "logistics" with 45%, "lack of

TABLE I: Functionalities and acceptance of checklist support systems

Checklist	Support System	Functions	Barriers
WHO SSC	Paper-based system	Essential items confirmation Decisions recording	Duplication with existing checks Poor communication Time consuming Inappropriate timing Identification of the role and responsibility of staff Users' attitude
SURPASS	Paper-based system from 2008 to 2011 static digitalized system after 2011	Explicit process map Role based task assignment Process logging Essential items confirmation Decisions recording Remarks on problems Emergency in process	Forget now and then Logistics Lack of time Motivation Other
CRISIS	Paper-based system	Step-by-step guidance	N/A (Not implemented)

time” with 34% as well as “motivation” and “others” with 11%. Integration into hospital information system, providing electronic checklist and making checklist shorter were suggested to improve the compliance of SURPASS [4].

The Surgical Crisis Checklist has been evaluated in a simulation-based study. Non-adherence to critical procedures decreased from 23% to 6% [12]. Participants of the evaluation claim that they would like to use this checklist in their work. However, the implementation in real clinical situations has not been reported yet. A summary of the barriers reported in the literature is given in TABLE I.

C. Static nature of existing checklist support systems

Current checklist support systems are “too static” in two respects.

1. Checklist support systems are static in terms of the process. Here, the process refers to the collection of checklist-related activities and the order between them. Currently, checklist support systems have a poor division of responsibilities of the people involved. Thus, users may forget or feel unclear about their roles and fail to perform checks at the appropriate time.
2. Checklist support systems are static in terms of the context. Here, the context refers to the data related to the condition of the patient (e.g., diagnosis, co-morbidities, laboratory tests, prescription, demographic information, etc.). In current checklist support systems, items in the checklist are the same for every patient, regardless whether they may need significantly different concerns. Thus, checklists are excessively long. Based on the aforementioned studies on alert fatigue, it is clear that a lack of prioritization support can drain users' motivation.

As a result, solving the “static” problems is the key to developing a well-accepted checklist support system. Comparing with current checklist support systems, we characterized such a system as a dynamic checklist support system, which should be process-oriented and context-aware.

III. TRACEBOOK: A DYNAMIC CHECKLIST PROTOTYPE

In this section, we describe a dynamic checklist support system, Tracebook, which supports all the checklist functionalities stated in the above section and provides dynamic features which are process-oriented and context-aware. An additional

benefit of Tracebook is that it can make clinical processes more transparent, traceable and accountable by tracking and showing the responsible persons of already completed activities. In this way, it forms a bridge amongst participants who work in different phases, time and places.

A. Features

Characterized as process-oriented, Tracebook has the following features.

Tracebook supports both predefined processes and ad-hoc processes. Both predefined processes like the process in SURPASS and ad-hoc processes like the process in the Surgical Crisis Checklist are supported. Moreover, these two kinds of processes can work simultaneously.

Tracebook supports complex flows. Complex flows which have events, conditional branches, gateways, timers, etc. can be executed in Tracebook. This feature guarantees that individual users can work on the same process concurrently. Also, it ensures that the system distributes checkable items at the most appropriate time.

Tracebook gives an overview of clinical processes. Tracebook logs each user's choices for a patient as well as the context when they made the decision. Users can inspect what the others have checked for a patient and why which decisions were taken by whom. This gives a transparent view to the process and can improve the accountability of the medical staff.

Tracebook is event driven. Event driven means that certain activities can be triggered by clinical events automatically. These events can be manual operations, messages from outside clinical systems, or timer events. It gives Tracebook the interoperability with clinical information systems so that the tasks can be executed at the right time.

Tracebook can assign checklists to both a group of users with the same role and a specific user automatically. Tracebook can distribute tasks to a certain group of user by their role or a particular user based on rules (e.g., a pre-operative checklist is distributed to a group of surgeons. A surgeon picks up this pre-operative checklist. Then the post-operative checklist will be sent to this surgeon instead of all the surgeons).

Characterized as context-aware, Tracebook has the following features.

Context-based task filtering and assignment. Tasks for a certain scenario can be filtered and assigned to the user according to patient data. It can perform automatic checks to reduce the workload, or perform double checks to increase the safety. It can also remove the irrelevant tasks in order to help the users to be more concentrated. Patient-based warnings or alerts can be presented as items in a checklist by this feature.

Context-based data and information supplementary. For each task, based on particular rules, patient data or additional information related to the task can be acquired by users at the time they need it. (i.e., via a contextualized pop-up over a checkable item). Thus they do not need to check patient information in different clinical information systems.

Triggering other tasks automatically. With the context and/or decisions users make, Tracebook can check whether preconditions of a task are met or successor actions should be started. Events and data in Tracebook can be sent to other information systems automatically as well.

Note and remark on each item. Tracebook allows a user to make a note and/or a remark on each item. These notes and remarks can be read by the other users. Highlights are provided in the process history view to help users in seeing at a glance all comments from human colleagues.

B. Walk-through of an OR-ICU checklist

We use an OR-ICU checklist, which is adopted from SURPASS and contains ad-hoc checkable items like Crisis Checklist, and an imaginary patient, John Doe, to walk through the features of Tracebook.

The OR-ICU checklist has three stages, pre-operative check, time-out in OR and admission to the ICU. When the operation is planned, the pre-operation checklist should be checked by a surgeon, a nurse and an anesthesiologist respectively in their offices. When the patient is sent to the OR, an anesthesiologist, a surgeon and a nurse work together to perform a verbal confirmation. Further, when the patient is admitted to the ICU, an ICU nurse and a doctor need to check the admission to the ICU checklist. The whole process is illustrated in Fig. 1. Besides the scheduled checks, ad-hoc checklists for unscheduled events are also provided.

Fig. 1: OR-ICU checklist process.

Patient John Doe is planned for a coronary artery bypass graft (CABG) surgery. He is on anticoagulation, which may lead to excessive bleeding during the surgery. So the international normalized ratio (INR) should be checked in this specific

case. He has an impaired renal function, which should be known to the doctors while prescribing drugs. Due to alert fatigue, these two points are very likely to be overlooked in the EMR. He might carry vancomycin-resistant enterococcus (VRE) bacteria. And this bacteria might spread to the other sicker patients. In that case, he should be isolated by a standardized protocol.

With all the foreseeable and unforeseeable risks, the OR-ICU checklist is applied to John's care journey supported by Tracebook. When the operation is planned, the EMR system sends an event to Tracebook. The workflow engine inside of Tracebook catches this event and starts a new OR-ICU checklist process. Activities in the process are assigned to the predefined roles by the workflow engine. The users can see the checklist immediately (e.g., emails are sent to participants' mailboxes). Also, they can login to Tracebook later to find a list of checklists that they can check (Fig. 2).

Fig. 2: Picking up a checklist in the process.

When a user chooses a checklist, he or she will confirm the listed items and mark them. Instead of giving a long list that contains irrelevant items for the specific patient, in Tracebook, contextual clinical rules are used to filter existing items based on specific patient data in the EMR. Only patient-specific checks are displayed. Here for example (in Fig. 3, red font), two clinical rules “*IF Warfarin Prescribed=true AND INR $\geq$ 4.0 THEN return ‘Patient INR too high (INR value) noticed’*” and “*IF Renal Insufficiency=true THEN return ‘Renal insufficiency noticed’*” are predefined in Tracebook. The rule engine in Tracebook acquires patient data from the EMR and executes these rules. As a result, two more check items, “Patient INR too high (4.1) noticed” and “Renal insufficiency noticed” are provided by Tracebook. Another added value to the checklist provided by Tracebook is the quick access to patient data and multimedia resources. As illustrated in Fig. 3, when the user clicks on the underscored text, Tracebook will display an information pop-up to show the most recent data or lead to additional resources like clinical guidelines. A note or remark can be attached to each check. After checking and

remarking, the checklist is submitted.

Pre-operation_ANE

PatientID: 1101
ScenarioName: Pre-operation_ANE
PatientName: John,Doe

History process

Remark

Item	Check	Note
Correct patient (John,Doe,Male) and correct procedure (CABG) verified	☒	
Current condition assessed (including airway)	☒	
Medical data seen (details of procedure, patient notes, letters Electronic Health Record, pre-assessment)	☒	
Allergies and comorbidity registered in patient records	☒	
Current laboratory information assessed	☒	
Patient INR too high (4.2) noticed!	☒	May cause bleeding!
Renal insufficiency noticed!	☒	
Blood samples for cross-typing	☒	

Contextual items

Patient data

laboratory information

Lab NameLab Value

INR 4.2

ASAT 34

ALAT 35

Ureum 15

Glucose 16

INR 4.2

Fig. 3: Performing checks in a context-aware checklist.

When the operation is started, the medical team is assembled together in the OR to discuss the patient situation. The time-out checklist is assigned to the users who did the check in the previous stage by the workflow engine. After the operation, John is sent to the ICU. There, an intensivist and a nurse need to know his conditions, including the operation details. In Tracebook, there is a comprehensive view in Business Process Modeling and Notation (BPMN) format customized with participants' photos. Tracebook queries from the workflow engine that which tasks will be performed, which tasks should be performed at this moment and which tasks have been performed. Tasks that should be performed at this moment are highlighted with a red rectangular. Tasks that have been performed are marked with the performers' photos. Clicking on each photo, the current user can see what the others have checked and remarked (Fig. 4). Those patient data and additional resources are kept together with the history checklist. In this way, warnings and important remarks which are easily ignored in the EMR and the other information systems are kept together. Successor users can know from that why previous users made a particular decision. Another important feature is that the responsible person's contact information is placed together with their checks. When users have any doubt, they can directly call the one who made the check.

Unfortunately, John is infected with VRE. This is an unexpected situation that can not be planned. There is an "Ad-hoc checklist" page in Tracebook. Users can see the completed ad-hoc checklists which have been performed in previous stages for this patient. By typing keywords, users can find the VRE checklist very easily and perform their own checks (Fig. 5).

This prototype makes the whole process transparent and traceable. This guarantees a better team communication and promotes team building. Also, for each specific role involved

Click

Name: Erik Korsten
Department: Anesthesiology/ICU
Telephone: 1234

Item	Check	Note
Correct patient (John,Doe,Male) and correct procedure (CABG) verified	☒	
Current condition assessed (including airway)	☒	
Medical data seen (details of procedure, patient notes, letters Electronic Health Record, pre-assessment)	☒	
Allergies and comorbidity registered in patient records	☒	
Current laboratory information assessed	☒	
Patient INR too high (4.2) noticed!	☒	May cause bleeding!
Renal insufficiency noticed!	☒	
Blood samples for cross-typing have been taken	☒	

Fig. 4: Reviewing the process and completed checklists.

Current checklists

Available Checklist: vre GO TO Check!

- VRE1 Start isolation
- VRE2 Transfer to another department
- VRE3 End isolation
- VRE4 Redevelopment
- VRE5 MAD

Fig. 5: Selecting an ad-hoc checklist.

in the process, they have a well defined, highly patient-specific checklist to confirm at the right time.

IV. RELATED WORK

SURPASS Digital, as we described in Section II, made impressive progress in usability and integration with the EMR [13]. However, there are several major differences between SURPASS Digital and Tracebook.

1. SURPASS Digital allows users to pick up a checklist in a list while Tracebook can send a checklist to a specific group of users at the right time. When users try to find a checklist for the patient, in SURPASS Digital, they go to the checklist function in the EMR and select a checklist they want. In Tracebook, a checklist is presented (e.g., by email) to users automatically based on a predefined model.
2. In SURPASS Digital, items in each checklist are unchangeable in the runtime while Tracebook provides personalized items for each patient. Check boxes marked "n/a" are used in SURPASS Digital to deal with the unrelated items. In Tracebook, items are filtered and highlighted by clinical rules according to patient data.
3. SURPASS Digital provides a sequential view of the completed tasks while Tracebook has a comprehensive and straightforward view in BPMN format. In SURPASS Dig-

ital, an ignored checklist is marked with a red cross, and an incompletable checklist is marked with a red exclamation mark. Tracebook uses a similar mechanism in BPMN format customized with the participants' photos.

In 2012, Avrunin et al. [14] proposed the smart checklists for human-intensive medical systems. Their system can guide process actors in identifying and responding to exceptional or hectic circumstances, help with process deviations and help assure deadlines are met. Checkable items can change dynamically taking into account the history of the process execution, summaries of past execution, and projections of possible future execution of the current process. The smart checklist system focuses on process execution and changes the checklist items dynamically, based on the process context. However, Tracebook dynamically changes the items by the context regarding to patient state.

V. DISCUSSION

Besides the safety checklist, clinical pathways and order sets can also be represented in the checklist format [15]. Accordingly, there are computerized clinical pathway systems that can execute pre-scheduled care plans which are localized from clinical pathways [16] and computerized provider order entry (CPOE) systems that are used to give practitioners a package of best practices to a particular group of patients at the point of care [17].

These three types of systems are designed for different purposes. A checklist support system is designed to help the confirmation of critical steps and facilitate the communication among the clinical stakeholders. A computerized clinical pathway system aims to reduce the (undesired) variability in clinical practice, including the standardized order prescription etc. A CPOE system aims to enable fast, convenient ordering and generation of orders that are accurate, complete, and free of errors. As a result, they focus on different functionalities. Particularly, the checklist support system stresses on communication and need to track participants' decisions and provide a global view of the process for each participant.

VI. CONCLUSIONS

In this paper, we discuss the advantages and limitations of current checklist support systems and present an innovative dynamic checklist support system: Tracebook. Although checklists show their unique power in promoting patient safety by providing users a clear view of critical tasks and helping with the multidisciplinary communication, they are not implemented successfully due to their static supporting systems. We propose a dynamic checklist support system which is process-oriented and context-aware to improve this. General features of such a system are discussed. And a prototype of an OR-ICU checklist has demonstrated the feasibility of our approach.

Future work will focus on the deployment, implementation and evaluation of this system. We are planning to implement it in a controlled OR-ICU setting and measure its impact on the checklist acceptance.

ACKNOWLEDGMENT

The research leading to these results has received funding from the Brain Bridge Project sponsored by Phillips Research.

REFERENCES

- [1] A. B. Haynes, T. G. Weiser, W. R. Berry, S. R. Lipsitz, A.-H. S. Breizat, E. P. Dellinger, T. Herbosa, S. Joseph, P. L. Kibatala, M. C. M. Lapitan, A. F. Merry, K. Moorthy, R. K. Reznick, B. Taylor, and A. a. Gawande, "A surgical safety checklist to reduce morbidity and mortality in a global population." *The New England journal of medicine*, vol. 360, no. 5, pp. 491–9, Jan. 2009.
- [2] E. N. de Vries, H. A. Prins, R. M. P. H. Crolla, A. J. den Outer, G. van Andel, S. H. van Helden, W. S. Schlack, M. A. van Putten, D. J. Gouma, M. G. W. Dijkgraaf, S. M. Smorenburg, and M. A. Boermeester, "Effect of a comprehensive surgical safety system on patient outcomes." *The New England journal of medicine*, vol. 363, no. 20, pp. 1928–37, Nov. 2010.
- [3] A. Borchard, D. L. B. Schwappach, A. Barbir, and P. Bezzola, "A systematic review of the effectiveness, compliance, and critical factors for implementation of safety checklists in surgery." *Annals of surgery*, vol. 256, no. 6, pp. 925–33, Dec. 2012.
- [4] E. N. de Vries, M. W. Hollmann, S. M. Smorenburg, D. J. Gouma, and M. a. Boermeester, "Development and validation of the SURgical PATient Safety System (SURPASS) checklist." *Quality & safety in health care*, vol. 18, no. 2, pp. 121–6, Apr. 2009.
- [5] A. Fourcade, J.-L. Blache, C. Grenier, J.-L. Bourgain, and E. Minvielle, "Barriers to staff adoption of a surgical safety checklist." *BMJ quality & safety*, vol. 21, no. 3, pp. 191–7, Mar. 2012.
- [6] O. Thomassen, G. Brattebø, J.-K. Heltne, E. S. Øfteland, and A. Espeland, "Checklists in the operating room: Help or hurdle? A qualitative study on health workers' experiences." *BMC health services research*, vol. 10, no. 1, p. 342, Jan. 2010.
- [7] J. J. Delgado Hurtado, X. Jiménez, M. a. Peñalón, C. Villatoro, S. de Izquierdo, and M. Cifuentes, "Acceptance of the WHO Surgical Safety Checklist among surgical personnel in hospitals in Guatemala city." *BMC health services research*, vol. 12, p. 169, Jan. 2012.
- [8] E. A. Sparks, H. Wehbe-Janek, R. L. Johnson, W. R. Smythe, and H. T. Papaconstantinou, "Surgical Safety Checklist Compliance: A Job Done Poorly!" *Journal of the American College of Surgeons*, no. 0, pp. –, 2013.
- [9] S. Tu and J. Campbell, "The SAGE Guideline Model: achievements and overview," *Journal of American Medical Informatics Association*, vol. 14, no. 5, 2007.
- [10] P. A. de Clercq, J. A. Blom, H. H. M. Korsten, and A. Hasman, "Approaches for creating computer-interpretable guidelines that facilitate decision support," *Artificial intelligence in medicine*, vol. 31, no. 1, pp. 1–27, 2004.
- [11] H. van der Sijs, J. Aarts, A. Vulto, and M. Berg, "Overriding of drug safety alerts in computerized physician order entry," *Journal of the American Medical Informatics Association*, vol. 13, no. 2, pp. 138 – 147, 2006.
- [12] A. F. Arriaga, A. M. Bader, J. M. Wong, S. R. Lipsitz, W. R. Berry, J. E. Ziewacz, D. L. Hepner, D. J. Boorman, C. N. Pozner, D. S. Smink, and A. a. Gawande, "Simulation-based trial of surgical-crisis checklists." *The New England journal of medicine*, vol. 368, no. 3, pp. 246–53, Jan. 2013.
- [13] SURPASS Digital. [Online]. Available: <http://www.surpass-checklist.nl/content.jsf?pageId=General&lang=en>
- [14] G. S. Avrunin, L. a. Clarke, L. J. Osterweil, J. M. Goldman, and T. Rausch, "Smart checklists for human-intensive medical systems," in *IEEE/IFIP International Conference on Dependable Systems and Networks Workshops (DSN 2012)*. Ieee, Jun. 2012, pp. 1–6.
- [15] B. D. Winters, A. P. Gurses, H. Lehmann, J. B. Sexton, C. J. Rampersad, and P. J. Pronovost, "Clinical review: checklists - translating evidence into practice." *Critical care (London, England)*, vol. 13, no. 6, p. 210, Jan. 2009.
- [16] W. Li, K. Liu, H. Yang, and C. Yu, "Integrated clinical pathway management for medical quality improvement based on a semiotically inspired systems architecture," *European Journal of Information Systems*, no. February 2012, pp. 1–18, May 2013.
- [17] T. Payne, P. Hoey, P. Nichol, and C. Lovis, "Preparation and use of preconstructed orders, order sets, and order menus in a computerized provider order entry system," *Journal of the American Medical Informatics Association*, no. 4, pp. 322–330, 2003.

Working Papers Beta 2009 - 2014

nr.	Year	Title	Author(s)
450	2014	Tracebook: A Dynamic Checklist Support System	Shan Nan, Pieter Van Gorp, Hendrikus H.M. Korsten, Richard Vdovjak, Uzay Kaymak
449	2014	Intermodal hinterland network design with multiple actors	Yann Bouchery, Jan Fransoo
448	2014	The Share-a-Ride Problem: People and Parcels Sharing Taxis	Baoxiang Li, Dmitry Krushinsky, Hajo A. Reijers, Tom Van Woensel
447	2014	Stochastic inventory models for a single item at a single location	K.H. van Donselaar, R.A.C.M. Broekmeulen
446	2014	Optimal and heuristic repairable stocking and expediting in a fluctuating demand environment	Joachim Arts, Rob Basten, Geert-Jan van Houtum
445	2014	Connecting inventory control and repair shop control: a differentiated control structure for repairable spare parts	M.A. Driessen, W.D. Rustenburg, G.J. van Houtum, V.C.S. Wiers
444	2014	A survey on design and usage of Software Reference Architectures	Samuil Angelov, Jos Trienekens, Rob Kusters
443	2014	Extending and Adapting the Architecture Tradeoff Analysis Method for the Evaluation of Software Reference Architectures	Samuil Angelov, Jos J.M. Trienekens, Paul Grefen
442	2014	A multimodal network flow problem with product Quality preservation, transshipment, and asset management	Maryam SteadieSeifi, Nico Dellaert, Tom Van Woensel
441	2013	Integrating passenger and freight transportation: Model formulation and insights	Veaceslav Ghilas, Emrah Demir, Tom Van Woensel
440	2013	The Price of Payment Delay	K. van der Vliet, M.J. Reindorp, J.C. Fransoo
439	2013	On Characterization of the Core of Lane Covering Games via Dual Solutions	Behzad Hezarkhani, Marco Slikker, Tom van Woensel
438	2013	Destocking, the Bullwhip Effect, and the Credit Crisis: Empirical Modeling of Supply Chain	Maximiliano Udenio, Jan C. Fransoo, Robert Peels

Dynamics

- 437 2013 [Methodological support for business process Redesign in healthcare: a systematic literature review](#) Rob J.B. Vanwersch, Khurram Shahzad, Irene Vanderfeesten, Kris Vanhaecht, Paul Grefen, Liliane Pintelon, Jan Mendling, Geofridus G. Van Merode, Hajo A. Reijers
- 436 2013 [Dynamics and equilibria under incremental Horizontal differentiation on the Salop circle](#) B. Vermeulen, J.A. La Poutré, A.G. de Kok
- 435 2013 [Analyzing Conformance to Clinical Protocols Involving Advanced Synchronizations](#) Hui Yan, Pieter Van Gorp, Uzay Kaymak, Xudong Lu, Richard Vdovjak, Hendriks H.M. Korsten, Huilong Duan
- 434 2013 [Models for Ambulance Planning on the Strategic and the Tactical Level](#) J. Theresia van Essen, Johann L. Hurink, Stefan Nickel, Melanie Reuter
- 433 2013 [Mode Allocation and Scheduling of Inland Container Transportation: A Case-Study in the Netherlands](#) Stefano Fazi, Tom Van Woensel, Jan C. Fransoo
- 432 2013 [Socially responsible transportation and lot sizing: Insights from multiobjective optimization](#) Yann Bouchery, Asma Ghaffari, Zied Jemai, Jan Fransoo
- 431 2013 [Inventory routing for dynamic waste collection](#) Martijn Mes, Marco Schutten, Arturo Pérez Rivera
- 430 2013 [Simulation and Logistics Optimization of an Integrated Emergency Post](#) N.J. Borgman, M.R.K. Mes, I.M.H. Vliegen, E.W. Hans
- 429 2013 [Last Time Buy and Repair Decisions for Spare Parts](#) S. Behfard, M.C. van der Heijden, A. Al Hanbali, W.H.M. Zijm
- 428 2013 [A Review of Recent Research on Green Road Freight Transportation](#) Emrah Demir, Tolga Bektas, Gilbert Laporte
- 427 2013 [Typology of Repair Shops for Maintenance Spare Parts](#) M.A. Driessen, V.C.S. Wiers, G.J. van Houtum, W.D. Rustenburg

426 2013	A value network development model and Implications for innovation and production network management	B. Vermeulen, A.G. de Kok
425 2013	Single Vehicle Routing with Stochastic Demands: Approximate Dynamic Programming	C. Zhang, N.P. Dellaert, L. Zhao, T. Van Woensel, D. Sever
424 2013	Influence of Spillback Effect on Dynamic Shortest Path Problems with Travel-Time-Dependent Network Disruptions	Derya Sever, Nico Dellaert, Tom Van Woensel, Ton de Kok
423 2013	Dynamic Shortest Path Problem with Travel-Time-Dependent Stochastic Disruptions: Hybrid Approximate Dynamic Programming Algorithms with a Clustering Approach	Derya Sever, Lei Zhao, Nico Dellaert, Tom Van Woensel, Ton de Kok
422 2013	System-oriented inventory models for spare parts	R.J.I. Basten, G.J. van Houtum
421 2013	Lost Sales Inventory Models with Batch Ordering And Handling Costs	T. Van Woensel, N. Erkip, A. Curseu, J.C. Fransoo
420 2013	Response speed and the bullwhip	Maximiliano Udenio, Jan C. Fransoo, Eleni Vatamidou, Nico Dellaert
419 2013	Anticipatory Routing of Police Helicopters	Rick van Urk, Martijn R.K. Mes, Erwin W. Hans
418 2013	Supply Chain Finance: research challenges ahead	Kasper van der Vliet, Matthew J. Reindorp, Jan C. Fransoo
417 2013	Improving the Performance of Sorter Systems By Scheduling Inbound Containers	S.W.A. Haneyah, J.M.J. Schutten, K. Fikse
416 2013	Regional logistics land allocation policies: Stimulating spatial concentration of logistics firms	Frank P. van den Heuvel, Peter W. de Langen, Karel H. van Donselaar, Jan C. Fransoo
415 2013	The development of measures of process harmonization	Heidi L. Romero, Remco M. Dijkman, Paul W.P.J. Grefen, Arjan van Weele

414 2013	<u>BASE/X. Business Agility through Cross-Organizational Service Engineering</u>	Paul Grefen, Egon Lüftenegger, Eric van der Linden, Caren Weisleder
413 2013	<u>The Time-Dependent Vehicle Routing Problem with Soft Time Windows and Stochastic Travel Times</u>	Duygu Tas, Nico Dellaert, Tom van Woensel, Ton de Kok
412 2013	<u>Clearing the Sky - Understanding SLA Elements in Cloud Computing</u>	Marco Comuzzi, Guus Jacobs, Paul Grefen
411 2013	<u>Approximations for the waiting time distribution In an M/G/c priority queue</u>	A. Al Hanbali, E.M. Alvarez, M.C. van der van der Heijden
410 2013	<u>To co-locate or not? Location decisions and logistics concentration areas</u>	Frank P. van den Heuvel, Karel H. van Donselaar, Rob A.C.M. Broekmeulen, Jan C. Fransoo, Peter W. de Langen
409 2013	<u>The Time-Dependent Pollution-Routing Problem</u>	Anna Franceschetti, Dorothée Honhon, Tom van Woensel, Tolga Bektas, Gilbert Laporte.
408 2013	<u>Scheduling the scheduling task: A time Management perspective on scheduling</u>	J.A. Larco, V. Wiers, J. Fransoo
407 2013	<u>Clustering Clinical Departments for Wards to Achieve a Prespecified Blocking Probability</u>	J. Theresia van Essen, Mark van Houdenhoven, Johann L. Hurink
406 2013	<u>MyPHRMachines: Personal Health Desktops in the Cloud</u>	Pieter Van Gorp, Marco Comuzzi
405 2013	<u>Maximising the Value of Supply Chain Finance</u>	Kasper van der Vliet, Matthew J. Reindorp, Jan C. Fransoo
404 2013	<u>Reaching 50 million nanostores: retail distribution in emerging megacities</u>	Edgar E. Blanco, Jan C. Fransoo
403 2013	<u>A Vehicle Routing Problem with Flexible Time Windows</u>	Duygu Tas, Ola Jabali, Tom van Woensel

402	2012	The Service Dominant Business Model: A Service Focused Conceptualization	Egon Lüftenegger, Marco Comuzzi, Paul Grefen, Caren Weisleder
401	2012	Relationship between freight accessibility and Logistics employment in US counties	Frank P. van den Heuvel, Liliana Rivera, Karel H. van Donselaar, Ad de Jong, Yossi Sheffi, Peter W. de Langen, Jan C. Fransoo
400	2012	A Condition-Based Maintenance Policy for Multi-Component Systems with a High Maintenance Setup Cost	Qiushi Zhu, Hao Peng, Geert-Jan van Houtum
399	2012	A flexible iterative improvement heuristic to Support creation of feasible shift rosters in Self-rostering	E. van der Veen, J.L. Hurink, J.M.J. Schutten, S.T. Uijland
398	2012	Scheduled Service Network Design with Synchronization and Transshipment Constraints For Intermodal Container Transportation Networks	K. Sharypova, T.G. Crainic, T. van Woensel, J.C. Fransoo
397	2012	Destocking, the bullwhip effect, and the credit Crisis: empirical modeling of supply chain Dynamics	Maximiliano Udenio, Jan C. Fransoo, Robert Peels
396	2012	Vehicle routing with restricted loading capacities	J. Gromicho, J.J. van Hoorn, A.L. Kok, J.M.J. Schutten
395	2012	Service differentiation through selective lateral transshipments	E.M. Alvarez, M.C. van der Heijden, I.M.H. Vliegen, W.H.M. Zijm
394	2012	A Generalized Simulation Model of an Integrated Emergency Post	Martijn Mes, Manon Bruens
393	2012	Business Process Technology and the Cloud: Defining a Business Process Cloud Platform	Vasil Stoitsev, Paul Grefen
392	2012	Vehicle Routing with Soft Time Windows and Stochastic Travel Times: A Column Generation	D. Tas, M. Gendreau, N. Dellaert, T. van Woensel, A.G. de Kok

And Branch-and-Price Solution Approach

- 391 2012 Improve OR-Schedule to Reduce Number of Required Beds J.T. v. Essen, J.M. Bosch, E.W. Hans, M. v. Houdenhoven, J.L. Hurink
- 390 2012 How does development lead time affect performance over the ramp-up lifecycle? Andres Pufall, Jan C. Fransoo, Ad de Jong
- 389 2012 Evidence from the consumer electronics industry Andreas Pufall, Jan C. Fransoo, Ad de Jong, Ton de Kok
- 388 2012 The Impact of Product Complexity on Ramp-Up Performance Frank P.v.d. Heuvel, Peter W.de Langen, Karel H. v. Donselaar, Jan C. Fransoo
- 387 2012 Co-location synergies: specialized versus diverse logistics concentration areas Frank P.v.d. Heuvel, Peter W.de Langen, Karel H. v.Donselaar, Jan C. Fransoo
- 386 2012 Proximity matters: Synergies through co-location of logistics establishments Frank P. v.d.Heuvel, Peter W.de Langen, Karel H.v. Donselaar, Jan C. Fransoo
- 385 2012 Spatial concentration and location dynamics in logistics:the case of a Dutch province Zhiqiang Yan, Remco Dijkman, Paul Grefen
- 384 2012 FNet: An Index for Advanced Business Process Querying W.R. Dalinghaus, P.M.E. Van Gorp
- 383 2012 Defining Various Pathway Terms Egon Lüftenegger, Paul Grefen, Caren Weisleder
- 382 2012 The Service Dominant Strategy Canvas: Defining and Visualizing a Service Dominant Strategy through the Traditional Strategic Lens Stefano Fazi, Tom van Woensel, Jan C. Fransoo
- 381 2012 A Stochastic Variable Size Bin Packing Problem With Time Constraints K. Sharypova, T. van Woensel, J.C. Fransoo

380	2012	Coordination and Analysis of Barge Container Hinterland Networks	Frank P. van den Heuvel, Peter W. de Langen, Karel H. van Donselaar, Jan C. Fransoo
379	2012	Proximity matters: Synergies through co-location of logistics establishments	Heidi Romero, Remco Dijkman, Paul Grefen, Arjan van Weele
378	2012	A literature review in process harmonization: a conceptual framework	S.W.A. Haneya, J.M.J. Schutten, P.C. Schuur, W.H.M. Zijm
377	2012	A Generic Material Flow Control Model for Two Different Industries	H.G.H. Tiemessen, M. Fleischmann, G.J. van Houtum, J.A.E.E. van Nunen, E. Pratsini
375	2012	Improving the performance of sorter systems by scheduling inbound containers	Albert Douma, Martijn Mes
374	2012	Strategies for dynamic appointment making by container terminals	Pieter van Gorp, Marco Comuzzi
373	2012	MyPHRMachines: Lifelong Personal Health Records in the Cloud	E.M. Alvarez, M.C. van der Heijden, W.H.M. Zijm
372	2012	Service differentiation in spare parts supply through dedicated stocks	Frank Karsten, Rob Basten
371	2012	Spare parts inventory pooling: how to share the benefits	X.Lin, R.J.I. Basten, A.A. Kranenburg, G.J. van Houtum
370	2012	Condition based spare parts supply	Martijn Mes
369	2011	Using Simulation to Assess the Opportunities of Dynamic Waste Collection	J. Arts, S.D. Flapper, K. Vernooij
368	2011	Aggregate overhaul and supply chain planning for rotatables	J.T. van Essen, J.L. Hurink, W. Hartholt, B.J. van den Akker

367	2011	Operating Room Rescheduling	Kristel M.R. Hoen, Tarkan Tan, Jan C. Fransoo, Geert-Jan van Houtum
366	2011	Switching Transport Modes to Meet Voluntary Carbon Emission Targets	Elisa Alvarez, Matthieu van der Heijden
365	2011	On two-echelon inventory systems with Poisson demand and lost sales	J.T. van Essen, E.W. Hans, J.L. Hurink, A. Oversberg
364	2011	Minimizing the Waiting Time for Emergency Surgery	Duygu Tas, Nico Dellaert, Tom van Woensel, Ton de Kok
363	2011	Vehicle Routing Problem with Stochastic Travel Times Including Soft Time Windows and Service Costs	Erhun Özkan, Geert-Jan van Houtum, Yasemin Serin
362	2011	A New Approximate Evaluation Method for Two-Echelon Inventory Systems with Emergency Shipments	Said Dabia, El-Ghazali Talbi, Tom Van Woensel, Ton de Kok
361	2011	Approximating Multi-Objective Time-Dependent Optimization Problems	Said Dabia, Stefan Röpkke, Tom Van Woensel, Ton de Kok
360	2011	Branch and Cut and Price for the Time Dependent Vehicle Routing Problem with Time Window	A.G. Karaarslan, G.P. Kiesmüller, A.G. de Kok
359	2011	Analysis of an Assemble-to-Order System with Different Review Periods	Ahmad Al Hanbali, Matthieu van der Heijden
358	2011	Interval Availability Analysis of a Two-Echelon, Multi-Item System	Felipe Caro, Charles J. Corbett, Tarkan Tan, Rob Zuidwijk
357	2011	Carbon-Optimal and Carbon-Neutral Supply Chains	Sameh Haneyah, Henk Zijm, Marco Schutten, Peter Schuur
356	2011	Generic Planning and Control of Automated Material Handling Systems: Practical Requirements Versus Existing Theory	M. van der Heijden, B. Iskandar
355	2011	Last time buy decisions for products sold under warranty	Frank P. van den Heuvel, Peter W. de Langen, Karel H. van Donselaar, Jan C. Fransoo
354	2011	Spatial concentration and location dynamics in logistics: the case of a Dutch province	Frank P. van den Heuvel, Peter W. de Langen, Karel H. van Donselaar, Jan C. Fransoo

353	2011	Identification of Employment Concentration Areas	Pieter van Gorp, Remco Dijkman
352	2011	BOMN 2.0 Execution Semantics Formalized as Graph Rewrite Rules: extended version	Frank Karsten, Marco Slikker, Geert-Jan van Houtum
351	2011	Resource pooling and cost allocation among independent service providers	E. Lüftenegger, S. Angelov, P. Grefen
350	2011	A Framework for Business Innovation Directions	Remco Dijkman, Irene Vanderfeesten, Hajo A. Reijers
349	2011	The Road to a Business Process Architecture: An Overview of Approaches and their Use	K.M.R. Hoen, T. Tan, J.C. Fransoo G.J. van Houtum
348	2011	Effect of carbon emission regulations on transport mode selection under stochastic demand	Murat Firat, Cor Hurkens
347	2011	An improved MIP-based combinatorial approach for a multi-skill workforce scheduling problem	R.J.I. Basten, M.C. van der Heijden, J.M.J. Schutten
346	2011	An approximate approach for the joint problem of level of repair analysis and spare parts stocking	R.J.I. Basten, M.C. van der Heijden, J.M.J. Schutten
345	2011	Joint optimization of level of repair analysis and spare parts stocks	Ton G. de Kok
344	2011	Inventory control with manufacturing lead time flexibility	Frank Karsten, Marco Slikker, Geert-Jan van Houtum
343	2011	Analysis of resource pooling games via a new extension of the Erlang loss function	Murat Firat, C.A.J. Hurkens, Gerhard J. Woeginger
342	2010	Vehicle refueling with limited resources	Bilge Atasoy, Refik Güllü, Tarkan Tan
341	2010	Optimal Inventory Policies with Non-stationary Supply Disruptions and Advance Supply Information	Kurtulus Baris Öner, Alan Scheller-Wolf Geert-Jan van Houtum
339	2010	Redundancy Optimization for Critical Components in High-Availability Capital Goods	Joachim Arts, Gudrun Kiesmüller
338	2010	Analysis of a two-echelon inventory system with	

	<u>two supply modes</u>	Murat Firat, Gerhard J. Woeginger
335 2010	<u>Analysis of the dial-a-ride problem of Hunsaker and Savelsbergh</u>	Murat Firat, Cor Hurkens
334 2010	<u>Attaining stability in multi-skill workforce scheduling</u>	A.J.M.M. Weijters, J.T.S. Ribeiro
333 2010	<u>Flexible Heuristics Miner (FHM)</u>	P.T. Vanberkel, R.J. Boucherie, E.W. Hans, J.L. Hurink, W.A.M. van Lent, W.H. van Harten
332 2010	<u>An exact approach for relating recovering surgical patient workload to the master surgical schedule</u>	Peter T. Vanberkel, Richard J. Boucherie, Erwin W. Hans, Johann L. Hurink, Nelly Litvak
331 2010	<u>Efficiency evaluation for pooling resources in health care</u>	M.M. Jansen, A.G. de Kok, I.J.B.F. Adan
330 2010	<u>The Effect of Workload Constraints in Mathematical Programming Models for Production Planning</u>	Christian Howard, Ingrid Reijnen, Johan Marklund, Tarkan Tan
329 2010	<u>Using pipeline information in a multi-echelon spare parts inventory system</u>	H.G.H. Tiemessen, G.J. van Houtum
328 2010	<u>Reducing costs of repairable spare parts supply systems via dynamic scheduling</u>	F.P. van den Heuvel, P.W. de Langen, K.H. van Donselaar, J.C. Fransoo
327 2010	<u>Identification of Employment Concentration and Specialization Areas: Theory and Application</u>	Murat Firat, Cor Hurkens
326 2010	<u>A combinatorial approach to multi-skill workforce scheduling</u>	Murat Firat, Cor Hurkens, Alexandre Laugier
325 2010	<u>Stability in multi-skill workforce scheduling</u>	M.A. Driessen, J.J. Arts, G.J. v. Houtum, W.D. Rustenburg, B. Huisman
324 2010	<u>Maintenance spare parts planning and control: A framework for control and agenda for future research</u>	R.J.I. Basten, G.J. van Houtum
323 2010	<u>Near-optimal heuristics to set base stock levels in a two-echelon distribution network</u>	

		M.C. van der Heijden, E.M. Alvarez, J.M.J. Schutten	
322	2010	Inventory reduction in spare part networks by selective throughput time reduction	E.M. Alvarez, M.C. van der Heijden, W.H. Zijm
321	2010	The selective use of emergency shipments for service-contract differentiation	B. Walrave, K. v. Oorschot, A.G.L. Romme
320	2010	Heuristics for Multi-Item Two-Echelon Spare Parts Inventory Control Problem with Batch Ordering in the Central Warehouse	Nico Dellaert, Jilly Jeunet.
319	2010	Preventing or escaping the suppression mechanism: intervention conditions	R. Seguel, R. Eshuis, P. Grefen.
318	2010	Hospital admission planning to optimize major resources utilization under uncertainty	Tom Van Woensel, Marshall L. Fisher, Jan C. Fransoo.
317	2010	Minimal Protocol Adaptors for Interacting Services	Lydie P.M. Smets, Geert-Jan van Houtum, Fred Langerak.
316	2010	Teaching Retail Operations in Business and Engineering Schools	Pieter van Gorp, Rik Eshuis.
315	2010	Design for Availability: Creating Value for Manufacturers and Customers	Bob Walrave, Kim E. van Oorschot, A. Georges L. Romme
314	2010	Transforming Process Models: executable rewrite rules versus a formalized Java program	S. Dabia, T. van Woensel, A.G. de Kok
313		Getting trapped in the suppression of exploration: A simulation model	
		A Dynamic Programming Approach to Multi-Objective Time-Dependent Capacitated Single Vehicle Routing Problems with Time Windows	
312	2010	Tales of a So(u)rcerer: Optimal Sourcing Decisions Under Alternative Capacitated Suppliers and General Cost Structures	Osman Alp, Tarkan Tan
311	2010	In-store replenishment procedures for perishable inventory in a retail environment with handling costs and storage constraints	R.A.C.M. Broekmeulen, C.H.M. Bakx
310	2010	The state of the art of innovation-driven business models in the financial services industry	E. Lüftenegger, S. Angelov, E. van der Linden, P. Grefen
309	2010	Design of Complex Architectures Using a Three Dimension Approach: the CrossWork Case	R. Seguel, P. Grefen, R. Eshuis
308	2010	Effect of carbon emission regulations on transport mode selection in supply chains	K.M.R. Hoen, T. Tan, J.C. Fransoo, G.J. van Houtum

307	2010	Interaction between intelligent agent strategies for real-time transportation planning	Martijn Mes, Matthieu van der Heijden, Peter Schuur
306	2010	Internal Slackening Scoring Methods	Marco Slikker, Peter Borm, René van den Brink
305	2010	Vehicle Routing with Traffic Congestion and Drivers' Driving and Working Rules	A.L. Kok, E.W. Hans, J.M.J. Schutten, W.H.M. Zijm
304	2010	Practical extensions to the level of repair analysis	R.J.I. Basten, M.C. van der Heijden, J.M.J. Schutten
303	2010	Ocean Container Transport: An Underestimated and Critical Link in Global Supply Chain Performance	Jan C. Fransoo, Chung-Yee Lee
302	2010	Capacity reservation and utilization for a manufacturer with uncertain capacity and demand	Y. Boulaksil; J.C. Fransoo; T. Tan
300	2009	Spare parts inventory pooling games	F.J.P. Karsten; M. Slikker; G.J. van Houtum
299	2009	Capacity flexibility allocation in an outsourced supply chain with reservation	Y. Boulaksil, M. Grunow, J.C. Fransoo
298	2010	An optimal approach for the joint problem of level of repair analysis and spare parts stocking	R.J.I. Basten, M.C. van der Heijden, J.M.J. Schutten
297	2009	Responding to the Lehman Wave: Sales Forecasting and Supply Management during the Credit Crisis	Robert Peels, Maximiliano Udenio, Jan C. Fransoo, Marcel Wolfs, Tom Hendriks
296	2009	An exact approach for relating recovering surgical patient workload to the master surgical schedule	Peter T. Vanberkel, Richard J. Boucherie, Erwin W. Hans, Johann L. Hurink, Wineke A.M. van Lent, Wim H. van Harten
295	2009	An iterative method for the simultaneous optimization of repair decisions and spare parts stocks	R.J.I. Basten, M.C. van der Heijden, J.M.J. Schutten
294	2009	Fujaba hits the Wall(-e)	Pieter van Gorp, Ruben Jubeh, Bernhard Grusie, Anne Keller
293	2009	Implementation of a Healthcare Process in Four Different Workflow Systems	R.S. Mans, W.M.P. van der Aalst, N.C. Russell, P.J.M. Bakker
292	2009	Business Process Model Repositories - Framework and Survey	Zhiqiang Yan, Remco Dijkman, Paul Grefen
291	2009	Efficient Optimization of the Dual-Index Policy Using Markov Chains	Joachim Arts, Marcel van Vuuren, Gudrun Kiesmuller
290	2009	Hierarchical Knowledge-Gradient for Sequential Sampling	Martijn R.K. Mes; Warren B. Powell; Peter I. Frazier
289	2009	Analyzing combined vehicle routing and break scheduling from a distributed decision making perspective	C.M. Meyer; A.L. Kok; H. Kopfer; J.M.J. Schutten
288	2009	Anticipation of lead time performance in Supply Chain Operations Planning	Michiel Jansen; Ton G. de Kok; Jan C. Fransoo
287	2009	Inventory Models with Lateral Transshipments: A Review	Colin Paterson; Gudrun Kiesmuller; Ruud Teunter; Kevin Glazebrook

286	2009	Efficiency evaluation for pooling resources in health care	P.T. Vanberkel; R.J. Boucherie; E.W. Hans; J.L. Hurink; N. Litvak
285	2009	A Survey of Health Care Models that Encompass Multiple Departments	P.T. Vanberkel; R.J. Boucherie; E.W. Hans; J.L. Hurink; N. Litvak
284	2009	Supporting Process Control in Business Collaborations	S. Angelov; K. Vidyasankar; J. Vonk; P. Grefen
283	2009	Inventory Control with Partial Batch Ordering	O. Alp; W.T. Huh; T. Tan
282	2009	Translating Safe Petri Nets to Statecharts in a Structure-Preserving Way	R. Eshuis
281	2009	The link between product data model and process model	J.J.C.L. Vogelaar; H.A. Reijers
280	2009	Inventory planning for spare parts networks with delivery time requirements	I.C. Reijnen; T. Tan; G.J. van Houtum
279	2009	Co-Evolution of Demand and Supply under Competition	B. Vermeulen; A.G. de Kok
278	2010	Toward Meso-level Product-Market Network Indices for Strategic Product Selection and (Re)Design Guidelines over the Product Life-Cycle	B. Vermeulen, A.G. de Kok
277	2009	An Efficient Method to Construct Minimal Protocol Adaptors	R. Seguel, R. Eshuis, P. Grefen
276	2009	Coordinating Supply Chains: a Bilevel Programming Approach	Ton G. de Kok, Gabriella Muratore
275	2009	Inventory redistribution for fashion products under demand parameter update	G.P. Kiesmuller, S. Minner
274	2009	Comparing Markov chains: Combining aggregation and precedence relations applied to sets of states	A. Busic, I.M.H. Vliegen, A. Scheller-Wolf
273	2009	Separate tools or tool kits: an exploratory study of engineers' preferences	I.M.H. Vliegen, P.A.M. Kleingeld, G.J. van Houtum
272	2009	An Exact Solution Procedure for Multi-Item Two-Echelon Spare Parts Inventory Control Problem with Batch Ordering	Engin Topan, Z. Pelin Bayindir, Tarkan Tan
271	2009	Distributed Decision Making in Combined Vehicle Routing and Break Scheduling	C.M. Meyer, H. Kopfer, A.L. Kok, M. Schutten
270	2009	Dynamic Programming Algorithm for the Vehicle Routing Problem with Time Windows and EC Social Legislation	A.L. Kok, C.M. Meyer, H. Kopfer, J.M.J. Schutten
269	2009	Similarity of Business Process Models: Metics and Evaluation	Remco Dijkman, Marlon Dumas, Boudewijn van Dongen, Reina Kaarik, Jan Mendling
267	2009	Vehicle routing under time-dependent travel times: the impact of congestion avoidance	A.L. Kok, E.W. Hans, J.M.J. Schutten
266	2009	Restricted dynamic programming: a flexible framework for solving realistic VRPs	J. Gromicho; J.J. van Hoorn; A.L. Kok; J.M.J. Schutten;

Working Papers published before 2009 see: <http://beta.ieis.tue.nl>