Tagtrainer: end-user adaptable technology for physical rehabilitation

Citation for published version (APA):

Tetteroo, D. (2017). Tagtrainer: end-user adaptable technology for physical rehabilitation. In *PervasiveHealth '17 Proceedings of the 11th EAI International Conference on Pervasive Computing Technologies for Healthcare, May 23-26, 2017, Barcelona, Spain* (pp. 452-454). Association for Computing Machinery, Inc. <https://doi.org/10.1145/3154862.3154901>

DOI:

[10.1145/3154862.3154901](https://doi.org/10.1145/3154862.3154901)

Document status and date:

Published: 23/05/2017

Document Version:

Accepted manuscript including changes made at the peer-review stage

Please check the document version of this publication:

- A submitted manuscript is the version of the article upon submission and before peer-review. There can be important differences between the submitted version and the official published version of record. People interested in the research are advised to contact the author for the final version of the publication, or visit the DOI to the publisher's website.
- The final author version and the galley proof are versions of the publication after peer review.
- The final published version features the final layout of the paper including the volume, issue and page numbers.

[Link to publication](#)

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal.

If the publication is distributed under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license above, please follow below link for the End User Agreement:

www.tue.nl/taverne

Take down policy

If you believe that this document breaches copyright please contact us at:

openaccess@tue.nl

providing details and we will investigate your claim.

TagTrainer: end-user adaptable technology for physical rehabilitation

Daniel Tetteroo

Eindhoven University of Technology
De Rondom 70, 5612 AZ Eindhoven, The Netherlands
d.tetteroo@tue.nl

Abstract

TagTrainer is an end-user adaptable technology for physical rehabilitation. Patients can perform training exercises that require the manipulation of physical objects on three interactive surfaces. Therapists can adapt, extend and create exercises to fit the needs of individual patients. The system addresses a range of important issues in physical rehabilitation, such as treatment personalization, increasing treatment efficiency, and increasing patient motivation.

Paste the appropriate copyright/license statement here. ACM now supports three different publication options:

- ACM copyright: ACM holds the copyright on the work. This is the historical approach.
- License: The author(s) retain copyright, but ACM receives an exclusive publication license.
- Open Access: The author(s) wish to pay for the work to be open access. The additional fee must be paid to ACM.

This text field is large enough to hold the appropriate release statement assuming it is single-spaced in Verdana 7 point font. Please do not change the size of this text box.

Each submission will be assigned a unique DOI string to be included here.

Author Keywords

Rehabilitation technology; end-user development; physical interaction; tangible interfaces.

ACM Classification Keywords

H.5.m. Information interfaces and presentation (e.g., HCI): Miscellaneous; J.3 Life and medical sciences: health.

Introduction

The incidence of age-related diseases such as stroke is on a rise [2]. This increase puts pressure on the healthcare system, especially on care providers such as rehabilitation therapists. At the same time, there is a trend towards providing better and more personalized care. We believe that well-designed technology can aid therapists to provide increasing quality of care to a growing number of patients.

This belief has been the onset for a four-year research project (WikiTherapist) on rehabilitation technology that can be adapted, by therapists, to the needs of individual patients. During the course of WikiTherapist, we designed and developed TagTrainer in close collaboration with clinical and technological partners.

Figure 1: TagTrainer setup with three interactive surfaces.

Figure 2: Two RFID tags have been attached to a cup. The tags allow TagTrainer to track the cup's position and rotation.

Figure 3: Close-up of the timeline based visual programming interface for therapy exercises.

TagTrainer

TagTrainer [1] is an end-user adaptable technology for physical rehabilitation training. The system consists of three interactive tabletop surfaces that are connected to a laptop. Two of the interactive surfaces are integrated in a movable table, the third surface is mounted above the table on a flexible arm (see Figure 1). Compared to the initial design with just one interactive surface [1], the current version provides therapists with greater flexibility in designing exercises, expanding the target user group towards patients that train coarse motoric skills (e.g., reaching). The laptop runs software that guides patients in the execution of training programs (TagTrainer Patient Interface), as well as software that allows therapists to modify, extend and create new training exercises (TagTrainer Exercise Creator).

Exercises

Exercises are constructed by sequencing manipulations (moving, rotating, placing, picking up, etc.) of objects of daily life (e.g., cups, cutlery) on the interactive surfaces. Objects are tagged with color-coded radio-frequency identification (RFID) tags (see Figure 2), such that the surfaces can detect their position, and changes thereof. In an example exercise, a cup would be equipped with two tags: one on its bottom, and one on the end opposite to the grip. The patient is the instructed to lift the cup from the left-bottom surface and touch the elevated surface with it. Finally, the cup is placed on the right bottom surface, and the exercise is repeated in reverse order.

Patients performing an exercise get visual feedback on the surfaces, as well as visual and auditory feedback on the laptop.

Extension & adaptation

Therapists can easily extend and adapt exercises, without requiring any programming knowledge. The TagTrainer Exercise Creator offers a visual programming interface that allows therapists to position 'action blocks' (i.e. manipulations of objects) on a timeline (see Figure 3). Adaptations can reach from simple parameter setting (e.g., target locations for the object) to altering the exercise structure entirely. New objects can be integrated in exercises by simply attaching color-coded RFID tags to them. This allows therapists to create personalized exercises within minutes, providing them with the opportunity to increase the patients' motivation to perform exercises, and increasing the quality of care.

Contribution

We believe that TagTrainer is a valuable contribution to the PervasiveHealth community. It provides an item for discussion on topics such as patient tailored care, the way in which technology can facilitate tailoring, and the way in which end-user adaptable technologies such as TagTrainer should be deployed in a clinical context.

References

1. Daniel Tetteroo, Paul Vreugdenhil, Ivor Grisel, Marc Michielsen, Els Kuppens, Diana Vanmulken, and Panos Markopoulos. 2015. Lessons Learnt from Deploying an End-User Development Platform for Physical Rehabilitation. In *Proc. CHI '15*, 4133–4142.
2. T. Truelsen, B. Piechowski-Jozwiak, R. Bonita, C. Mathers, J. Bogousslavsky, and G. Boysen. 2006. Stroke incidence and prevalence in Europe: a review of available data. *Eur J Neurol* 13: 581–98. <https://doi.org/10.1111/j.1468-1331.2006.01138.x>