

Complexity of scheduling multiprocessors tasks with prespecified processor allocations

Citation for published version (APA):

Hoogeveen, J. A., Velde, van de, S. L., & Veltman, B. (1992). *Complexity of scheduling multiprocessors tasks with prespecified processor allocations*. (Memorandum COSOR; Vol. 9232). Technische Universiteit Eindhoven.

Document status and date:

Published: 01/01/1992

Document Version:

Publisher's PDF, also known as Version of Record (includes final page, issue and volume numbers)

Please check the document version of this publication:

- A submitted manuscript is the version of the article upon submission and before peer-review. There can be important differences between the submitted version and the official published version of record. People interested in the research are advised to contact the author for the final version of the publication, or visit the DOI to the publisher's website.
- The final author version and the galley proof are versions of the publication after peer review.
- The final published version features the final layout of the paper including the volume, issue and page numbers.

[Link to publication](#)

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal.

If the publication is distributed under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license above, please follow below link for the End User Agreement:

www.tue.nl/taverne

Take down policy

If you believe that this document breaches copyright please contact us at:

openaccess@tue.nl

providing details and we will investigate your claim.

EINDHOVEN UNIVERSITY OF TECHNOLOGY
Department of Mathematics and Computing Science

Memorandum COSOR 92-32

**Complexity of scheduling multiprocessor
tasks with prespecified processor
allocations**

J.A. Hoogeveen
S.L. van de Velde
B. Veltman

Eindhoven, August 1992
The Netherlands

Eindhoven University of Technology
Department of Mathematics and Computing Science
Probability theory, statistics, operations research and systems theory
P.O. Box 513
5600 MB Eindhoven - The Netherlands

Secretariate: Dommelbuilding 0.03
Telephone: 040-47 3130

ISSN 0926 4493

Complexity of scheduling multiprocessor tasks with prespecified processor allocations

J.A. Hoogeveen

*Department of Mathematics and Computing Science
Eindhoven University of Technology
P.O. Box 513, 5600 MB Eindhoven, The Netherlands*

S.L. van de Velde

*School of Management Studies, Technology and Innovation
University of Twente
P.O. Box 217, 7500 AE Enschede, The Netherlands*

B. Veltman

*CWI
P.O. Box 4079, 1009 AB Amsterdam, The Netherlands*

Abstract: We investigate the computational complexity of scheduling multiprocessor tasks with prespecified processor allocations. We consider two criteria: minimizing schedule length and minimizing the sum of the task completion times. In addition, we investigate the complexity of problems when precedence constraints or release dates are involved.

1980 Mathematics Subject Classification (1985 Revision): 90B35.

Key words & Phrases: Multiprocessor tasks, prespecified processor allocations, makespan, total completion time, release dates, precedence constraints.

1. Introduction

We address a class of multiprocessor scheduling problems. A collection of n tasks has to be executed by m processors. Task J_j ($j = 1, \dots, n$) requires processing during a given uninterrupted time p_j . Each task requires the simultaneous use of a set of *prespecified* processors for its execution; each processor can execute at most one task at a time. Such tasks are referred to as *multiprocessor tasks*. Sometimes, for each task J_j a *release date* r_j on which it becomes available for processing or *precedence constraints*, indicating the set of tasks that have to be completed before J_j may start, are specified; we will state explicitly whether this is the case. We have to determine a *schedule*, that is, an allocation of each task J_j to a time interval of length p_j such that no two tasks on the same processor overlap. The completion time of task J_j in schedule σ is denoted by $C_j(\sigma)$ or shortly by C_j , if no confusion is possible as to the schedule we refer to. We are interested in two objectives. The first one is to find a schedule that minimizes the *makespan* $C_{\max} = \max_j C_j$. The second objective concerns the minimization of the *total completion time* $\Sigma C_j = \sum_{j=1}^n C_j$.

In this paper, scheduling problems are denoted using the three-field notation scheme that was proposed by Veltman, Lageweg, and Lenstra [1990] as an extension of the terminology of Graham, Lawler, Lenstra, and Rinnooy Kan [1979]. In the notation scheme $\alpha|\beta|\gamma$, α specifies the processor environment, β the task characteristics, and γ the objective function. Accordingly, the value of γ of a schedule σ and the minimal value with respect to γ are denoted by $\gamma(\sigma)$ and γ^* , respectively. For

instance, $P | fix_j, r_j | C_{\max}$ refers to the multiprocessor problem of minimizing the makespan, where for each task a fixed processor allocation and a release date are specified; $Pm | fix_j, p_j=1 | \Sigma C_j$ denotes the multiprocessor problem of minimizing the total completion time, where all processing times are equal to 1, processor allocations are given, and the number m of processors is specified as part of the problem type.

In the literature, little attention has been devoted to the complexity of scheduling multiprocessor tasks. Two *branch and bound* approaches for $P | fix_j | C_{\max}$ have been proposed. Bozoki and Richard [1970] concentrate on *incompatibility*; two tasks are *incompatible* if they have at least one processor in common. Bianco, Dell'Olmo, and Speranza [1991] follow a graph-theoretical approach, and they determine a class of polynomially solvable instances that corresponds to the class of comparability graphs. We will investigate the complexity of a class of problems related to $P | fix_j | C_{\max}$. The outline of the paper is as follows.

Section 2 deals with the makespan criterion. The general problem with a fixed number m of processors is polynomially solvable if m is equal to 2, but NP-hard in the strong sense for $m \geq 3$. There are two well-solvable cases. The first one concerns the case of unit processing times; the problem is then solvable in polynomial time through an integer programming formulation with a fixed number of variables. The second one concerns the three-processor problem in which all multiprocessor tasks of the same type are decreed to be executed consecutively, the so-called *block-constraint*; this problem is solvable in $O(n \Sigma p_j)$ time. If the number of processors is part of the problem instance, then the problem with unit processing times is already NP-hard in the strong sense. In general, the introduction of precedence constraints or release dates leads to strong NP-hardness, with one exception: the problem with unit processing times in which both the number of processors and the number of distinct release dates are fixed is solvable in polynomial time through an integer programming formulation with a fixed number of variables. The computational complexity of the problem $Pm | fix_j, r_j, p_j=1 | C_{\max}$ is still open.

Section 3 deals with the total completion time criterion. In general, this criterion leads to severe computational difficulties. The problem is NP-hard in the ordinary sense for $m=2$ and in the strong sense for $m=3$. The weighted version and the problem with precedence constraints are already NP-hard in the strong sense for $m=2$. The problem with unit time processing times is NP-hard in the strong sense if the number of processors is part of the problem instance, but still open in case of a fixed number of processors. Another open problem is $Pm | fix_j, r_j, p_j=1 | \Sigma C_j$.

2. Makespan

In this section, we investigate the computational complexity of minimizing the makespan. If no precedence relation is specified, then we may discard the tasks that need all the processors for execution, since they can be scheduled ahead of the other ones. Hence, the two-processor problem without precedence constraints is simply solved by scheduling each single-processor task on its processor without causing idle time.

2.1. The block-constraint and pseudopolynomiality on three processors

The block-constraint decrees that all biprocessor tasks of the same type are scheduled consecutively. As this boils down to the case that there is at most one biprocessor task of each type, we replace all biprocessor tasks of the same type by one task of this type with processing time equal to the sum of the individual processing times. The biprocessor task that requires M_2 and M_3 is named a task of

type A and its processing time is denoted by p_A . Correspondingly, the biprocessor task that requires M_1 and M_3 and the biprocessor task that requires M_1 and M_2 are said to be of type B and C , respectively; their processing times are denoted by p_B and p_C .




Figure 1. A schedule satisfying the block-constraint.

Theorem 1. *The problem $P3 | fix_j | C_{\max}$ subject to the block-constraint is NP-hard in the ordinary sense.*

Proof. We will show that $P3 | fix_j | C_{\max}$ subject to the block-constraint is NP-hard by a reduction from the NP-complete problem Partition.

Partition

Given a multiset $N = \{a_1, \dots, a_n\}$ of n integers, is it possible to partition N into two disjoint subsets that have equal sum $b = \sum_{j \in N} a_j / 2$?

Given an instance of Partition, define for each $j \in N$ a task J_j that requires M_1 for execution and has processing time $p_j = a_j$. In addition, we introduce five *separation tasks* that create two time slots of length b on M_1 . The tasks J_A, J_B , and J_C , each with processing time b , are of the type A, B , and C , respectively. The two single-processor tasks J_{n+1} and J_{n+2} , each with processing time $2b$, have to be executed by M_2 and M_3 , respectively.

Note that each processor has a load of $4b$, which implies that $4b$ is a lower bound on the makespan of any feasible schedule. We will show that Partition has a solution if and only if there exists a schedule for the corresponding instance of $P3 | fix_j | C_{\max}$ with $C_{\max} \leq 4b$.

Suppose that there exists a subset $S \subset N$ such that $\sum_{j \in S} a_j = \sum_{j \in N-S} a_j = b$. A schedule of length $C_{\max} = 4b$ then exists, as is illustrated in Figure 2.

Conversely, notice that only four possibilities exist to schedule the tasks $J_{n+1}, J_{n+2}, J_A, J_B$, and J_C in a time interval of length $4b$. Each of these possibilities leaves two separated idle periods of length b on processor M_1 , in which the tasks J_j with $j \in N$ must be processed. Thus, if there exists a schedule of length $C_{\max} = 4b$, then there is a subset $S \subset N$ such that $\sum_{j \in S} a_j = \sum_{j \in N-S} a_j$.

We conclude that $P3 | fix_j | C_{\max}$ is NP-hard in the ordinary sense. \square

Theorem 2. *The problem $P3 | fix_j | C_{\max}$ subject to the block-constraint is solvable in pseudopolynomial time.*

Proof. We propose an algorithm for this problem that requires $O(n \sum_{j \in N} p_j)$ time and space. For $i = 1, 2, 3$, let T_i denote the set of indices of tasks that require only M_i for processing, and $n_i = |T_i|$. In addition, we define $p(S) = \sum_{j \in S} p_j$.

Using an interchange argument, we can transform any optimal schedule into an optimal schedule




Figure 2. A schedule with partition sets S and $N-S$.

with some biprocessor task scheduled first and some other biprocessor task scheduled last. Suppose for the moment that these tasks are of type A and C , respectively; a B -type task is then scheduled somewhere in between. Any feasible schedule of this type, referred to as an ABC -schedule, is completely specified by the subsets $Q_1 \subseteq T_1$ and $Q_3 \subseteq T_3$ scheduled before the B -type task; see Figure 3.




Figure 3. Structure of an ABC schedule.

For an ABC -schedule with given subsets Q_1 and Q_3 , the earliest start time of the task of type B is

$$S_B(Q_1, Q_3) = \max\{p(Q_1), p_A + p(Q_3)\}.$$

The earliest start time of the task of type C is then

$$S_C(Q_1, Q_3) = \max\{S_B(Q_1, Q_3) + p_B + p(T_1 - Q_1), p_A + p(T_2)\}.$$

The minimal length of such a schedule is therefore

$$C_{\max}(Q_1, Q_3) = \max\{S_C(Q_1, Q_3) + p_C, S_B(Q_1, Q_3) + p_B + p(T_3 - Q_3)\}. \quad (1)$$

Hence, the minimal length of an ABC -schedule is determined by $p(Q_1)$ and $p(Q_3)$. In other words, the length of an optimal ABC -schedule is equal to the minimum of $C_{\max}(Q_1, Q_3)$ over all possible values of $p(Q_1)$ and $p(Q_3)$. Due to symmetry, we can transform any ABC -schedule into an CBA -schedule of the same length. The only other types of schedules of interest to us are therefore the BAC and ACB -schedules. Similar arguments show that the length of an optimal BAC -schedule is equal to the minimum of $C_{\max}(Q_2, Q_3)$ over all possible values of $p(Q_2)$ and $p(Q_3)$, and that the length of an optimal ACB -schedule is equal to the minimum of $C_{\max}(Q_1, Q_2)$ over all possible values of $p(Q_1)$ and $p(Q_2)$.

For $i = 1, 2, 3$, we compute all possible values that $p(Q_i)$ can assume in $O(n_i p(T_i))$ time and space by a standard dynamic programming algorithm of the type also used for the knapsack and the subset-sum problems; see e.g. Martello and Toth [1990]. If these values are put in sorted lists, then all possible values that $S_B(Q_1, Q_3)$ can assume are computed in $O(p(Q_1) + p(Q_3))$ time and space. The minimum of $C_{\max}(Q_1, Q_3)$ over $p(Q_1)$ and $p(Q_3)$ is then determined by evaluating expression (1)

for each possible combination of $p(Q_1)$ and $p(Q_3)$; this takes $O(p(T_1)+p(T_3))$ time.

The lengths of the optimal *BAC* and *ACB*-schedules are determined similarly. The overall minimum then follows immediately, and an optimal schedule is determined by backtracing. Since $n_i \leq n$ and $p(T_i) \leq \sum_{j \in N} p_j$ for each i , it takes $O(n \sum_{j \in N} p_j)$ time and space to find an optimal schedule. \square

number	allocation	processing time
n	M_2 & M_3 (type A)	p_A
n	M_1 & M_3 (type B)	p_B
n	M_1 & M_2 (type C)	p_C
1	M_1	p_A+b
$n-1$	M_1	p_A+b+p_z
n	M_1	p_y
$n-1$	M_2	p_z
n	M_2	p_B+b+p_y
1	M_3	p_C+p_y
$n-1$	M_3	$p_C+p_y+p_z$

Table 1. Separation tasks for $P3 | fix_j | C_{\max}$.

2.2. Strong NP-hardness for the general 3-processor problem

Theorem 3. *The problem $P3 | fix_j | C_{\max}$ is NP-hard in the strong sense.*

Proof. The proof is based upon a reduction from the strongly NP-complete problem 3-Partition.

3-Partition

Given an integer b and a multiset $N = \{a_1, \dots, a_{3n}\}$ of $3n$ positive integers with $b/4 < a_j < b/2$ and $\sum_{j=1}^n a_j = nb$, is there a partition of N into n mutually disjoint subsets N_1, \dots, N_n such that the elements in N_j add up to b , for $j = 1, \dots, n$?

Given an instance of 3-Partition, we construct the following instance of $P3 | fix_j | C_{\max}$. There are $3n$ single-processor tasks J_j that correspond to the elements of 3-Partition; these tasks have to be executed by M_3 and their processing time is equal to a_j , for $j = 1, \dots, 3n$. In addition, there are $3n$ biprocessor *separation tasks* and $5n-1$ single-processor *separation tasks*; their processing times and processing requirements are defined in Table 1. Here we define

$$p_B = (n+1)b,$$

$$p_y = (n+1)(b+p_B),$$

$$p_z = (n+1)(b+p_B+p_y),$$

$$p_C = (n+1)(b+p_B+p_y+p_z),$$

$$p_A = (n+1)(b+p_B+p_y+p_z+p_C).$$

Note that each processor has a processing load equal to $\gamma = n(p_A + p_B + p_C + p_y + p_z + b) - p_z$, which implies that γ is a lower bound on the makespan of any schedule. We will show that 3-Partition has an affirmative answer if and only if there exists a schedule with makespan at most γ for the corresponding instance of $P3 | fix_j | C_{\max}$.

If 3-Partition has an affirmative answer, then a schedule with makespan $C_{\max} \leq \gamma$ exists, as is illustrated in Figure 4.




Figure 4. Structure for $P3 | fix_j | C_{\max}$: $ABCAB \cdots CAB C$.

Conversely, suppose that $C_{\max}^* \leq \gamma$. Note that a schedule with makespan γ has no idle time. To avoid idle time at the start of a biprocessor task, both processors on which it has to be executed must have equal load. Hence, at the start of a task of type A, there exist integers $\kappa_1, \kappa_2, \kappa_4, \kappa_5, \kappa_6, \kappa_7 \in \{0, \dots, n\}$, $\kappa_3 \in \{0, \dots, n-1\}$, $\kappa_8 \in \{0, 1\}$, and a set $T \subset N$ such that

$$\kappa_1 p_A + \kappa_2 p_C + \kappa_3 p_z + \kappa_4 (p_B + b + p_y) = \kappa_5 p_A + \kappa_6 p_B + \kappa_7 (p_C + p_y + p_z) + \kappa_8 (p_C + p_y) + \sum_{j \in T} p_j. \quad (2)$$

Due to the choice of the processing times of the separation tasks, we draw the following conclusions:

- the sum $\sum_{j \in T} p_j$ is a multiple of b , since p_A, p_B, p_C, p_y , and p_z are multiples of b ,
- $\sum_{j \in T} p_j = \kappa_4 b$, since all other terms are multiples of $(n+1)b$,
- $\kappa_1 = \kappa_5$, since $p_A > n(p_C + p_z + p_y + p_B + b)$,
- $\kappa_2 = \kappa_7 + \kappa_8$, since $p_C > n(p_z + p_y + p_B + b)$,
- $\kappa_3 = \kappa_7$, since $p_z > n(p_y + p_B + b)$,
- $\kappa_4 = \kappa_7 + \kappa_8$, since $p_y > n(p_B + b)$, and
- $\kappa_4 = \kappa_6$, since $\sum_{j \in T} p_j = \kappa_4 b$.

It follows that

$$\kappa_1 = \kappa_5, \quad \kappa_2 = \kappa_4 = \kappa_6 = \kappa_7 + \kappa_8, \quad \kappa_3 = \kappa_7, \quad \kappa_4 b = \sum_{j \in T} p_j. \quad (3)$$

Analogous computations lead to similar relations that should hold at the start of a task of type B and C, respectively.

We will make extensive use of these relations in our analysis of the form that a schedule with makespan γ should have. Using an interchange argument, we see that there exists an optimal schedule in which a biprocessor task starts at time 0. We analyze the case that the first biprocessor task is of type B and that the next biprocessor task of another type is of type A; this case will be denoted as case BA. Hence, we have that no tasks of type A and C and at least one task of type B have been executed at the start of the first task of type A: $\kappa_1 = \kappa_2 = \kappa_5 = 0$ and $\kappa_6 \geq 1$. Expression (3), however, decrees that $\kappa_2 = \kappa_5$, which yields a contradiction. Therefore, case BA cannot occur. A continued application of this argument shows that any schedule with makespan γ should have the form as displayed in Figure 4, or its mirror image. A schedule with this structure determines n separate periods of length b on

processor M_3 , in which the remaining single-processor tasks have to be scheduled. These tasks correspond to the $3n$ elements of 3-Partition. We conclude that, if a schedule of length γ exists, then a solution to 3-Partition is obtained by taking the partition of N as defined by the schedule. We conclude that $P3 | fix_j | C_{\max}$ is NP-hard in the strong sense. \square

2.3. Unit execution times, release dates, and precedence constraints

In this section, we show that the $Pm | fix_j, p_j=1 | C_{\max}$ problem is solvable in polynomial time by providing an integer linear programming formulation with a fixed number of variables; a problem that allows such a formulation is solvable in polynomial time [H.W. Lenstra, Jr., 1983]. A similar approach is given by Blazewicz, Drabowski and Weglarz [1986].

Consider an arbitrary instance of the problem. There are at most $M = 2^m - 1$ tasks of a different type; let these types be numbered $1, \dots, M$. We can denote the instance by a vector $b = (b_1, \dots, b_M)$ in which component b_j indicates the number of tasks of type j . A collection of tasks is called *compatible* if all these tasks can be executed in parallel; hence, a compatible collection of tasks contains at most one task of each type. A compatible collection is denoted by a $\{0, 1\}$ -vector c of length M with $c_j = 1$ if the collection contains a task of type j and zero otherwise. There are at most $K = 2^M - 1$ different compatible collections; this number is fixed, as M is fixed. Let the collections be numbered $1, \dots, K$; let the vectors indicating the collections be denoted by c_1, \dots, c_K . The problem of finding a schedule of minimal length is then equivalent to the problem of finding a decomposition of this instance into a minimum number of compatible collections. Formally, we wish to minimize $\sum_{j=1}^K x_j$ subject to $\sum_{j=1}^K c_j x_j = b$, x_j integer and nonnegative. As the number of variables in this integer linear programming formulation is fixed, we have proven the following theorem.

Theorem 4. *The $Pm | fix_j, p_j=1 | C_{\max}$ problem is solvable in polynomial time. \square*

If the number of processors is specified as part of the problem type, implying that this number is no longer fixed, then things get worse from a complexity point of view. This is stated in the following theorem.

Theorem 5. *The $P | fix_j, p_j=1 | C_{\max}$ problem is NP-hard in the strong sense.*

Proof. The proof is based upon a reduction from the strongly NP-complete problem Graph 3-Colorability. A similar approach is used by Blazewicz, Lenstra, and Rinnooy Kan [1983].

Graph 3-Colorability

Given a graph $G = (V, E)$, does there exist a 3-coloring, that is, a function $f : V \rightarrow \{1, 2, 3\}$ such that $f(u) \neq f(v)$ whenever $\{u, v\} \in E$?

Given an arbitrary instance $G = (V, E)$ of Graph 3-Colorability, we construct the following instance of $P | fix_j, p_j=1 | C_{\max}$. There are $|V|$ tasks $J_1, \dots, J_{|V|}$ and $|E|$ processors $M_1, \dots, M_{|E|}$. A task J_u has to be processed by M_e if $u \in e$. We claim that there exists a 3-coloring for G if and only if there exists a schedule of length at most 3. Suppose that a 3-coloring of G exists. Since no two nodes u and v with the same color are adjacent, the corresponding tasks J_u and J_v require different processors. Hence, all tasks that correspond to identically colored nodes can be executed in parallel. This

generates a schedule with length no more than 3. Conversely, in a schedule with length at most 3 we have that the nodes corresponding to tasks scheduled in time period t ($t = 1, 2, 3$) are independent; therefore, these nodes can be given the same color. This leads to a 3-coloring of G . Thus, $P | fix_j, p_j = 1 | C_{\max}$ is NP-hard in the strong sense. \square

Corollary 1. *For $P | fix_j, p_j = 1 | C_{\max}$, there exists no polynomial approximation algorithm with performance ratio smaller than $4/3$, unless $P = NP$. \square*

The introduction of precedence constraints leaves little hope of finding polynomial-time optimization algorithms. Even the two-processor problem with unit execution times and the simplest possible precedence relation structure, a collection of vertex-disjoint chains, is already NP-hard in the strong sense.

Theorem 6. *The $P 2 | chain, fix_j, p_j = 1 | C_{\max}$ problem is NP-hard in the strong sense.*

Proof. The proof is based upon a reduction from 3-Partition and follows an approach of Blazewicz, Lenstra, and Rinnooy Kan [1983]. Given an arbitrary instance of 3-Partition, we construct the following instance of $P 2 | chain, fix_j, p_j = 1 | C_{\max}$. Each element a_j corresponds to a chain K_j of $2a_j$ tasks; the first part consists of a_j tasks that have to be executed by M_1 and the second part also consists of a_j tasks that have to be executed by M_2 . In addition, there is a chain L of $2nb$ tasks; groups of b tasks have to be alternately executed by M_2 and M_1 .

Suppose that there exists a partition of N into N_1, \dots, N_n that yields an affirmative answer to 3-Partition. A feasible schedule with makespan no more than $2nb$ is then obtained as follows. The chain L is scheduled according to its requirements; the execution of L is completed at time $2nb$. Now M_1 and M_2 are idle in the intervals $[2(i-1)b, (2i-1)b]$ and $[(2i-1)b, 2ib]$ ($i = 1, \dots, n$), respectively. For each $i \in \{1, \dots, n\}$ it is now possible to schedule the three chains corresponding to the elements of N_i in $[2(i-1)b, (2i-1)b]$ and $[(2i-1)b, 2ib]$.

Conversely, suppose that there exists a feasible schedule with makespan no more than $2nb$. It is clear that this schedule contains no idle time. Let N_i be the index set of the chains K_j that are completed in the interval $[(2i-1)b, 2ib]$. It is impossible that $\sum_{j \in N_i} a_j > b$ due to the definition of N_i . The case $\sum_{j \in N_i} a_j < b$ cannot occur either, since this would lead to idle time in $[b, 2b]$. Therefore, we must have that $\sum_{j \in N_i} a_j = b$. Through a repetition of this argument, it can be easily proven that N_1, \dots, N_n constitutes a solution to 3-Partition. \square

The introduction of release dates has a similar inconvenient effect on the computational complexity.

Theorem 7. *The $P 2 | fix_j, r_j | C_{\max}$ problem is NP-hard in the strong sense.*

Proof. The proof is again based upon a reduction from 3-Partition. Given an arbitrary instance of 3-Partition, we construct the following instance of $P 2 | fix_j, r_j | C_{\max}$. For each element a_j , we define a task J_j with $p_j = a_j$ and $r_j = 0$ that has to be executed by M_1 . Furthermore, there are n tasks K_j with processing time b and release date $r_j = (j-1)(b+\epsilon)$, for $j = 1, \dots, n$ and ϵ sufficiently small; these tasks have to be executed by M_2 . Finally, there are $n-1$ biprocessor tasks L_j with processing time ϵ and release date $r_j = jb + (j-1)\epsilon$, for $l = 1, \dots, n-1$. It is easy to see that 3-Partition has an affirmative

answer if and only if there exists a feasible schedule for $P2|fix_j, r_j|C_{\max}$ with $C_{\max} \leq nb + (n-1)\epsilon$. \square

Consider the case $Pm|fix_j, r_j, p_j=1|C_{\max}$ where the number s of distinct release dates is fixed. Analogously to our analysis of $Pm|fix_j, p_j=1|C_{\max}$, we can transform any instance of $Pm|fix_j, r_j, p_j=1|C_{\max}$ into an integer linear programming problem with a fixed number of variables. We have proven the following theorem.

Theorem 8. *The $Pm|fix_j, r_j, p_j=1|C_{\max}$ problem with a fixed number of distinct release dates is solvable in polynomial time. \square*

3. Sum of completion times

In this section, we investigate the computational complexity of our type of scheduling problems when we wish to minimize total completion time. Our main result is establishing NP-hardness in the ordinary sense for $P2|fix_j|\Sigma C_j$. The question whether this problem is solvable in pseudopolynomial time or NP-hard in the strong sense still has to be resolved. The weighted version, however, is NP-hard in the strong sense. We start with an easy observation. Given an instance, let the maximal processing time be denoted by $p_{\max} = \max_j p_j$.

Proposition 1. *There is an optimal schedule for $P|fix_j|\Sigma C_j$ in which the tasks that require all processors for execution during p_{\max} time are scheduled last, if they exist. \square*

Proof. Consider a schedule σ for $P|fix_j|\Sigma C_j$ in which the task J that needs all processors for execution during time p_{\max} is not scheduled last. The interchange illustrated in Figure 5 generates a schedule σ^* with $\Sigma C_j(\sigma^*) \leq \Sigma C_j(\sigma) + p(B) - \lceil p(B)/p_{\max} \rceil p_{\max} \leq \Sigma C_j(\sigma)$, where $p(B) = \Sigma_{J \in B} p_j$. \square




Figure 5. The interchange.

3.1. NP-hardness for the 2-processor problem.

Theorem 9. *The $P2|fix_j|\Sigma C_j$ problem is NP-hard.*

Proof. Our proof is based upon a reduction from the NP-complete problem Even-Odd Partition.

Even-Odd Partition

Given a multiset of $2n$ positive integers $A = \{a_1, \dots, a_{2n}\}$ such that $a_i < a_{i+1}$ ($i = 1, \dots, 2n-1$), is there a partition of N into two disjoint subsets A_1 and A_2 with equal sum $b = \Sigma_{i=1}^{2n} a_i / 2$ and such that A_1 contains exactly one of $\{a_{2i-1}, a_{2i}\}$, for each $i = 1, \dots, n$?

Given an instance of Even-Odd Partition, define $p = (n^2+1)b$, $q = n^2(n^2+1)(n+1)p$, and $r = \Sigma_{j=1}^n (n+j-1)(a_{2j-1} + a_{2j}) + n^2(n+1)b$. We construct the following instance of $P2|fix_j|\Sigma C_j$. Each

element a_j corresponds to a partition task J_j with processing time $p_j = nb + a_j$ that has to be executed by M_1 . In addition, we define $n^2 + 3$ extra tasks. There are n^2 identical tasks Q_i ($i = 1, \dots, n^2$) with processing time $2p(n+1)$ that have to be executed by M_2 , a task K with processing time p that has to be executed by M_2 , a biprocessor task L with processing time p , and a task P with processing time $2p(n+1)$ that has to be executed by M_1 . We will show that Even-Odd Partition is answered affirmatively if and only if there exists a schedule for the corresponding instance of $P2|fix_j|\Sigma C_j$ with total completion time no more than the threshold

$$y = (2n^2 + 4n + 8)p + q + r.$$

Suppose that there exist subsets A_1 and A_2 that lead to an affirmative answer to Even-Odd Partition. Then there exists a schedule σ^* with total completion time no more than y , as is illustrated in Figure 6: the completion times of the extra tasks add up to $(2n^2 + 2n + 8)p + q$, the sum of the completion times of the partition tasks is equal to $2np + r$.




Figure 6. The schedule σ^* with partition sets A_1 and A_2 .

Conversely, suppose that there exists a schedule σ with total completion time no more than y . We first show that the extra tasks in σ must be scheduled according to the pattern of Figure 6.

A straightforward computation shows that task P and the Q -tasks must be completed after all other tasks in σ . Suppose that task L precedes task K , and that m partition tasks are completed before L starts. Note that $m \leq n$; otherwise, task K could be scheduled parallel to the m partition tasks, without increasing the completion time of any other job. If we compare this schedule with σ^* , then task L turns out to be the only task with smaller completion time; this gain is more than offset by the increase of completion time of task K . Hence, in order to satisfy the threshold, the extra jobs must be scheduled according to the pattern of Figure 6.

We now show that, if $\Sigma C_j(\sigma) \leq y$, then the partition tasks must constitute an affirmative answer to Even-Odd Partition. First, suppose that the partition tasks before L in σ have total processing time smaller than p , implying that at most n partition tasks are scheduled before L . Then the total completion time of the partition jobs amounts to at least $r + 2np$, the total completion time of the Q -tasks, task K , and task L is equal to the total completion time of these tasks in σ^* , and the completion time of task P is greater than $3p + (2n+2)p$, implying that the threshold is exceeded. Hence, the total processing time of the partition tasks before task L amounts to at least p .

Now suppose that m partition tasks with total processing time $p+x$ precede task L . Comparing σ with σ^* shows that the total completion time of the extra jobs in σ is $x(n^2+1)$ greater and that the difference in total completion time of the partition tasks is no more than $2p(n-m) + x(2n-m)$ in favor of σ . If $m=n$, then the difference in total completion time between σ^* and σ is at least equal to $x(n^2+1) - xn$ in favor of σ^* ; $x > 0$ then clearly implies that the threshold will be exceeded. In case $m > n$, we wish to show that $x(n^2+1) > 2p(n-m) + x(2n-m)$, which boils down to showing that $x(n^2+1-2n+m) > 2p(n-m)$. As the left-hand-side of the inequality is positive and the right-hand-

side negative, we have that the case $m > n$ leads to an excess of the threshold. Hence, exactly n partition tasks with total processing time equal to p must precede task L in σ . The total completion time of the partition tasks is equal to $2np + n(p_{[1]1} + p_{[1]2}) + \dots + (p_{[n]1} + p_{[n]2})$, where $p_{[i]1}$ and $p_{[i]2}$ denote the processing time of the $[i]$ th partition task before L and after L , respectively. It is easy to see that the threshold can only be met if $\{p_{[i]1}, p_{[i]2}\} = \{p_{2i-1}, p_{2i}\}$, for $i = 1, \dots, n$. Define A_1 and A_2 as the set of partition tasks before L and after L in σ , respectively. As the total processing time of the tasks in A_1 amounts to $n^2b + \sum_{A_1} a_j = p = (n^2 + 1)b$, we have that the corresponding subset of partition elements has sum equal to b . Furthermore, A_1 contains exactly one element from every pair $\{a_{2i-1}, a_{2i}\}$; hence, the subsets A_1 and A_2 lead an affirmative answer to Even-Odd Partition. \square

Theorem 10. *The $P2 | fix_j | \Sigma w_j C_j$ problem is NP-hard in the strong sense.*

Proof. The proof is based upon a reduction from 3-Partition. Given an arbitrary instance of 3-Partition, we construct the following instance of $P2 | fix_j | \Sigma w_j C_j$. Each element a_j corresponds to a task J_j with processing time a_j and unit weight that has to be executed by M_1 . In addition, there are n tasks K_j with processing time b and weight $2(j + \alpha - 1)\beta$ that have to be executed by M_2 , and n_L biprocessor tasks L_j with processing time b and weight $(2j - 1)\beta$, where $\alpha = 3n(2n - 1)$, $\beta = \alpha b$, and $n_L = \alpha + n - 1$.

Suppose that there exists a partition of N into N_1, \dots, N_n that yields an affirmative answer to 3-Partition. A feasible schedule with sum of weighted completion times no more than $y = \beta + \sum_{k=1}^n w_k(2(n-k)+1)b + \sum_{l=1}^{\alpha} w_l(2n + \alpha - l)b + \sum_{l=\alpha+1}^{n_L} w_l(2n - 2(l - \alpha))b$ is then obtained by scheduling the tasks as illustrated in Figure 7.

Conversely, suppose that there exists a schedule σ with sum of weighted completion times no more than y . Straightforward computations show that the K -tasks and the L -tasks have to be scheduled as indicated in Figure 7 and that the tasks J_j have to be scheduled in the time slots parallel to the K -tasks. Let N_j denote the set of J -tasks that are scheduled parallel to K_j ; the sets N_1, \dots, N_n constitute a solution to 3-Partition. \square




Figure 7. A schedule for $P2 | fix_j | \Sigma w_j C_j$ with $\Sigma w_j C_j \leq y$.

3.2. Strong NP-hardness for the general 3-processor problem

Theorem 11. *The $P3 | fix_j | \Sigma C_j$ problem is NP-hard in the strong sense.*

Proof. The proof is based upon a reduction from the decision version of the $P3 | fix_j | C_{\max}$ problem, which was shown to be NP-complete in Section 2.2. The decision version of $P3 | fix_j | C_{\max}$ is defined as the following question: given an instance of $P3 | fix_j | C_{\max}$ and a threshold b , does there exist a schedule σ with makespan no more than b ?

Given an arbitrary instance of $P3 | fix_j | C_{\max}$ and a threshold b , we construct the decision instance

of $P 3 | fix_j | \Sigma C_j$ by adding $nb+1$ identical triprocessor tasks K_j with processing time p_{\max} . The corresponding threshold is equal to $y = nb + \sum_{k=1}^{nb+1} (b + kp_{\max})$.

Application of Proposition 1 shows that there is an optimal schedule with the K -tasks executed last. The number of K -tasks is such that the threshold will be exceeded if the first K -task starts later than b . Hence, the decision variant of $P 3 | fix_j | \Sigma C_j$ has an affirmative answer if and only if the decision variant of $P 3 | fix_j | C_{\max}$ has an affirmative answer.

Note that, the number of tasks needed in our reduction is pseudopolynomially bounded. We conclude that $P 3 | fix_j | \Sigma C_j$ is NP-hard in the strong sense. \square

3.2. Unit execution times and precedence constraints

In this section, we address the complexity of minimizing total completion time in case of unit processing times. We show that $P | fix_j, p_j = 1 | \Sigma C_j$ is NP-hard in the strong sense; the complexity of this problem with a fixed number of processors is still open.

Theorem 12. *The $P | fix_j, p_j = 1 | \Sigma C_j$ problem is NP-hard in the strong sense.*

Proof. The proof of this theorem is based upon a reduction from $P | fix_j, p_j = 1 | C_{\max}$; it proceeds along the same lines as the proof of the previous theorem. Given an instance of $P | fix_j, p_j = 1 | C_{\max}$, we add w tasks that require all processors for execution; application of Proposition 1 shows that these tasks can be assumed to be executed after all other tasks. By choosing w suitably large, we obtain the situation that the threshold of $P | fix_j, p_j = 1 | \Sigma C_j$ is exceeded if and only if the threshold of $P | fix_j, p_j = 1 | C_{\max}$ is exceeded. As the decision variant of $P | fix_j, p_j = 1 | C_{\max}$ is NP-complete in the strong sense and as w is polynomially bounded, we conclude that $P | fix_j, p_j = 1 | \Sigma C_j$ is NP-hard in the strong sense. \square

As could be expected, the addition of precedence constraints does not have a positive effect on the computational complexity. We show that even the mildest non-trivial problem of this type, with two processors and chain-type precedence constraints, is NP-hard in the strong sense.

Theorem 13. *The $P 2 | chain, fix_j, p_j = 1 | \Sigma C_j$ problem is NP-hard in the strong sense.*

Proof. The proof is based upon the same reduction as used in the proof of Theorem 6, only the threshold differs. As the number of tasks is equal to $2nb$, and as each task has unit processing time, an obvious lower bound on the total completion time is equal to $y = 2nb(2nb+1)$; this bound can only be attained by a schedule without idle time in which both processors execute nb tasks. Hence, there exists a schedule with total completion time no more than y if and only if there exists a schedule with makespan no more than b . We conclude that $P 2 | chain, fix_j, p_j = 1 | \Sigma C_j$ is NP-hard in the strong sense. \square

Acknowledgement

The authors wish to express their gratitude towards Jan Karel Lenstra for his helpful comments.

References

- L. Bianco, P. Dell'Olmo, M.G. Speranza (1991). On scheduling independent tasks with dedicated resources. *Program and Abstracts, 14th Internat. Symp. Math. Programming*, Amsterdam.
- J. Blazewicz, M. Drabowski, J. Weglarz (1986). Scheduling multiprocessor tasks to minimize schedule length. *IEEE Trans. Comput. C-35*, 389-393.
- J. Blazewicz, J.K. Lenstra, A.H.G. Rinnooy Kan (1983). Scheduling subject to resource constraints: classification and complexity. *Discrete Appl. Math.* 5, 11-24.
- G. Bozoki, J.P. Richard (1970). A branch-and-bound algorithm for the continuous-process task shop scheduling problem. *AIIE Trans.* 2, 246-252.
- M.R. Garey, D.S. Johnson (1979). *Computers and Intractability: a Guide to the Theory of NP-Completeness*, Freeman, San Francisco.
- R.L. Graham, E.L. Lawler, J.K. Lenstra, A.H.G. Rinnooy Kan (1979). Optimization and approximation in deterministic sequencing and scheduling: a survey. *Ann. Discrete Math.* 5, 287-326.
- H.W. Lenstra, Jr. (1983). Integer programming with a fixed number of variables. *Math. Oper. Res.* 8, 538-548.
- J.K. Lenstra, A.H.G. Rinnooy Kan, P. Brucker (1977). Complexity of machine scheduling problems. *Ann. Discrete Math.* 1, 343-362.
- S. Martello, P. Toth (1990). *Knapsack Problems: Algorithms and Computer Implementations*, Wiley, Chichester.
- B. Veltman, B.J. Lageweg, J.K. Lenstra (1990). Multiprocessor scheduling with communication delays. *Parallel Comput.* 16, 173-182.

List of COSOR-memoranda - 1992

Number	Month	Author	Title
92-01	January	F.W. Steutel	On the addition of log-convex functions and sequences
92-02	January	P. v.d. Laan	Selection constants for Uniform populations
92-03	February	E.E.M. v. Berkum H.N. Linssen D.A. Overdijk	Data reduction in statistical inference
92-04	February	H.J.C. Huijberts H. Nijmeijer	Strong dynamic input-output decoupling: from linearity to nonlinearity
92-05	March	S.J.L. v. Eijndhoven J.M. Soethoudt	Introduction to a behavioral approach of continuous-time systems
92-06	April	P.J. Zwietering E.H.L. Aarts J. Wessels	The minimal number of layers of a perceptron that sorts
92-07	April	F.P.A. Coolen	Maximum Imprecision Related to Intervals of Measures and Bayesian Inference with Conjugate Imprecise Prior Densities
92-08	May	I.J.B.F. Adan J. Wessels W.H.M. Zijm	A Note on "The effect of varying routing probability in two parallel queues with dynamic routing under a threshold-type scheduling"
92-09	May	I.J.B.F. Adan G.J.J.A.N. v. Houtum J. v.d. Wal	Upper and lower bounds for the waiting time in the symmetric shortest queue system
92-10	May	P. v.d. Laan	Subset Selection: Robustness and Imprecise Selection
92-11	May	R.J.M. Vaessens E.H.L. Aarts J.K. Lenstra	A Local Search Template (Extended Abstract)
92-12	May	F.P.A. Coolen	Elicitation of Expert Knowledge and Assessment of Im- precise Prior Densities for Lifetime Distributions
92-13	May	M.A. Peters A.A. Stoorvogel	Mixed H_2/H_∞ Control in a Stochastic Framework

Number	Month	Author	Title
92-14	June	P.J. Zwietering E.H.L. Aarts J. Wessels	The construction of minimal multi-layered perceptrons: a case study for sorting
92-15	June	P. van der Laan	Experiments: Design, Parametric and Nonparametric Analysis, and Selection
92-16	June	J.J.A.M. Brands F.W. Steutel R.J.G. Wilms	On the number of maxima in a discrete sample
92-17	June	S.J.L. v. Eindhoven J.M. Soethoudt	Introduction to a behavioral approach of continuous-time systems part II
92-18	June	J.A. Hoogeveen H. Oosterhout S.L. van der Velde	New lower and upper bounds for scheduling around a small common due date
92-19	June	F.P.A. Coolen	On Bernoulli Experiments with Imprecise Prior Probabilities
92-20	June	J.A. Hoogeveen S.L. van de Velde	Minimizing Total Inventory Cost on a Single Machine in Just-in-Time Manufacturing
92-21	June	J.A. Hoogeveen S.L. van de Velde	Polynomial-time algorithms for single-machine bicriteria scheduling
92-22	June	P. van der Laan	The best variety or an almost best one? A comparison of subset selection procedures
92-23	June	T.J.A. Storcken P.H.M. Ruys	Extensions of choice behaviour
92-24	July	L.C.G.J.M. Habets	Characteristic Sets in Commutative Algebra: an overview
92-25	July	P.J. Zwietering E.H.L. Aarts J. Wessels	Exact Classification With Two-Layered Perceptrons
92-26	July	M.W.P. Savelsbergh	Preprocessing and Probing Techniques for Mixed Integer Programming Problems

Number	Month	Author	Title
92-27	July	I.J.B.F. Adan W.A. van de Waarsenburg J. Wessels	Analysing $E_k E_r c$ Queues
92-28	July	O.J. Boxma G.J. van Houtum	The compensation approach applied to a 2×2 switch
92-29	July	E.H.L. Aarts P.J.M. van Laarhoven J.K. Lenstra N.L.J. Ulder	Job Shop Scheduling by Local Search
92-30	August	G.A.P. Kindervater M.W.P. Savelsbergh	Local Search in Physical Distribution Management
92-31	August	M. Makowski M.W.P. Savelsbergh	MP-DIT Mathematical Program data Interchange Tool
92-32	August	J.A. Hoogeveen S.L. van de Velde B. Veltman	Complexity of scheduling multiprocessor tasks with prespecified processor allocations