

# Feedforward Tuning with Input Nonlinearities

**Citation for published version (APA):**

Poot, M. M., Portegies, J., & Oomen, T. (2023). *Feedforward Tuning with Input Nonlinearities: Application to Magnetic Saturation in Wirebonders*. Abstract from 42nd Benelux Meeting on Systems and Control 2023, Elspeet, Netherlands.

**Document license:**

CC BY-NC-ND

**Document status and date:**

Published: 01/01/2023

**Document Version:**

Publisher's PDF, also known as Version of Record (includes final page, issue and volume numbers)

**Please check the document version of this publication:**

- A submitted manuscript is the version of the article upon submission and before peer-review. There can be important differences between the submitted version and the official published version of record. People interested in the research are advised to contact the author for the final version of the publication, or visit the DOI to the publisher's website.
- The final author version and the galley proof are versions of the publication after peer review.
- The final published version features the final layout of the paper including the volume, issue and page numbers.

[Link to publication](#)

**General rights**

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal.

If the publication is distributed under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license above, please follow below link for the End User Agreement:

[www.tue.nl/taverne](http://www.tue.nl/taverne)

**Take down policy**

If you believe that this document breaches copyright please contact us at:

[openaccess@tue.nl](mailto:openaccess@tue.nl)

providing details and we will investigate your claim.

# Feedforward Tuning with Input Nonlinearities: Application to Magnetic Saturation in Wirebonders<sup>1</sup>

Maurice Poot<sup>2,\*</sup>, Jim Portegies<sup>3</sup>, Tom Oomen<sup>2,4</sup>

<sup>2</sup>Control Systems Technology Group, Dept. of Mechanical Engineering, Eindhoven University of Technology, The Netherlands

<sup>3</sup>CASA, Dept. of Mathematics and Computer Science, Eindhoven University of Technology, The Netherlands

<sup>4</sup>Delft Center for Systems and Control, Delft University of Technology, The Netherlands

\*Email: m.m.poot@tue.nl

## 1 Background

The increasing demands on throughput and accuracy of semiconductor manufacturing equipment necessitates accurate feedforward motion control that includes compensation of input nonlinearities. In [1], iterative learning control with polynomial basis functions (ILCBF) is introduced to enable extrapolation of the motion tasks. To achieve high tracking accuracy and task flexibility for nonlinear systems, extensions are necessary that compensate input nonlinearities, e.g., magnetic saturation in linear actuators [2].

## 2 Problem formulation

The aim of this research is to develop a data-driven feedforward tuning approach consisting of a Wiener feedforward, i.e., linear parameterization  $F(\theta)$  with an output nonlinearity  $h(\cdot, \phi)$ , see Fig. 1, for Hammerstein systems.

## 3 Approach

The developed approach exploits norm-optimal iterative learning control (NOILC) to learn a feedforward signal from data that minimizes the error and utilizes a control-relevant cost function to learn  $\theta, \phi$  of the Wiener feedforward [3].


## 4 Results

Experimental results, see Fig. 2, on a wirebender subject to magnetic saturation show a reduction in tracking error using the developed approach compared to the linear approach. Moreover, for motion tasks with varying maximum accelerations, the mass parameter is significantly more consistent in the developed approach, indicating task flexibility.


## 5 Conclusion and outlook

The developed Wiener feedforward approach achieves high tracking accuracy and task flexibility for Hammerstein systems. Ongoing research focuses on online learning in an

<sup>1</sup>This work is supported by ASM Pacific Technology. The authors thank Jilles van Hulst, Kelvin Kai Wa Yan, and Dragan Kostić for their contributions to this research.



**Figure 1:** Proposed control scheme with Wiener feedforward  $f = h(F(\theta)r, \phi)$ .



**Figure 2:** Top: error signals of linear ( $\rightarrow$ ), the developed ( $\rightarrow$ ), and NOILC ( $\rightarrow$ ) approach. Bottom: mass per setpoint acceleration of linear ( $\triangle$ ) and the developed ( $\ominus$ ) approach.

ILC setting, extensions to non-parametric models for  $h$ , and analysis of position dependency of the magnetic saturation.

## References

- [1] J. van de Wijdeven and O. Bosgra, "Using basis functions in iterative learning control: analysis and design theory," *Int. J. Control*, vol. 83, no. 4, pp. 661–675, apr 2010.
- [2] H. Polinder, "Modelling a linear PM motor including magnetic saturation," in *Int. Conf. Power Electron. Mach. Drives*, vol. 2002, no. 487. IEE, 2002, pp. 632–637.
- [3] J. van Hulst, M. Poot, D. Kostić, K. W. Yan, J. Portegies, and T. Oomen, "Feedforward Control in the Presence of Input Nonlinearities: A Learning-based Approach," in *Model. Estim. Control Conf.*, Jersey City, New Jersey, 2022.