

The seven capital sins in the governance of blockchain ecosystems

Citation for published version (APA):

van Haaren-van Duijn, B., Bonnin Roca, J., Romme, A. G. L., & Weggeman, M. C. D. P. (2023). The seven capital sins in the governance of blockchain ecosystems. *IEEE Engineering Management Review*, 51(3), 13-17. Article 10137874. <https://doi.org/10.1109/EMR.2023.3280130>

Document license:

TAVERNE

DOI:

[10.1109/EMR.2023.3280130](https://doi.org/10.1109/EMR.2023.3280130)

Document status and date:

Published: 01/09/2023

Document Version:

Publisher's PDF, also known as Version of Record (includes final page, issue and volume numbers)

Please check the document version of this publication:

- A submitted manuscript is the version of the article upon submission and before peer-review. There can be important differences between the submitted version and the official published version of record. People interested in the research are advised to contact the author for the final version of the publication, or visit the DOI to the publisher's website.
- The final author version and the galley proof are versions of the publication after peer review.
- The final published version features the final layout of the paper including the volume, issue and page numbers.

[Link to publication](#)

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal.

If the publication is distributed under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license above, please follow below link for the End User Agreement:

www.tue.nl/taverne

Take down policy

If you believe that this document breaches copyright please contact us at:

openaccess@tue.nl

providing details and we will investigate your claim.

The Seven Capital Sins in the Governance of Blockchain Ecosystems

—BIRGITTE VAN HAAREN-VAN DUIJN 

Department of Industrial Engineering and Innovation Sciences, Eindhoven University of Technology, 5600 MB Eindhoven, The Netherlands

—JAIME BONNIN ROCA 

Department of Industrial Engineering and Innovation Sciences, Eindhoven University of Technology, 5600 MB Eindhoven, The Netherlands

—A. GEORGES L. ROMME 

Department of Industrial Engineering and Innovation Sciences, Eindhoven University of Technology, 5600 MB Eindhoven, The Netherlands

—MATHIEU WEGGEMAN 

Department of Industrial Engineering and Innovation Sciences, Eindhoven University of Technology, 5600 MB Eindhoven, The Netherlands

Abstract—*In recent years, blockchain has gained traction as a technology to increase the security and transparency of firms' transactions. There is a widespread misconception that blockchains, once rolled out, are fully decentralized and transparent in terms of governance. The practice of many blockchain initiatives tells a different story: the development of a robust and reliable governance structure for a blockchain ecosystem requires balancing the power, accountability, and incentives of each blockchain member. This is a highly complex balancing act. It is important that CEOs, COOs, and other top managers become deeply aware of the complexity of setting up and governing an (envisioned or existing) blockchain to increase its success chances. In this article, we discuss what we consider are the seven capital sins of the governance of an enterprise blockchain that can hinder the successful implementation of this technology. These insights are based on three years of research in which we studied a large number of blockchain ecosystems.*

Key words: Blockchain, business ecosystems, governance, innovation management

(Corresponding author: Jaime Bonnin Roca.)

The review of this article was arranged by Department Editor Shari Worthington.

IEEE DOI 10.1109/EMR.2023.3280130

INTRODUCTION

IN recent years, blockchain has gained traction as a technology to increase the security and transparency of firms' transactions. From energy generation to supply chain traceability, or even environmental management, many large firms across sectors have invested millions of dollars in the creation of blockchain ecosystems. However, when brought into practice, the reality is that most blockchain ecosystems have not been successful. One of the most recent cases is TradeLens, the blockchain endorsed by IBM and Maersk, discontinued in early 2023.

Governing a blockchain ecosystem requires a careful balance between the sticks and carrots offered to its members in the form of access and

decision rights, accountability, rewards, and conflict resolution mechanisms [1], [2], [3]. These aspects need to be taken into account both in the blockchain code [4], as well as in the noncoded, social structures built around the ecosystem [5]. However, conflicting interests among a wide variety of ecosystem members may lead to governance crises and ultimately to the disintegration of the blockchain, before it reaches maturity and long-term financial sustainability.

In this article, we discuss which behaviors of blockchain governance boards hinder the successful implementation of the technology. We synthesize these behaviors into what we consider are the *seven capital sins* of enterprise blockchain governance. These insights are based on three years of empirical

research in which we studied a large number of blockchain ecosystems, and during which we conducted including 27 interviews with blockchain board and advisory members, and more than 350 h of direct participant observations [6].

Pride: A Single-Leadership

Model Blockchain ecosystems consist of a heterogeneous pool of participants, where no single participant has full or sole ownership. This inherent decentralization, and the reduced need for business intermediators, is what makes blockchain attractive to a large portion of the business community [7], [8]. This decentralization clashes head-on with the traditional operating model used by larger enterprises, where they hold a position of larger power and control. To achieve effective collaboration within the blockchain ecosystem, there must be a genuine willingness to embrace a collaborative ecosystem's model, especially when scaling up. Otherwise, blockchain participants may lose trust in the network. To increase the chances of success, blockchain managers may want to embrace an adaptive leadership model that can change according to the needs of a growing ecosystem at any point in time and which allows for continuous evaluation of its effectiveness. In the case of Tradelens, Maersk and IBM soon realized they had to step back if they wanted to involve other industry players [9].

Greed: Reluctance to Decentralize the Decision Power as the Blockchain Matures

As blockchain ecosystems grow and gain members, they are expected to deploy governance mechanisms that transfer some of the decision powers of founding members to newer members. Many blockchains have defined this in their objectives, and a few have put this into practice. This happens because the existing

members might not be willing to accept any changes to the governance structure that lower their power or rewards. As a result, blockchains may reach a point where newer members do not have enough incentives to remain in the ecosystem and may leave and even create their own blockchain or fork. To avoid reaching this situation, blockchains should anticipate the incorporation of new members to their corporate boards. In addition, blockchains may use consensus mechanisms, such as Proof of Stake, where the power of a user in the network depends on how many tokens they hold, and for how long, rewarding long-term membership.

Sloth: Absence of a Public

Rulebook The absence of clear rules and regulations for the governance of a blockchain network is a common sin that can lead to a lack of structure, inefficiency, and slow implementation of changes. Even in cases where white papers are made publicly available, their governance chapters are testimonial or inexistent. This may happen, for instance, when the founding team has a pure technical background, and gives priority to the coded aspects of the blockchain. However, without clear governance structures established from the very beginning, future participants need to perform a leap of faith to embrace the ideas of the blockchain envisioned by the founding members, without any guarantee that their interests will be protected. In addition, a lack of a governance protocol may lead to an ossification of the solution, which hinders networks' growth. To prevent this, it is imperative to agree on the rules, and "the rules to change the rules" even before there is a working prototype of the blockchain. An illustrative example is the pluggable model developed by the Corda Network, which allows to customize the governance mechanism for each of the business networks they

support, based on their requirements in terms of privacy, scalability, regulation, and performance.

Gluttony: The Nothing-at-Stake Approach

In some blockchains, participants in the network infrastructure do not have anything staked. This means that some participants, such as validators or miners, have proportionally more power than others, without necessarily having a larger number of tokens or in the absence of another mechanism rewarding active participation. The absence of reward mechanisms creates a situation where participants lack the incentive to contribute to the consensus mechanism, which is critical for the network's security and stability. Validators may not have any direct incentive to act in the network's best interest. As a result, the engagement of blockchain actors in voting processes is typically low due to the lack of personal interest or opacity of the voting process [10]. To avoid this, blockchains need to provide incentives for ecosystem members to become validators. For instance, we have observed that corporate blockchains have moved away from Proof of Work consensus mechanisms and adopted Proof of Stake, but sometimes that is not enough. One possible solution is implementing a reward and penalty mechanism similar to most Proof-of-Stake blockchains, such as Polkadot [11], where validators receive rewards for attesting and proposing blocks to the blockchain as a percentage of their stake. Such mechanisms encourage good behaviors, promote active participation, enhance security, and maintain transparency in their blockchain ecosystems.

Envy: Absence of Penalty/Reward Structures for Contributors

The lack of an incentive structure to encourage participation is often connected to a lack of coercive

mechanisms to discourage malicious behavior from opportunistic members who act against the network's best interest. This is a grave danger for the security and performance of the blockchain.

To remedy this, it is essential to establish transparent liability and obligation structures within the ecosystem while still maintaining its collaborative nature. A measure that can be taken to discourage dishonest validations and inactivity is to introduce *slashing* [12] mechanisms. Slashing is a punitive method that consists of taking away a portion of validators' pool of tokens when they misbehave. Additionally, repeated offenders could see their validator rights be removed or even be expelled from the blockchain.

Lust: Forgetting About Blockchain's Interdependencies

From a technical perspective, blockchains are built on top of three distinct, yet interconnected, layers: the protocol, network, and application layers [13]. The *protocol* layer contains the blocks and the consensus algorithms of the blockchain. The *network* layer consists of several computers that allow the protocol to run and ensure the consistency of the blocks in charge of maintaining the security of the system [14]. The *application* layer is the interface with the end-user, where the transactions take place according to the logic established in the smart contracts [15]. Remarkably,

each layer requires the development of different software, hardware, as well as a different groups of stakeholders. We have observed that there is a tendency of actors in blockchain ecosystems to interact only with other actors within the same layer, forgetting the interaction with the other two layers. As a result, blockchain managers have limited visibility, and the network suffers limitations in terms of scalability and performance.

Wrath: Volatile Transaction

Tokens One of the most common financial reward mechanisms in blockchains is the supply of tokens to members of the network. In many cases, the total number of tokens is fixed, so that, as the ecosystem grows, the demand for the token will increase, which will drive prices up. This inflationary process generates value for both founding members and application developers. However, to attract new enterprises to deploy their products on the blockchain, it is vital that a transaction on the network has a stable, predictable cost profile. In an ideal world, the higher the transaction volumes, the more stable transaction costs should be, but that is rarely the case. In practice, many tokens suffer from large volatility. For instance, Ethereum (ETH) transaction fees went from approximately 0.05USD in early 2017 to 15–20USD at the end of 2020, and in 2023 sit around 2–3USD. This volatility affects all applications, which are based on ETH. A potential solution to reduce volatility

is the adoption of a dual token system, such as the one adopted by VeChain. In VeChain, VeChainThor (VET) is the "business coin," while VeThor (VTHO) is the operational coin, which carries the transaction fee. The number of VET tokens is maximized in the design, but the number of VTHO tokens needed and created per transaction can vary. VTHO is generated linearly when the VET blocks are held by users for a certain amount of time. This mechanism incentivizes users to hold tokens long enough so that they can make transactions at no extra cost.

Recommendations for Blockchain Managers

In this piece, we have described several common challenges, which hinder the growth and integrity of blockchain ecosystems. Contrary to popular belief, blockchain technology is not a trustless technology but rather a confidence machine that increases trust in the operations and functions of the ecosystem. It is crucial to understand that the success of the ecosystem depends on a governance structure that promotes trust among parties. The success of blockchain ecosystems is largely dependent on network effects, but a blockchain incapable of creating such governance structure will be unable to attract and retain new users, and therefore will not generate value. Founding members need to understand that attitudes focused on short-term gains are incompatible with the long-term development of a healthy ecosystem.

REFERENCES

- [1] M. Zachariadis, G. Hileman, and S. V. Scott, "Governance and control in distributed ledgers: Understanding the challenges facing blockchain technology in financial services," *Information and Organization*, vol. 29, no. 2, pp. 105–117, 2019, doi: [10.1016/j.infoandorg.2019.03.001](https://doi.org/10.1016/j.infoandorg.2019.03.001).
- [2] P. Hacker, "Corporate governance for complex cryptocurrencies? A framework for stability and decision making in blockchain-based organizations," *Regulating Blockchain. Techno-Social and Legal Challenges*, P. Hacker, I. Lianos, G. Dimitropoulos, and S. Eich, Eds., Oxford University Press, Oxford, U.K., pp. 140–166, 2019, doi: [10.2139/ssrn.2998830](https://doi.org/10.2139/ssrn.2998830).

- [3] M. Hütten, "The soft spot of hard code: Blockchain technology, network governance and pitfalls of technological utopianism," *Global Networks*, vol. 19, no. 3, pp. 329–348, Jul. 2019, doi: [10.1111/glob.12217](https://doi.org/10.1111/glob.12217).
- [4] S. élnes, J. Ubacht, and M. Janssen, "Blockchain in government: Benefits and implications of distributed ledger technology for information sharing," *Government Information Quarterly*, vol. 34, no. 3, pp. 355–364, 2017, doi: [10.1016/j.giq.2017.09.007](https://doi.org/10.1016/j.giq.2017.09.007).
- [5] R. van Pelt, S. Jansen, D. Baars, and S. Overbeek, "Defining blockchain governance: A framework for analysis and comparison," *Information Systems Management*, vol. 38, no. 1, pp. 21–41, 2021, doi: [10.1080/10580530.2020.1720046](https://doi.org/10.1080/10580530.2020.1720046).
- [6] B. van Haaren-van Duijn, J. Bonnín Roca, A. Chen, A. G. L. Romme, and M. Weggeman, "The dynamics of governing enterprise blockchain ecosystems," *Administrative Sciences*, vol. 12, no. 3, Sep. 2022, Art. no. 3, doi: [10.3390/admsci12030086](https://doi.org/10.3390/admsci12030086).
- [7] C. Antal, T. Cioara, I. Anghel, M. Antal, and I. Salomie, "Distributed ledger technology review and decentralized applications development guidelines," *Future Internet*, vol. 13, no. 3, Mar. 2021, Art. no. 62, doi: [10.3390/fi13030062](https://doi.org/10.3390/fi13030062).
- [8] S. Makridakis and K. Christodoulou, "Blockchain: Current challenges and future prospects/applications," *Future Internet*, vol. 11, no. 12, Dec. 2019, Art. no. 258, doi: [10.3390/fi11120258](https://doi.org/10.3390/fi11120258).
- [9] M. Jovanovic, N. Kostić, I. M. Sebastian, and T. Sedej, "Managing a blockchain-based platform ecosystem for industry-wide adoption: The case of TradeLens," *Technological Forecasting and Social Change*, vol. 184, Nov. 2022, Art. no. 121981, doi: [10.1016/j.techfore.2022.121981](https://doi.org/10.1016/j.techfore.2022.121981).
- [10] V. Buterin, "Notes on blockchain governance," Dec. 2017. Accessed: Jun. 01, 2023. [Online]. Available: <https://vitalik.ca/general/2017/12/17/voting.html>
- [11] H. Abbas, M. Caprolu, and R. Di Pietro, "Analysis of Polkadot: Architecture, internals, and contradictions," in *Proc. IEEE International Conference on Blockchain*, 2022, pp. 61–70.
- [12] Z. He and J. Li, "Contract enforcement and decentralized consensus: The case of slashing," Feb. 16, 2022. Accessed: Apr. 5, 2023. [Online]. Available: <https://papers.ssrn.com/abstract=4036000>
- [13] X. Chen, S. Tian, K. Nguyen, and H. Sekiya, "Decentralizing private blockchain-IoT network with OLSR," *Future Internet*, vol. 13, no. 7, Jul. 2021, Art. no. 168, doi: [10.3390/fi13070168](https://doi.org/10.3390/fi13070168).
- [14] L. Shekhtman and E. Waisbard, "EngraveChain: A blockchain-based tamper-proof distributed log system," *Future Internet*, vol. 13, no. 6, Jun. 2021, Art. no. 143, doi: [10.3390/fi13060143](https://doi.org/10.3390/fi13060143).
- [15] N. Kapsoulis et al., "Consortium blockchain smart contracts for musical rights governance in a collective management organizations (CMOs) use case," *Future Internet*, vol. 12, no. 8, Aug. 2020, Art. no. 134, doi: [10.3390/fi12080134](https://doi.org/10.3390/fi12080134).

Birgitte van Haaren-van Duijn is currently working toward the Ph.D. degree with the Eindhoven University of Technology, Eindhoven, The Netherlands, specializing in innovation, technology entrepreneurship, and marketing. She has built a long professional career. Since 2013, she has been a Deloitte Digital Risk Solutions team member, pioneering new business development in Blockchain, Fintech, and WEB 3 space for various industries, including multinational corporations, energy providers, exchanges, banks, and retailers. As a part of her leadership portfolio, she currently holds the Chair position with Morphotonics B.V., Veldhoven, The Netherlands, a leading company in nanoimprint technology at scale. Moreover, she is a Chairman

of the Supervisory Board for FlexiDAO, a Blockchain scale-up, and an advisor for the EU initiative, ONTOCHAIN. Her past board memberships include positions with AMPnet Inc., Luxexcel, and Transparency International NL. Her corporate experience is further highlighted by her significant roles with Nidera/COFCO, ALL Capital, and TNT. Her career is a testament to her dedication to innovation, business development, and knowledge advancement.

Jaime Bonnin Roca received the Ph.D. degree in engineering and public policy from Carnegie Mellon University. He is an Assistant Professor of innovation and entrepreneurship in the Innovation, Technology Entrepreneurship and Marketing Group with the School of Industrial Engineering, Eindhoven University of Technology, Eindhoven, The Netherlands. He is interested in how public and private organizations respond to uncertainty in the adoption of emerging technologies, with a focus on advanced manufacturing. In addition, his research analyzes how to balance safety and innovation in the introduction of immature technologies, especially in highly regulated environments. A key question is how to introduce enough flexibility in institutional frameworks and investment plans to keep pace with the unexpected consequences of rapid technical change. To answer these questions, he uses both qualitative and quantitative (simulation, optimization) research methods. He is currently involved in research projects in the areas of Industry 4.0, artificial intelligence, and blockchain

A. Georges L. Romme received the Ph.D. degree in business administration from Maastricht University. He is a Full Professor and Chair of Entrepreneurship and Innovation with the Eindhoven University of Technology (TU/e), Eindhoven, The Netherlands. His scholarly work focuses on organization design, professionalism, technology entrepreneurship, new business development, and organizational learning and renewal. His research aims to develop a design mindset among management and entrepreneurship scholars. As such, he has been one of the original pioneers who brought the design sciences to the field of management and entrepreneurship, for which he received several awards (e.g., the Distinguished Scholar-Practitioner Award of the Academy of Management). His fascination with science for design is evident from his work on designing circular organizations, educational systems producing deep learning, innovation ecosystems, and incubation environments for technology startups. In these areas, he has also long been the primary academic partner and adviser of the management team of the High Tech Campus Eindhoven (which arose from the former Philips' Natlab), one of the most prominent and productive (deeptech) R&D locations in the world. Together with many TU/e colleagues and professors from other universities, he currently supervises a large number of doctoral students working on innovation management projects in the area of the energy transition, circularity of power, innovation ecosystem management, and related topics. He also currently serves as TU/e Ambassador for Entrepreneurship; in this role, he supports the Executive Board of TU/e in improving the university's facilities and conditions for student entrepreneurship, academic entrepreneurship, and other forms of entrepreneurial behavior.

Mathieu Weggeman received the Ph.D. degree in strategic management from Tilburg University. He is a Full Professor of organizational science and innovation management with the Eindhoven University of Technology (TU/e), Eindhoven, The Netherlands. His primary expertise lies in the field of organizational design, innovation management, and work processes in knowledge-intensive organizations. His research focuses understanding and explaining innovation processes in technology, knowledge-intensive, and cultural organizations. His special attention goes to leading professionals, strategy formulation, realizing collective ambition in teams and organizations, and the working methods and value systems of the new generation. He conducts research on flow and team flow among professionals, on the motives that professionals have to create and share knowledge, on the characteristics of the (pre) fuzzy front end of innovation processes and on the influence of the aesthetics of work processes on the affective bonding of professionals and in line with this on the knowledge productivity of the organization.