

Polarization-dependent ponderomotive force in a standing wave

Citation for published version (APA):

Smorenburg, P. W., Kanters, J. H. M., Lassise, A., Brussaard, G. J. H., Kamp, L. P. J., & Luiten, O. J. (2011). Polarization-dependent ponderomotive force in a standing wave. In *Proceedings of the Conference SPIE Optics and Optoelectronics, 18-21 April 2011, Prague, Czech Republic*

Document status and date:

Published: 01/01/2011

Document Version:

Publisher's PDF, also known as Version of Record (includes final page, issue and volume numbers)

Please check the document version of this publication:

- A submitted manuscript is the version of the article upon submission and before peer-review. There can be important differences between the submitted version and the official published version of record. People interested in the research are advised to contact the author for the final version of the publication, or visit the DOI to the publisher's website.
- The final author version and the galley proof are versions of the publication after peer review.
- The final published version features the final layout of the paper including the volume, issue and page numbers.

[Link to publication](#)

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal.

If the publication is distributed under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license above, please follow below link for the End User Agreement:

www.tue.nl/taverne

Take down policy

If you believe that this document breaches copyright please contact us at:

openaccess@tue.nl

providing details and we will investigate your claim.



Connecting minds. Advancing light.

SPIE is the international society
for optics and photonics

SEARCH:

Conferences + Exhibitions

SEARCH

HOME | CONFERENCES + EXHIBITIONS | PUBLICATIONS | EDUCATION | MEMBERSHIP | INDUSTRY RESOURCES | CAREER CENTER | NEWSROOM

Conferences & Exhibitions Calendar

Optics + Optoelectronics 2011

Chair Invitation
Conferences
Special Forums and Events
Exhibition
Exhibitor Services
Author/Presenter Information
Chair/Committee Information
Hotel + Travel
Registration

PRINT PAGE | E-MAIL PAGE | BOOKMARK



18 - 21 April 2011
Prague Congress Ctr.
Prague Czech Republic

Your search for "Polarization-dependent" returned:

1 Scheduled events
3 Exhibitors + Products

Sort by: Relevance Date

UPDATE

[Show abstracts](#)

1 items 1-1

Polarization-dependent ponderomotive force in a standing wave

Paper 8079A-34 of [Conference 8079A](#)

Date: Wednesday, 20 April 2011

Time: 9:20 – 9:40

Author(s): Peter W. Smorenburg, Joris H. M. Kanter, Leon P. J. Kamp, Jom Luiten,
Technische Univ. Eindhoven (Netherlands)

[Hide Abstract](#)

[Add to My Schedule](#)

In a certain sense, the electromagnetic standing wave may be considered the prototype field configuration in which ponderomotive (gradient) forces play a dominant role, since in between the nodes of the wave the field changes from zero to maximum, leading to large field gradients. Nevertheless, up to now most analytical work concentrated on the ponderomotive force in running waves rather than standing waves, leading to the well-known Gaponov-Miller force [1] proportional to the field gradient and directed towards low field regions. However, in 2005 Kaplan and Pokrovsky [2] derived time-averaged equations of motion for an electron in examples of standing waves, showing that in some configurations the ponderomotive force changes direction towards high field regions, contrary to the Gaponov-Miller force. We derive the ponderomotive force formula for the general standing wave of nonrelativistic intensity. We thereby generalize the results of Ref. [1], which follow directly from our formula. It is shown that the ponderomotive force is still of gradient form, but contains additional polarization-dependent terms. Depending on the configuration, the ponderomotive force can point to low field regions, to high field regions and it can even vanish completely despite the large field gradients in the standing wave. Our theory predicts the full three-dimensional ponderomotive force, and it admits non-ideal standing wave fields that are not fully plane and also have gradients parallel to the nodal planes. [1] A.V. Gaponov and M.A. Miller, Sov. Phys. JETP 7, 168 (1958). [2] A.E. Kaplan and A.L. Pokrovsky, Phys. Rev. Lett. 95, 053601 (2005).

1 items 1-1

Search Program

To refine your search, check all that apply

Oral & Poster Presentations
Special Forums & Events
Exhibitors & Products

All Days

SEARCH PROGRAM

[View My Schedule](#)
[Customize your program](#)

