

Stirring by blinking rotlets in a bounded Stokes flow

Citation for published version (APA):

Woude, van der, D., Clercx, H. J. H., Heijst, van, G. J. F., & Meleshko, V. V. (2004). Stirring by blinking rotlets in a bounded Stokes flow. In *Abstracts of the 21st International Congress of Theoretical and Applied Mechanics. 15-21 August 2004, Warschau, Poland* (pp. 173). s.n..

Document status and date:

Published: 01/01/2004

Document Version:

Publisher's PDF, also known as Version of Record (includes final page, issue and volume numbers)

Please check the document version of this publication:

- A submitted manuscript is the version of the article upon submission and before peer-review. There can be important differences between the submitted version and the official published version of record. People interested in the research are advised to contact the author for the final version of the publication, or visit the DOI to the publisher's website.
- The final author version and the galley proof are versions of the publication after peer review.
- The final published version features the final layout of the paper including the volume, issue and page numbers.

[Link to publication](#)

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal.

If the publication is distributed under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license above, please follow below link for the End User Agreement:

www.tue.nl/taverne

Take down policy

If you believe that this document breaches copyright please contact us at:

openaccess@tue.nl

providing details and we will investigate your claim.

Stirring by Blinking Rotlets in a Bounded Stokes Flow**Dennis van der Woude**⁽¹⁾, Herman Clercx⁽¹⁾, GertJan van Heijst⁽¹⁾, Vyacheslav V. Meleshko⁽²⁾⁽¹⁾ *Physics Department, Eindhoven University of Technology, The Netherlands*⁽²⁾ *Dep. of Theoretical and Appl. Mech., Kiev National Taras Shevchenko University, Ukraine***FM22S_12633**

Thu • 15:15 • 305

We apply the blinking rotlet model to the analysis of stirring in a Stokes flow in rectangular containers. Specifically, we construct the rigorous analytical solution for the two-dimensional bi-harmonic equation in a rectangular domain $|x| \leq a$, $|y| \leq b$ with a rotlet placed at point $(0, c)$. The solution shows that for a certain position of the rotlet c_0 which depends on a and b , the flow has a stagnation point $(0, -c_0)$ symmetrically placed inside the rectangle. Thus the blinking rotlet model can be constructed for the rectangle in which the rotlet that is off does not disturb the flow. This model seems preferable to the classical blinking vortex flow when discussing chaotic advection by the Stokes flow. When the velocity field is accurately obtained, the detailed study of stirring any passive blob can be done by the adaptive boundary tracking algorithm. Quantitative measurements of stirring are developed and they provide the estimates for the goodness of mixing according to Danckwerts.

Weak Inertia and Mixing Between Rough SurfacesDavid Lo Jacono⁽¹⁾, Franck Plouraboué⁽²⁾, **Alain Bergeon**⁽²⁾⁽¹⁾ *Laboratory of Fluid Mechanics, EPFL Lausanne, Switzerland*⁽²⁾ *IMFT – UPS, Toulouse, France***FM22S_12731**

Thu • 15:20 • 305

Weak inertial effects in flows between two rough surfaces may lead to significant effects in various situations such as fracture flow or micro-fluidic. Recent experimental results have shown that proper surface patterning could produce vortices which are transverse to the longitudinal mean flow and could be used to produce chaotic stirring. The present study concerns the influence of weak-inertia effects produced by a smooth surface patterning on the flow field and the stream-line geometries. We describe an asymptotic treatment of the Navier–Stokes equation that leads to equations describing the inertial corrections to lubrication equations. These equations are solved with a high order spectral method and the results discussed with examples relevant for mixing describing the inertial influence on the flow field properties.