

Multiscale modelling of damage and fracture in discrete materials using a variational quasicontinuum method

Citation for published version (APA):

Rokoš, O., Peerlings, R. H. J., Beex, L. A. A., & Zeman, J. (2017). Multiscale modelling of damage and fracture in discrete materials using a variational quasicontinuum method. In *XIV International Conference on Computational Plasticity (COMPLAS)*

Document status and date:

Published: 07/09/2017

Document Version:

Accepted manuscript including changes made at the peer-review stage

Please check the document version of this publication:

- A submitted manuscript is the version of the article upon submission and before peer-review. There can be important differences between the submitted version and the official published version of record. People interested in the research are advised to contact the author for the final version of the publication, or visit the DOI to the publisher's website.
- The final author version and the galley proof are versions of the publication after peer review.
- The final published version features the final layout of the paper including the volume, issue and page numbers.

[Link to publication](#)

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal.

If the publication is distributed under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license above, please follow below link for the End User Agreement:

www.tue.nl/taverne

Take down policy

If you believe that this document breaches copyright please contact us at:

openaccess@tue.nl

providing details and we will investigate your claim.

Multiscale Modelling of Damage and Fracture in Discrete Materials Using a Variational Quasicontinuum Method

Ondřej Rokoš*, Ron H. J. Peerlings*, Lars A. A. Beex†, and Jan Zeman‡

* Department of Mechanical Engineering, Eindhoven University of Technology, P.O. Box 513,
5600 MB Eindhoven, The Netherlands

† Faculté des Sciences, de la Technologie et de la Communication, Campus Kirchberg, Université du
Luxembourg 6, rue Richard Coudenhove-Kalergi, L-1359 Luxembourg

‡ Department of Mechanics, Faculty of Civil Engineering, Czech Technical University in Prague,
Thákurova 7, 166 29 Prague 6, Czech Republic

Emails: o.rokos@tue.nl, r.h.j.peerlings@tue.nl, lars.beex@uni.lu, zemanj@cml.fsv.cvut.cz

ABSTRACT

Discrete materials such as 3D printed structures, paper, textiles, foams, or concrete, can be successfully modelled by lattice structures, which are especially suited for the description of non-localities, large deformations, and plasticity or damage in individual fibres. In Fig. 1, for instance, an example of a crack propagating in a concrete specimen is shown. The macro-scale fracture emerges as a result of the failure of individual interactions of the underlying lattice.

Because the application scale is in general much larger than the lattice spacing, lattice structures are often computationally too expensive when used for engineering problems. To overcome such a limitation, the QuasiContinuum (QC) methodology has been developed by Tadmor *et al.* [1] for conservative atomistic systems. Extensions to dissipative systems followed in [2, 3].




Figure 1: An example application. The underlying X-braced lattice represents a concrete specimen with stiff, randomly distributed circular inclusions.

The aim of this talk is to demonstrate how crack propagation in discrete materials may be simulated using a variational QC method. A suitable marking strategy together with an adaptive algorithm will be introduced. In the case of localized cracks, coarsening in their wakes by means of the partition of unity and extended interpolation will be discussed. The proposed methodology will be demonstrated on two examples: on a concrete specimen subjected to combined tension and shear (Fig. 1), and on a concrete specimen subjected to a four-point bending test.

REFERENCES

- [1] E. B. Tadmor, M. Ortiz, and R. Phillips. Quasicontinuum analysis of defects in solids. *Philosophical Magazine A*, 73(6):1529–1563, (1996).
- [2] L. A. A. Beex, R. H. J. Peerlings, and M. G. D. Geers. A multiscale quasicontinuum method for dissipative lattice models and discrete networks. *J. Mech. Phys. Solids*, 64:154–169, (2014).
- [3] O. Rokoš, L. A. A. Beex, J. Zeman, R. H. J. Peerlings. A Variational Formulation of Dissipative Quasicontinuum Methods. *Int. J. Solids Struct.*, 102–103: 214–229, (2016).