


Peter G.M. Baltus  
Hoogleraar  
Integrated Circuits  
Integrated Circuits  
Center for Astronomical Instrumentation  
E-mail: p.g.m.baltus@tue.nl



## Onderzoeksoutput

### **A 0.13 THz Amplifier Integrated with a frequency doubler for a 0.26 THz 0 dBm output power**

Gao, H., Chen, J., Hong, W. & Baltus, P., sep 2019, *IRMMW-THz 2019 - 44th International Conference on Infrared, Millimeter, and Terahertz Waves*. Piscataway: Institute of Electrical and Electronics Engineers, 2 blz. 8874444

### **A 0.34-571nW all-dynamic versatile sensor interface for temperature, capacitance, and resistance sensing**

Xin, H., Andraud, M., Baltus, P. G. M., Cantatore, E. & Harpe, P. J. A., sep 2019, *ESSCIRC 2019 - IEEE 45th European Solid State Circuits Conference*. Piscataway: Institute of Electrical and Electronics Engineers, blz. 161-164 4 blz. 8902918

### **A -81.6dBm sensitivity ultrasound transceiver in 65nm CMOS for symmetrical data-links**

Berkol, G., Baltus, P. G. M., Harpe, P. J. A. & Cantatore, E., sep 2019, *ESSCIRC 2019 - IEEE 45th European Solid State Circuits Conference*. Piscataway: Institute of Electrical and Electronics Engineers, blz. 145-148 4 blz. 8902921

### **A 60 GHz phased array system analysis and its phase shifter in a 40 nm CMOS technology**

Gao, H., Ying, K. & Baltus, P., 1 aug 2019, In : *Transactions of Nanjing University of Aeronautics and Astronautics*. 36, 4, blz. 566-578 13 blz.

### **30-GHz co-designed low-noise amplifier and antenna-on-chip for wireless applications**

Chen, Z., Liu, Q., Smolders, B., Baltus, P. & Gao, H., aug 2019, *2019 IEEE International Symposium on Radio-Frequency Integration Technology (RFIT)*. Piscataway: Institute of Electrical and Electronics Engineers, 3 blz. 8929159

### **A 0.1-nW-1- $\mu$ W energy-efficient all-dynamic versatile capacitance-to-digital converter**

Xin, H., Andraud, M., Baltus, P., Cantatore, E. & Harpe, P., 1 jul 2019, In : *IEEE Journal of Solid-State Circuits*. 54, 7, blz. 1841-1851 11 blz., 8672469.

### **A 1.2-2.8 GHz tunable low-noise amplifier with 0.8-1.6 dB noise figure**

Gao, H., Song, Z., Chen, Z., Leenaerts, D. & Baltus, P., jun 2019, *2019 IEEE Radio Frequency Integrated Circuits Symposium, RFIC 2019*. Piscataway: Institute of Electrical and Electronics Engineers, blz. 3-6 4 blz. 8701862

### **A 58-64 GHz transformer-based differential rectifier in 40 nm CMOS with -12 dBm sensitivity for 1 V at 64 GHz**

Gao, H., Leenaerts, D. & Baltus, P., jun 2019, *2019 IEEE MTT-S International Microwave Symposium, IMS 2019*. Piscataway: Institute of Electrical and Electronics Engineers, blz. 1306-1308 3 blz. 8700750

### **A 71 GHz 3-Stage Rectifier with 8% Efficiency**

Gao, H. & Baltus, P., 1 mei 2019, *2019 IEEE MTT-S International Wireless Symposium, IWS 2019 - Proceedings*. Piscataway: Institute of Electrical and Electronics Engineers, 3 blz. 8804129

### **An inductorless power-optimized dual-mode LNTA in a GNSS receiver for portable devices**

Hung, H-W., Baltus, P., Gao, H., Bruccoleri, F., van Hartingsveldt, K. & Kianush, K., 1 mei 2019, *2019 IEEE MTT-S International Wireless Symposium, IWS 2019 - Proceedings*. Piscataway: Institute of Electrical and Electronics Engineers, 3 blz. 8804007

### **Fully integrated tunable wideband true time delay for wireless sensor networks**

Mendes da Costa Junior, C., Wang, C., Ying, K., Chen, Z., Dhaens, M., Gao, H. & Baltus, P., 1 mei 2019, *2019 IEEE International Symposium on Circuits and Systems, ISCAS 2019 - Proceedings*. Piscataway: Institute of Electrical and Electronics Engineers, 8702726

**Building 5G millimeter-wave wireless infrastructure: wide-scan focal plane arrays with broadband optical beamforming**  
Smolders, A., Dubok, A., Tessema, N. M., Chen, Z., Al-Rawi, A., Johannsen, U., Bressner, T., Milosevic, D., Gao, H., Tangdiongga, E., Gerini, G., Baltus, P. G. M., Geurts, M. & Koonen, A. M. J. T., apr 2019, In : IEEE Antennas and Propagation Magazine. 61, 2, blz. 53-62 10 blz., 8651278.

**60-GHz low-noise VGA and interpolation-based gain cell in a 40-nm CMOS technology**

Wang, B., Gao, H., van Dommele, A. R., Matters-Kammerer, M. K. & Baltus, P. G. M., feb 2019, In : IEEE Transactions on Microwave Theory and Techniques. 67, 2, blz. 518-532 15 blz., 8605520.

**An E-band silicon-IC-to-waveguide contactless transition incorporating a low-loss spatial power combiner**

Kaul, P., Aljarosha, A., Smolders, A. B., Baltus, P. G. M., Matters - Kammerer, M. & Maaskant, R., 16 jan 2019, *2018 IEEE Asia-Pacific Microwave Conference, APMC*. Piscataway: Institute of Electrical and Electronics Engineers, blz. 1528-1530 3 blz. 8617206

**125 kHz wireless energy and 25 kbps data transfer for wearable device**

Gao, D., Zhai, R., Baltus, P., Visser, H. & Gao, H., 2019, (Geaccepteerd/In druk) *IEEE MTT-S Wireless Power Transfer Conference (WPTC)*. Institute of Electrical and Electronics Engineers

**Comparison of tunnel diode and Schottky diode in rectifier at 2.4 GHz for low input power region**

Manev, V., Visser, H., Baltus, P. & Gao, H., 2019, (Geaccepteerd/In druk) *IEEE MTT-S Wireless Power Transfer Conference (WPTC)*. Institute of Electrical and Electronics Engineers

**A design approach for SiGe low-noise amplifiers using wideband input matching**

Chen, Z., Gao, H. & Baltus, P. G. M., 11 dec 2018, *2018 IEEE Nordic Circuits and Systems Conference (NORCAS): NORCHIP and International Symposium of System-on-Chip (SoC)*. Nurmi, J., Ellervee, P., Mihhailov, J., Tammema, K. & Jenihhin, M. (redacties). Piscataway: Institute of Electrical and Electronics Engineers, 4 blz. 8573488

**Efficient wideband phased antenna array using true time delays and interpolation**

Baltus, P. G. M., Matters - Kammerer, M., Koonen, A. M. J. & Wang, B., 29 nov 2018, Octrooi Nr. WO2018215647, Prioriteitsnummer US201762510945P 20170525

**A 0.1nW-1μW all-dynamic capacitance-to-digital converter with power/speed/capacitance scalability**

Xin, H., Andraud, M., Baltus, P., Cantatore, E. & Harpe, P., 16 okt 2018, *ESSCIRC 2018 - IEEE 44th European Solid State Circuits Conference*. Piscataway: Institute of Electrical and Electronics Engineers, blz. 118-121 4 blz. 8494321

**A reconfigurable receiver with 38 dB frequency-independent blocker suppression and enhanced in-B and linearity and power efficiency**

Ying, K., Mendes da Costa Junior, C. A., Wang, B., Milosevic, D., Gao, H. & Baltus, P., 16 okt 2018, *ESSCIRC 2018 - IEEE 44th European Solid State Circuits Conference (ESSCIRC)*. Piscataway: Institute of Electrical and Electronics Engineers, blz. 74-77 4 blz.

**65/30 GHz dual-frequency wirelessly powered monolithic 1.83 mm<sup>2</sup> wireless temperature sensor using a 3-stage inductor-peaked rectifier with on-chip antenna in 65-nm CMOS**

Gao, H., Matters-Kammerer, M. K. & Baltus, P., 17 aug 2018, *Proceedings of the 2018 IEEE/MTT-S International Microwave Symposium, IMS 2018*. Piscataway: Institute of Electrical and Electronics Engineers, blz. 1275-1277 3 blz. 8439152

**Design of a low-power ultrasound transceiver for underwater Sensor networks**

Berkol, G., Baltus, P. G. M., Harpe, P. J. A. & Cantatore, E., 8 aug 2018, *PRIME 2018 - 14th Conference on Ph.D. Research in Microelectronics and Electronics*. Piscataway: Institute of Electrical and Electronics Engineers, blz. 129-132 4 blz. 8430305

**A 29-37 GHz BiCMOS low-noise amplifier with 28.5 dB peak gain and 3.1-4.1 dB NF**

Chen, Z., Gao, H., Leenaerts, D., Milosevic, D. & Baltus, P., 7 aug 2018, *Proceedings of the 2018 IEEE Radio Frequency Integrated Circuits Symposium, RFIC 2018*. Piscataway: Institute of Electrical and Electronics Engineers, blz. 288-291 4 blz. 8429020

**A 60 GHz 360° phase shifter with 2.7° phase resolution and 1.4° RMS phase error in a 40-nm CMOS technology**  
Wang, B., Gao, H., Matters-Kammerer, M. K. & Baltus, P. G. M., 7 aug 2018, *Proceedings of the 2018 IEEE Radio Frequency Integrated Circuits Symposium, RFIC 2018*. Piscataway: Institute of Electrical and Electronics Engineers, blz. 144-147 4 blz. 8428980

**A 60 GHz low noise variable gain amplifier with small noise figure and IIP3 variation in a 40-nm CMOS technology**  
Wang, B., Gao, H., van Dommele, R., Matters-Kammerer, M. K. & Baltus, P. G. M., 29 jun 2018, *2018 IEEE MTT-S International Wireless Symposium, IWS 2018 - Proceedings*. Piscataway: Institute of Electrical and Electronics Engineers, 4 blz. 8400880

**Characterization of damper-to-damper wireless channel in small cars**  
Costa, C. A. M., Dheans, M., Baltus, P. & Gao, H., 29 jun 2018, *2018 IEEE MTT-S International Wireless Symposium, IWS 2018 - Proceedings*. Piscataway: Institute of Electrical and Electronics Engineers, 3 blz. 8401014

**Immunity analysis of an LDO using identification of operating region transitions**  
Duipmans, L., Milosevic, D., van der Wel, A., Karadi, R. & Baltus, P., 22 jun 2018, *2018 IEEE International Symposium on Electromagnetic Compatibility and 2018 IEEE Asia-Pacific Symposium on Electromagnetic Compatibility, EMC/APEMC 2018*. Piscataway: Institute of Electrical and Electronics Engineers, blz. 701-706 6 blz.

**A 60 GHz low power self-mixing receiver in 65-nm CMOS for a radio-triggered battery-less monolithic wireless sensor**  
Gao, H., Matters-Kammerer, M. & Baltus, P. G. M., jun 2018, In : *IEEE Journal on Emerging and Selected Topics in Circuits and Systems*. 8, 2, blz. 240-250 11 blz., 08278164.

**Power reduced monolithic wireless sensor**  
Gao, H., Matters - Kammerer, M. & Baltus, P. G. M., jun 2018, In : *IEEE Journal of Electromagnetics, RF and Microwaves in Medicine and Biology*. 2, 2, blz. 116-122 7 blz.

**A 1.9 mW 250 MHz Bandwidth Continuous-Time  $\Sigma\Delta$  Modulator for Ultra-Wideband Applications**  
Neofytou, M., Zhou, M., Bolatkale, M., Liu, Q., Zhang, C., Radulov, G., Baltus, P. & Breems, L., 26 apr 2018, *2018 IEEE International Symposium on Circuits and Systems, ISCAS 2018 - Proceedings*. Piscataway: Institute of Electrical and Electronics Engineers, 5 blz. 8351046

**A 2 GHz 0.98 mW 4-bit SAR-based quantizer with ELD compensation in an UWB CT  $\Sigma\Delta$  modulator**  
Zhou, M., Neofytou, M., Bolatkale, M., Liu, Q., Zhang, C., Cenci, P., Radulov, G., Baltus, P. & Breems, L., 26 apr 2018, *2018 IEEE International Symposium on Circuits and Systems, ISCAS 2018 - Proceedings*. Piscataway: Institute of Electrical and Electronics Engineers, 5 blz. 8350889

**A wideband envelope detector with low ripple and high detection speed**  
Ying, K., Gao, H., Min, X., Milosevic, D. & Baltus, P., 26 apr 2018, *2018 IEEE International Symposium on Circuits and Systems, ISCAS 2018 - Proceedings*. Institute of Electrical and Electronics Engineers, Vol. 2018-May. blz. 1-5 5 blz. 8351246

**An UWB, low-noise, low-power quadrature VCO using delay-locked loop in 40-nm CMOS for image-rejection receivers**  
Kaul, P., Gao, H., He, X. & Baltus, P. G. M., 26 apr 2018, *2018 IEEE International Symposium on Circuits and Systems, ISCAS 2018 - Proceedings*. Piscataway: Institute of Electrical and Electronics Engineers, 5 blz. 8350984

**Analysis of the effect of PFD sampling on charge-pump PLL stability**  
Dhar, D., van Zeijl, P. T. M., Milosevic, D., Gao, H. & Baltus, P. G. M., 26 apr 2018, *2018 IEEE International Symposium on Circuits and Systems, ISCAS 2018 - Proceedings*. Piscataway: Institute of Electrical and Electronics Engineers, blz. 1-5 5 blz. 8351180

**A 174 pW–488.3 nW 1 S/s–100 kS/s all-dynamic resistive temperature sensor with speed/resolution/resistance adaptability**  
Xin, H., Andraud, M. N., Baltus, P. G. M., Cantatore, E. & Harpe, P. J. A., 17 apr 2018, In : *IEEE Solid-State Circuits Letters*. 1, 3, blz. 70-73 4 blz.

#### **Damper-to-damper path loss characterization for intra-vehicular wireless sensor networks**

Costa, C. A. M., Gao, H., Le Polain, T., van Dommele, R., Smolders, B., Dheans, M. & Baltus, P., 5 jan 2018, *2017 European Radar Conference (EURAD) : "A Prime Year for a Prime Event", EuMW 2017 - Conference Proceedings; 14th European Microwave Conference, EURAD 2017*. Piscataway: Institute of Electrical and Electronics Engineers, blz. 493-496 4 blz.

#### **Batteryless mm-wave wireless sensors**

Gao, H., Matters - Kammerer, M., Milosevic, D. & Baltus, P. G. M., 2018, Springer. (Batteryless mm-Wave Wireless Sensors)

#### **Damper-to-damper path loss characterization for intra-vehicular wireless sensor networks**

Costa Júnior, C. A. M., Gao, H., Le Polain, T., van Dommele, R., Smolders, B., Dheans, M. & Baltus, P., 19 dec 2017, *The European Microwave Conference 2017, 8-13 October 2017, Nuremberg, Germany: "A Prime Year for a Prime Event", EuMW 2017 - Conference Proceedings; 47th European Microwave Conference, EuMC 2017*. Piscataway: Institute of Electrical and Electronics Engineers, blz. 1341-1344 4 blz.

#### **A 900 MHz RF energy harvesting system in 40 nm CMOS technology with efficiency peaking at 47% and higher than 30% over a 22dB wide input power range**

Wang, J., Jiang, Y., Dijkhuis, J., Dolmans, G., Gao, H. & Baltus, P. G. M., 7 nov 2017, *ESSCIRC 2017 - 43rd IEEE European Solid State Circuits Conference , 11-14 September 2017, Leuven, Belgium*. Piscataway: Institute of Electrical and Electronics Engineers, blz. 299-302 4 blz. 8094585

#### **Interpolation based wideband beamforming architecture**

Wang, B., Gao, H., Matters-Kammerer, M. & Baltus, P. G. M., 28 sep 2017, *2017 IEEE International Symposium on Circuits and Systems (ISCAS), 28-31 May 2017, Baltimore, Maryland*. Piscataway: Institute of Electrical and Electronics Engineers, blz. 1-4

#### **Noise analysis of a BJT-based charge pump for low-noise PLL applications**

Dhar, D., van Zeijl, P. T. M., Milosevic, D., Gao, H. & Baltus, P. G. M., sep 2017, *2017 European Conference on Circuit Theory and Design (ECCTD), IEEE*. Piscataway: Institute of Electrical and Electronics Engineers, 4 blz. 8093234

#### **Identifying EMC-critical devices by monitoring and classifying operating region transitions**

Duipmans, L. J., Milosevic, D., Van Der Wel, A. & Baltus, P. G. M., 31 jul 2017, *Proceedings of the 2017 11th International Workshop on the Electromagnetic Compatibility of Integrated Circuits, EMCCompo 2017, 4-8 July 2017, St. Petersburg, Russia*. Piscataway: Institute of Electrical and Electronics Engineers, blz. 9-14 6 blz. 7998073

#### **Bi-directional 35-Gbit/s 2D beam steered optical wireless downlink and 5-Gbit/s localized 60-GHz communication uplink for hybrid indoor wireless systems**

Khalid, A. M., Baltus, P. G. M., Dommele, A. R., Mekonnen, K. A., Cao, Z., Oh, C. W., Matters, M. K. & Koonen, A. M. J., 31 mei 2017, *2017 Optical Fiber Communications Conference and Exhibition (OFC), 19-23 March 2017, Los Angeles, California*. Piscataway: Institute of Electrical and Electronics Engineers, blz. 1-3 7936917

#### **Exploring the unknown through successive generations of low power and low resource versatile agents**

Andraud, M. N., Berkol, G., De Roose, J., Gannavarapu, S., Xin, H., Cantatore, E., Harpe, P. J. A., Verhelst, M. & Baltus, P. G. M., 11 mei 2017, *Proceedings of the 2017 Design, Automation and Test in Europe, DATE 2017, 27-31 March 2017, Lausanne, Switzerland*. Piscataway: Institute of Electrical and Electronics Engineers, blz. 290-293 4 blz. 7927001

#### **A nonlinear transfer function based receiver for wideband interference suppression**

Ying, K., Gao, H., Milosevic, D. & Baltus, P., 31 jan 2017, In : *Journal of Sensors*. 2017, blz. 1-15 2405942.

#### **An active Ka-band shared aperture antenna with 50 dB isolation for satellite communication**

Zamanifekri, A., Lu, C., Visser, H. J., Sanders, P., Matters - Kammerer, M., Geurts, M., Baltus, P. G. M. & Smolders, A. B., 2017, In : *IEEE Antennas and Wireless Propagation Letters*. 16, blz. 2042-2045 4 blz., 7903659.

**Bi-directional 35-Gbit/s 2D beam steered optical wireless downlink and 5-Gbit/s localized 60-GHz communication uplink for hybrid indoor wireless systems**

Khalid, A. M., Baltus, P. G. M., Dommele, A. R., Mekonnen, K. A., Cao, Z., Oh, C. W., Matters, M. K. & Koonen, A. M. J., 2017, *2017 Optical Fiber Communications Conference and Exhibition (OFC)*, 19-23 march 2017, Los Angeles, California. Piscataway: Institute of Electrical and Electronics Engineers, blz. 1-3 Th1E.6

**A 60 GHz phased array system evaluation based on a 5-bit phase shifter in CMOS technology**

Wang, B., Gao, H., Ying, K., Matters-Kammerer, M. K. & Baltus, P. G. M., 22 nov 2016, *23rd IEEE Symposium on Communications and Vehicular Technology in the Benelux (IEEE SCVT)*, 22 November 2016, Mons Belgium. Piscataway: Institute of Electrical and Electronics Engineers, blz. 1-4 4 blz.

**Poster : Design consideration of 60 GHz low power low-noise amplifier in 65 nm CMOS**

Chen, Z., Gao, H., van Dommele, A. R., Milosevic, D. & Baltus, P. G. M., 22 nov 2016, *23rd IEEE Symposium on Communications and Vehicular Technology in the Benelux*, 22 november 2016, Mons, Belgium. Piscataway: Institute of Electrical and Electronics Engineers, blz. 1-4 4 blz.

**A 16-43 GHz low-noise amplifier with 2.5-4.0 dB noise figure**

Chen, Z., Gao, H., Leenaerts, D. M. W., Milosevic, D. & Baltus, P. G. M., 9 nov 2016, *2016 IEEE Asian Solid-State Circuits Conference (A-SSCC)*, November 7-9, 2016, Toyama, Japan. Piscataway: Institute of Electrical and Electronics Engineers, blz. 349-352 4 blz.

**A 60 GHz 5-bit digital controlled phase shifter in a digital 40-nm CMOS technology without ultra-thick metals**

Gao, H., Ying, K., Matters - Kammerer, M., Harpe, P., Wang, B., Liu, B., Serdijn, W. & Baltus, P., 15 sep 2016, In : *Electronics Letters*. 52, 19, blz. 1611-1613 3 blz.

**A 50-60 GHz mm-wave rectifier with bulk voltage bias in 65-nm CMOS**

Gao, H., Matters-Kammerer, M., Harpe, P. & Baltus, P., 26 jul 2016, In : *IEEE Microwave and Wireless Components Letters*. 26, 8, blz. 631 - 633 3 blz.

**A 48-61 GHz LNA in 40-nm CMOS with 3.6 dB minimum NF employing a metal slotting method**

Gao, H., Ying, K., Matters-Kammerer, M. K., Harpe, P., Ma, Q., van Roermund, A. & Baltus, P., 22 mei 2016, *2016 IEEE Radio Frequency Integrated Circuits Symposium (RFIC)*. Mehta, S. & Lin, L. (redacties). Piscataway: Institute of Electrical and Electronics Engineers, blz. 154-157 4 blz.

**Silicon-based true-time-delay phased-array front-ends at ka-band**

Ma, Q., Leenaerts, D. M. W. & Baltus, P. G. M., 1 sep 2015, In : *IEEE Transactions on Microwave Theory and Techniques*. 63, 9, blz. 2942-2952 11 blz., 7181729.

**System study on nonlinear suppression of varying-envelope local interference in multimode transceivers**

Habibi, H., Janssen, E., Wu, Y., Bergmans, J. & Baltus, P., 31 jul 2015, In : *AEÜ - International Journal of Electronics and Communications*. 69, 7, blz. 963-973

**Analysis of an adaptive nonlinear interference suppressor for wireless multimode transceivers**

Habibi, H., Janssen, E. J. G., Wu, Y., Baltus, P. G. M. & Bergmans, J. W. M., 2015, In : *IEEE Transactions on Vehicular Technology*. 64, 3, blz. 926-941 16 blz.

**A 20 GHz 1.9 dB NF LNA with distributed notch filtering for VSAT applications**

Lu, C., Matters - Kammerer, M., Mahmoudi, R. & Baltus, P. G. M., 2014, *Proceedings of the International Microwave Symposium Digest 2014 (IEEE MTT-S 2014)*, 1-6 June 2014, Tampa Bay, Florida. Piscataway: Institute of Electrical and Electronics Engineers, blz. 1-4

**A 50 - 60 GHz rectifier with -7dBm sensitivity for 1 V DC output voltage and 8% efficiency in 65-nm CMOS**

Gao, H., Matters - Kammerer, M., Milosevic, D., Roermund, van, A. & Baltus, P. G. M., 2014, *Proceedings of the 2014 IEEE MTT-S International Microwave Symposium (IMS 2014)*, 1-6 June 2014, Tampa Bay, Florida. Piscataway: Institute of Electrical and Electronics Engineers, blz. 1-3

**A 60-GHz energy harvesting module with on-chip antenna and switch for co-integration with ULP radios in 65-nm CMOS with fully wireless mm-wave power transfer measurement**

Gao, H., Matters - Kammerer, M., Harpe, P. J. A., Milosevic, D., Roermund, van, A. H. M., Linnartz, J. P. M. G. & Baltus, P. G. M., 2014, *Proceedings of the International Symposium on Circuits and Systems (ISCAS2014)*, 1-5 June 2014, Melbourne, Australia. Piscataway: Institute of Electrical and Electronics Engineers, blz. 1640-1643

**A 60-GHz injection locked oscillator for self-demodulation ultra-low power radio in 65-nm CMOS**

Gao, H., Matters - Kammerer, M., Li, X., Milosevic, D., van Roermund, A. & Baltus, P. G. M., 2014, *2014 IEEE 21st Symposium on Communications and Vehicular Technology in the Benelux (SCVT)*. Piscataway: Institute of Electrical and Electronics Engineers, 4 blz.

**A millimeter-wave tunable transformer-based dual-antenna duplexer with 50 dB isolation**

Lu, C., Matters - Kammerer, M., Mahmoudi, R. & Baltus, P. G. M., 2014, *IEEE Custom Integrated Circuits Conference, 15-17 September 2014, San Jose, California, USA*. Piscataway: Institute of Electrical and Electronics Engineers

**A scalable baseband phase shifter with 12 GHz I/Q mixers in 40-nm CMOS for 60 GHz applications**

Lu, C., Matters - Kammerer, M., Habekotte, E., Hartingsveldt, van, K., Wilt, van der, F. P., Mahmoudi, R. & Baltus, P. G. M., 2014, *Proceedings of the IEEE International Symposium on Circuits and systems (ISCAS)*, 1-5 June 2014, Melbourne, Australia. Piscataway: Institute of Electrical and Electronics Engineers, blz. 2708-2711

**Differential 60 GHz Antenna-on-Chip in mainstream 65 nm CMOS technology**

Smolders, A. B., Johannsen, U., Liu, M., Yu, Y. & Baltus, P. G. M., 2014, *Proceedings of the Antennas and Propagation Society International Symposium (APSURSI)*, 6-11 July 2014, Memphis, Tennessee, USA. Institute of Electrical and Electronics Engineers, blz. 356-357

**Feasibility study on analogue cancellation of local interference in multimode transceivers**

Habibi, H., Zamanifekri, A., Janssen, E. J. G., Wu, Y., Baltus, P. G. M. & Bergmans, J. W. M., 2014, *Proceedings of the 20th European Wireless Conference, European Wireless 2014; 14-16 May 2014, Barcelona, Spain*. Berlin: VDE Verlag, blz. 980-983

**Front end power dissipation minimization and optimal transmission rate for wireless receivers**

Heuvel, van den, J. H. C., Wu, Y., Baltus, P. G. M., Linnartz, J. P. M. G. & Roermund, van, A. H. M., 2014, In : *IEEE Transactions on Circuits and Systems. I, Fundamental Theory and Applications*. 61, 5, blz. 1566-1577 12 blz.

**A 48 GHz 6-bit LO-Path Phase Shifter in 40-nm CMOS for 60 GHz Applications**

Lu, C., Matters - Kammerer, M., Habekotte, E., Hartingsveldt, van, K., Wilt, van der, F. P., Mahmoudi, R. & Baltus, P. G. M., 2013, *Proceedings of the 39th European Solid-State Circuits Conference (ESSCIRC)*, 16-20 September 2013, Bucharest, Romania. Romania, blz. 73-76

**A 60-GHz rectenna for monolithic wireless sensor tags**

Gao, H., Johannsen, U., Matters - Kammerer, M., Milosevic, D., Smolders, A. B., Roermund, van, A. H. M. & Baltus, P. G. M., 2013, *Proceedings of the IEEE International Symposium on Circuits and Systems (ISCAS)*, 19-23 May 2013, Beijing, China. Piscataway: Institute of Electrical and Electronics Engineers, blz. 2796-2799

**A 62GHz inductor-peaked rectifier with 7% efficiency**

Gao, H., Matters - Kammerer, M., Milosevic, D., Roermund, van, A. H. M. & Baltus, P. G. M., 2013, *Proceedings of the 2013 IEEE Radio Frequency Integrated Circuits Symposium (RFIC 2013)*, 2-4- June, Seattle, USA. Piscataway: Institute of Electrical and Electronics Engineers, blz. 189-192

**A 71GHz RF energy harvesting tag with 8% efficiency for wireless temperature sensors in 65nm CMOS**

Gao, H., Matters - Kammerer, M., Harpe, P. J. A., Milosevic, D., Johannsen, U., Roermund, van, A. H. M. & Baltus, P. G. M., 2013, *Proceedings of the 2013 IEEE Radio Frequency Integrated Circuits Symposium (RFIC 2013)*, 2-4- June, Seattle, USA. Piscataway: Institute of Electrical and Electronics Engineers, blz. 403-406

**A design of 2.4GHz rectifier in 65nm CMOS with 31% efficiency**

Gao, H., Matters - Kammerer, M., Milosevic, D., Linnartz, J. P. M. G. & Baltus, P. G. M., 2013, *Proceedings of the 2013 IEEE 20th Symposium on Communications and Vehicular Technology in the Benelux (SCVT), 21 November 2013, Namur, Belgium*. Piscataway: Institute of Electrical and Electronics Engineers, blz. 1-4

**A design of 60GHz LNA with 3.6dB NF and 17dB Gain in 40nm CMOS**

Gao, H., Matters - Kammerer, M., Milosevic, D. & Baltus, P. G. M., 2013.

**A design of 60GHz LNA with 4.8dB NF, 15dB gain and 5mW in 65nm CMOS**

Chen, Z., Gao, H., Li, X., Baltus, P. G. M. & Roermund, van, A., 2013.

**Adaptive nonlinear interference suppressor for cognitive radio applications**

Habibi, H., Pooh Ling, E., Janssen, E. J. G., Wu, Y., Milosevic, D., Bergmans, J. W. M. & Baltus, P. G. M., 2013, *Proceedings of the Workshop on Cognitive Radio, 18-19 June 2013, Kista, Sweden*. blz. 16-20

**Closed-loop adaptation of a nonlinear interference suppressor for local interference in multimode transceivers**

Habibi, H., Janssen, E. J. G., Wu, Y., Baltus, P. G. M. & Bergmans, J. W. M., 2013, *Proceedings of 34th Symposium on Information Theory in the Benelux 30 and 31 May 2013, Leuven, Belgium*. Pollin, S., Perre, Van der, L. & Stas, A. (redacties). Leuven, Belgium, blz. 61-68

**Co-integration of an RF energy harvester into a 2.4 GHz transceiver**

Masuch, J., Delgado-Restituto, M., Milosevic, D. & Baltus, P. G. M., 2013, In : *IEEE Journal of Solid-State Circuits*. 48, 7, blz. 1565-1574 10 blz.

**Experimental evaluation of an adaptive nonlinear interference suppressor for multimode transceivers**

Habibi, H., Janssen, E. J. G., Hilken, R. G. M., Wu, Y., Milosevic, D., Baltus, P. G. M. & Bergmans, J. W. M., 2013, In : *IEEE Journal on Emerging and Selected Topics in Circuits and Systems*. 3, 4, blz. 602-614 13 blz.

**High resolution phase shifter for a mm-wave adaptive null-forming array**

Lu, C., Matters - Kammerer, M., Habekotte, E., Hartingsveldt, van, K., Wilt, van der, F. P., Mahmoudi, R. & Baltus, P. G. M., 2013, *Par4CR Workshop on Cognitive Radio at the 39th European Solid-State Circuit Conference, 16-20 September 2013, Bucharest, Romania*.

**Modeling of RF energy scavenging for batteryless wireless sensors with low input power**

Wu, Y., Linnartz, J. P. M. G., Gao, H., Matters - Kammerer, M. & Baltus, P. G. M., 2013, *Proceedings of the 24th IEEE International Symposium on Personal, Indoor and Mobile Radio Communications (PIMRC), 8-11 September 2013, London*. London, blz. 527-531

**Nonlinear interference suppressor for varying-envelope local interference in multimode transceivers**

Habibi, H., Janssen, E. J. G., Wu, Y., Baltus, P. G. M. & Bergmans, J. W. M., 2013, *Proceedings of 34th Symposium on Information Theory in the Benelux 30 and 31 May 2013, Leuven, Belgium*. Pollin, S., Perre, Van der, L. & Stas, A. (redacties). Enschede: Universiteit Twente, blz. 61-68

**Robust null-forming in a mm-wave adaptive array with discrete phase shifting schemes**

Lu, C., Wu, Y., Mahmoudi, R., Matters - Kammerer, M., Habekotte, E., Hartingsveldt, van, K., Wilt, van der, F. P. & Baltus, P. G. M., 2013, *Proceedings of Workshop on Partnerships for Cognitive Radio (PAR4CR), 18-19 June 2013, Kista, Sweden*. blz. 123-126

**Smart self-interference suppression by exploiting a nonlinearity**

Janssen, E. J. G., Habibi, H., Milosevic, D., Baltus, P. G. M. & Roermund, van, A. H. M., 2013, *Frequency references, power management for SoC, and smart wireless interfaces : advances in analog circuit design 2013*. Baschiroto, A., Makinwa, K. A. A. & Harpe, P. J. A. (redacties). Dordrecht: Springer, blz. 249-263

**Suppression of constant modulus interference in multimode transceivers using an adaptive nonlinear circuit**

Habibi, H., Janssen, E. J. G., Wu, Y., Milosevic, D., Baltus, P. G. M. & Bergmans, J. W. M., 2013, *NASA/ESA conference on adaptive hardware and systems(AHS-2013), 25-27 June 2013, Turin, Italy*. Turin, Italy

**System analysis and energy model for radio-triggered battery-less monolithic wireless sensor receiver**

Gao, H., Wu, Y., Matters - Kammerer, M., Roermund, van, A. & Baltus, P. G. M., 2013, *Proceedings of the IEEE International Symposium on Circuits and Systems (ISCAS), 19-23 May 2013, Beijing, China*. Piscataway: Institute of Electrical and Electronics Engineers, blz. 1572-1575

**System analysis and energy model of 60GHz radio-triggered wireless sensor receiver**

Gao, H., Wu, Y., Matters - Kammerer, M., Milosevic, D., Linnartz, J. P. M. G. & Baltus, P., 2013, *Proceedings of the 2013 IEEE 20th Symposium on Communications and Vehicular Technology in the Benelux (SCVT), 21 November 2013, Namur, Belgium*. Piscataway: Institute of Electrical and Electronics Engineers, blz. 1-4

**Frequency-independent smart interference suppression for multi-standard transceivers**

Janssen, E. J. G., Habibi, H., Milosevic, D., Baltus, P. G. M. & van Roermund, A. H. M., 1 dec 2012, *Proceedings of the 42nd European Microwave Conference (EuMC), 29 October - 1 November 2012, Amsterdam, The Netherlands: "Space for Microwaves", EuMW 2012, Conference Proceedings - 7th European Microwave Integrated Circuits Conference, EuMIC 2012*. Piscataway: Institute of Electrical and Electronics Engineers, blz. 909-912 4 blz. 6483949

**Frequency-independent smart interference suppression for multi-standard transceivers**

Janssen, E. J. G., Milosevic, D., Baltus, P. G. M., van Roermund, A. H. M. & Habibi, H., 1 dec 2012, *2012 42nd European Microwave Conference : "Space for Microwaves", EuMW 2012, Conference Proceedings - 42nd European Microwave Conference, EuMC 2012*. blz. 1289-1292 4 blz.

**A 1.8GHz amplifier with 39dB frequency-independent smart self-interference blocker suppression**

Janssen, E. J. G., Milosevic, D. & Baltus, P. G. M., 2012, *Proceedings of the Radio Frequency Integrated Circuits Symposium (RFIC), 17 - 19 June 2012, Montreal, Canada*. Piscataway: Institute of Electrical and Electronics Engineers, blz. 97-100

**A broadband frontend design for UHF RFID tag**

Ma, Q., El Waffaoui, R., Baltus, P. G. M. & Roermund, van, A. H. M., 2012, *Proceedings of the 19th IEEE Symposium on Communications and Vehicular Technology in the Benelux (IEEE SCVT 2012), 16 November 2012, Eindhoven, The Netherlands*. Piscataway: Institute of Electrical and Electronics Engineers, blz. 1-12

**A mm-wave analog adaptive array with genetic algorithm for interference mitigation**

Lu, C., Wu, Y., Mahmoudi, R., Matters - Kammerer, M. & Baltus, P. G. M., 2012, *Proceedings of the IEEE International Symposium on Circuits and systems (ISCAS), 20-23 May 2012, Seoul, Korea*. Piscataway: Institute of Electrical and Electronics Engineers, blz. 2373-2376

**A mm-wave analog adaptive array with genetic algorithm for interference mitigation**

Lu, C., Wu, Y., Mahmoudi, R., Matters - Kammerer, M. & Baltus, P. G. M., 2012.

**An RF energy harvester with supply management for co-integration into a 2.4 GHz transceiver**

Masuch, J., Delgado-Restituto, M., Milosevic, D. & Baltus, P. G. M., 2012, *Proceedings of the 38th European Solid-State Circuits Conference (ESSCIRC), 17-22 September 2012, Bordeaux, France*. Piscataway: Institute of Electrical and Electronics Engineers, blz. 113-116

**An RF-to-DC energy harvester for co-integration in a low-power 2.4 GHz transceiver frontend**

Masuch, J., Delgado-Restituto, M., Milosevic, D. & Baltus, P. G. M., 2012, *Proceedings of IEEE International Symposium on Circuits and Systems (ISCAS), 20-23 May, Seoul, Korea*. blz. 680-683

**Digital hardware resources for steering a nonlinear interference suppressor**

Janssen, E. J. G., Habibi, H., Milosevic, D., Baltus, P. G. M. & Roermund, van, A. H. M., 2012, *Proceedings of the 19th International Conference Mixed Design of Integrated Circuits and Systems (MIXDES), 24 - 26 May 2012, Warsaw, Poland*. Piscataway: Institute of Electrical and Electronics Engineers, blz. 133-138



#### **Full MIMO spatial filtering approach for dynamic range reduction in wideband cognitive radios**

Heuvel, van den, J. H. C., Linnartz, J. P. M. G., Baltus, P. G. M. & Cabric, D., 2012, In : IEEE Transactions on Circuits and Systems I: Regular Papers. 59, 11, blz. 2761-2773

#### **Suppression of constant modulus interference in multimode transceivers by closed-loop tuning of a nonlinear circuit**

Habibi, H., Janssen, E. J. G., Wu, Y., Bergmans, J. W. M. & Baltus, P. G. M., 2012, *Proceedings of the IEEE 75th Vehicular Technology Conference (VTC Spring 2012), 6-9 May 2012, Yokohama, Japan*. Piscataway: Institute of Electrical and Electronics Engineers, blz. 1-6

#### **System study of a wireless-powered sensor system**

Gao, H., Wu, Y., Baltus, P. G. M., Linnartz, J. P. M. G. & Roermund, van, A. H. M., 2012, *Proceedings of the 23rd Annual Workshop on Circuits and Systems and Signal Processing, ProRISC 2012, 22-23 October 2012, Rotterdam, The Netherlands*.

#### **Ultra-low power 60 GHz low noise amplifier design**

Chen, Z., Baltus, P. G. M., Gao, H. & Li, X., 2012.

#### **Power optimization for wireless autonomous transducer solution: autonomous ElectroOculoGram system powered by PV energy harvester**

Pop, V., Zhao, X., Milosevic, D., Van Acht, V., Visser, H., Zhou, J., Penders, J., van Schaijk, R. & Baltus, P., 1 jan 2011.

#### **2.4GHz energy harvesting for ultra low power radio**

Gao, H., Baltus, P. G. M., Mahmoudi, R. & Roermund, van, A., 2011, *Proceedings of the 1st International Workshop on Wireless Energy Transport and Harvesting (IWWETH), 28 June 2011, Eindhoven, The Netherlands*.

#### **2.4GHz energy harvesting for wireless sensor network**

Gao, H., Baltus, P. G. M., Mahmoudi, R. & Roermund, van, A. H. M., 2011, *Proceedings of IEEE Radio and Wireless Symposium (RWS), 16-19 January 2011, Phoenix, AZ, USA*. blz. 57-60

#### **A 107 GHz LNA in 65nm CMOS with inductive neutralization and slow-wave transmission lines**

Lu, C., Mahmoudi, R., van Zeijl, P., Baltus, P. G. M. & Roermund, van, A. H. M., 2011.

#### **A 60 GHz ultra low-power wake-up radio**

Li, X., Baltus, P. G. M., van Zeijl, P., Milosevic, D. & Roermund, van, A. H. M., 2011, *Proceeding of IEEE Radio and Wireless Symposium (RWS), 16-19 January 2011, Phoenix, Arizona, USA*. Piscataway: Institute of Electrical and Electronics Engineers, blz. 343-346

#### **A 73 to 83 GHz, 9-mW injection-locked oscillator in 65-nm CMOS technology**

Li, X., Baltus, P. G. M., van Zeijl, P., Milosevic, D. & Roermund, van, A. H. M., 2011, *IEEE proceeding of the 11th Topical Meeting on Silicon Monolithic Integrated Circuits in RF Systems (SiRF), 17-19 January 2011, Phoenix, Arizona USA*. Piscataway: Institute of Electrical and Electronics Engineers, blz. 5-8

#### **A broadband and high-sensitivity frontend design for UHF RFID tag**

Ma, Q., El Waffaoui, R., Baltus, P. G. M. & Roermund, van, A. H. M., 2011, Technische Universiteit Eindhoven.

#### **Antenna coupling reduction between co-located radios**

Janssen, E. J. G., Milosevic, D. & Baltus, P. G. M., 2011, blz. 1-.

#### **Full MIMO Spatial Filtering Approach for Dynamic Range Reduction in Wideband Cognitive Radios**

Heuvel, van den, J. H. C., Linnartz, J. P. M. G., Baltus, P. G. M. & Gabric, D., 2011, *Proceedings of the 21st Annual International Symposium on Personal Indoor and Mobile Radio Communications 2010 (PIMRC), 26-30 September 2010, Istanbul*.

#### **Increasing isolation between co-located antennas using a spatial notch**

Janssen, E. J. G., Milosevic, D., Herben, M. H. A. J. & Baltus, P. G. M., 2011, In : IEEE Antennas and Wireless Propagation Letters. 10, blz. 552-555 4 blz.

### **Integrated 60GHz RF Beamforming in CMOS**

Yu, Y., Baltus, P. G. M. & Roermund, van, A. H. M., 2011, Dordrecht: Springer. 150 blz. (Analog circuits and signal processing series)

### **Low power LNA for 60GHz asynchronous wake-up radio**

Gao, H., Baltus, P. G. M., Matters - Kammerer, M., Milosevic, D. & Roermund, van, A. H. M., 2011, *Proceedings of the 22nd ProRISC, Annual Workshop on Circuits, Systems and Signal Processing (ProRISC 2011)*. Utrecht, the Netherlands: Technology Foundation

### **Modeling and analysis of nonlinearities and bandwidth limitations in RF receivers**

Janssen, E. J. G., Milosevic, D., Baltus, P. G. M. & Habibi, H., 2011, *Proceedings of the IEEE International Symposium on Circuits and Systems (ISCAS), 15 - 18 May 2011, Rio de Janeiro, Brazil*. Rio de Janeiro: Institute of Electrical and Electronics Engineers, blz. 1836-1839

### **System study of a 60 GHz wireless-powered monolithic sensor system**

Wu, Y., Linnartz, J. P. M. G., Gao, H., Baltus, P. G. M. & Bergmans, J. W. M., 2011, *8th International conference on Information, Communications, and Signal Processing (ICICS 2011), 13-16 December 2011, Singapore*. Piscataway: Institute of Electrical and Electronics Engineers, blz. 1-5

### **The effect of RMS delay spread on spatial filtering**

Heuvel, van den, J. H. C., Linnartz, J. P. M. G. & Baltus, P. G. M., 2011, *Proceedings of the 32nd WIC Symposium on Information Theory in the Benelux First Joint WIC/IEEE SP Symposium on Information Theory and Signal Processing in the Benelux (WICSP2011), 10-11 May 2011, Brussels*. Werkgemeenschap voor Informatie- en Communicatietheorie (WIC), 9 blz.

### **2.4GHz energy harvesting for ultra low power radio**

Gao, H., Baltus, P. G. M., Mahmoudi, R. & Roermund, van, A. H. M., 2010, *Proceedings of the 21st ProRISC, Annual Workshop on Circuits, Systems and Signal Processing (ProRISC 2010)*. Utrecht: STW Technology Foundation

### **2GSPS 6-bit ADC for UWB receivers**

Gao, H., Baltus, P. & Meng, Q., 2010, *2010 International Symposium on Signals, Systems and Electronics (ISSSE), 17-20 September 2010, Nanjing, China*. Piscataway: Institute of Electrical and Electronics Engineers, Vol. 1. blz. 130-134 5 blz. 5607114

### **A 60-GHz low power LNA**

Li, X., Baltus, P. G. M., Milosevic, D. & Roermund, van, A. H. M., 2010, *Proceedings of the 21st Annual Workshop on Circuits Systems and Signal Processing, 18-19 November 2010, Veldhoven, The Netherlands*. STW Technology Foundation, blz. 1-

### **A 60GHz phase shifter integrated with LNA and PA in 65 nm CMOS for phased array systems**

Yu, Y., Baltus, P. G. M., Graauw, de, A. J. M., Heijden, van der, E., Vaucher, C. S. & Roermund, van, A. H. M., 2010, In : *IEEE Journal of Solid-State Circuits*. 45, 9, blz. 1697-1709

### **A 70 GHz 10.2 mW self-demodulator for OOK modulation in 65-nm CMOS technology**

Li, X., Baltus, P. G. M., van Zeijl, P., Milosevic, D. & Roermund, van, A. H. M., 2010, *Proceeding of the 2010 IEEE Custom Integrated Circuit Conference (CICC), 19-22 September 2010, San Jose, California*. Piscataway: Institute of Electrical and Electronics Engineers, blz. 1-4

### **An EFOM for cross-layer optimization towards low-power and high-performance wireless networks**

Li, X., Baltus, P. G. M., van Zeijl, P., Milosevic, D. & Roermund, van, A. H. M., 2010, *Proceedings Circuits and Systems (ISCAS) 2010, international symposium, Paris, France, May 30-June 2 2010*. Piscataway: Institute of Electrical and Electronics Engineers, blz. 2263-2266

#### **Analytical passive mixer power gain models**

Lont, M., Milosevic, D., Baltus, P. G. M., Roermund, van, A. H. M. & Dolmans, G., 2010, *Proceeding of 2010 IEEE International Symposium on Circuits and Systems (ISCAS) May 30-June 2 2010, Paris, France 0*. Piscataway: Institute of Electrical and Electronics Engineers, blz. 2386-2389

#### **Low voltage comparator for High speed ADC**

Gao, H., Baltus, P. & Meng, Q., 2010, *Conference Proceedings of the International Symposium on Signals, Systems and Electronics*. Institute of Electrical and Electronics Engineers, Vol. 1. blz. 126-129 4 blz. 5607121

#### **Measuring RF circuits exhibiting nonlinear responses combined with short and long term memory effects**

Janssen, E. J. G., Milosevic, D. & Baltus, P. G. M., 2010, *Proceedings of the Annual Workshop on Circuits, Systems and Signal Processing (ProRISC), 18-19 November 2010, Veldhoven, The Netherlands*. Utrecht: STW Technology Foundation, blz. 1-1

#### **Optimal transmission rate for ultra low-power receivers.**

Heuvel, van den, J. H. C., Linnartz, J. P. M. G. & Baltus, P. G. M., 2010, *Proceedings of the 21st IEEE International Symposium on Personal, Indoor and Mobile Radio Communications Workshops (PIMRC Workshops), 26-30 September 2010, Istanbul, Turkey*. Piscataway: Institute of Electrical and Electronics Engineers, blz. 93-98

#### **Optimizing throughput for limited receiver circuit power.**

Heuvel, van den, J. H. C., Linnartz, J. P. M. G. & Baltus, P. G. M., 2010, *Proceedings of the 2010 IEEE International Symposium on Circuits and Systems (ISCAS), May 30 - June 2, 2010, Paris, France*. Piscataway: Institute of Electrical and Electronics Engineers, blz. 1013-1016

#### **Power dissipation minimization in RF front ends**

Baltus, P. G. M., Wu, Y., Heuvel, van den, J. H. C. & Linnartz, J. P. M. G., 2010, *Proceedings of the 21st IEEE International Symposium on Personal, Indoor and Mobile Radio Communications Workshops (PIMRC Workshops), 26-30 September 2010, Istanbul, Turkey*. Piscataway: Institute of Electrical and Electronics Engineers, blz. 301-306

#### **System concept for a wireless sensor system with monolithic sensors.**

Wu, Y., Hao, G., Baltus, P. G. M., Bergmans, J. W. M., Linnartz, J. P. M. G. & Mahmoudi, R., 2010, *Proceedings of 21st ProRISC Workshop of the STW.ICT Conference, 18-19 November 2010, Veldhoven, The Netherlands*. Utrecht: STW Technology Foundation, blz. 1-2

#### **Technologies for smart environment**

Baltus, P. G. M. & Mohammadi, M., 2010.

#### **Theoretical model for maximum throughput of a radio receiver with limited battery power**

Heuvel, van den, J. H. C., Linnartz, J. P. M. G. & Baltus, P. G. M., 2010, *Proceedings of the 31st Symposium on Information Theory in the Benelux, May 11-12 2010, Rotterdam, The Netherlands*. Delft: Delft University of Technology, blz. 67-72

#### **A 60GHz Digitally Controlled RF-Beamforming Receiver Front-end in 65nm CMOS**

Yu, Y., Baltus, P. G. M., Graauw, de, A. J. M., Heijden, van der, E., Collados, M., Vaucher, C. S. & Roermund, van, A. H. M., 2009, *IEEE RF IC Symposium, May 2009, Boston*. blz. 211-214

#### **A 60GHz Miller effect based VCO in 65nm CMOS with 10.5% tuning range**

Lont, M., Mahmoudi, R., Heijden, van der, E., Graauw, de, A. J. M., Sakian Dezfuli, P., Baltus, P. G. M. & Roermund, van, A. H. M., 2009, *Proceeding of Silicon Monolithic Circuits in RF Systems (SIRF 2009). January 19-21 2009 San Diego, CA, USA*. Piscataway: Institute of Electrical and Electronics Engineers, blz. 1-4

#### **A lower-power, high-sensitivity injection-locked oscillator for 60 GHz WPAN applications**

Li, X., Baltus, P. G. M., van Zeijl, P., Milosevic, D. & Roermund, van, A. H. M., 2009, *Proceedings of Asia Pacific Conference on Postgraduate Research in Microelectronics and Electronics 2009, PrimeAsia 2009, November 19-21, 2009, Shanghai, China*. Piscataway: Institute of Electrical and Electronics Engineers, blz. 161-164

#### **An EFOM for cross-layer optimization of low-power wireless networks**

Li, X., Baltus, P. G. M., Milosevic, D., van Zeijl, P. & Roermund, van, A. H. M., 2009, *Proceedings of ProRISC 2009, 20th Annual Workshop on Circuits Systems and Signal Processing, November 26-27, 2009, Veldhoven, The Netherlands*. Utrecht: STW Technology Foundation, blz. 480-483

#### **Analytical models for the wake-up receiver power budget for wireless sensor networks**

Lont, M., Milosevic, D., Dolmans, G., Baltus, P. G. M. & Roermund, van, A. H. M., 2009, *Proceeding of the IEEE Global Telecommunications Conference, GLOBECOM 2009, November 30-December 4 2009, Honolulu, Hawaii, USA*. Piscataway: Institute of Electrical and Electronics Engineers, blz. 1-6

#### **Flip-chip integration of differential CMOS power amplifier and antenna in PCB technology for the 60-GHz frequency band**

Akkermans, J. A. G., Kazim, M. I., Yu, Y., Herben, M. H. A. J., Baltus, P. G. M. & Smulders, P. F. M., 2009, *3rd European Conference on Antennas and Propagation, 2009. EuCAP 2009, 23-27 March 2009, Berlin, Germany*. Piscataway: Institute of Electrical and Electronics Engineers, blz. 2818-2822

#### **Low power multi-radio coexistence using digital compensation**

Janssen, E. J. G., Milosevic, D., Baltus, P. G. M. & Roermund, van, A. H. M., 2009, *Proceedings of ProRISC 2009, 20th Annual Workshop on Circuits Systems and Signal Processing, November 26-27, 2009, Veldhoven, The Netherlands*. Utrecht: STW Technology Foundation, blz. 466-469

#### **Smart front-ends, from vision to design**

Roermund, van, A. H. M., Baltus, P. G. M., Bezooijen, van, A., Hegt, J. A., Lopelli, E., Mahmoudi, R., Radulov, G. I. & Vidojkovic - Andjelovic, M., 2009, In : *IEICE Transactions on Electronics*. E92.C, 6, blz. 747-756 10 blz.

#### **Wake-up receiver for wireless sensor networks**

Lont, M., Milosevic, D., Dolmans, G., Baltus, P. G. M. & Roermund, van, A. H. M., 2009, *Proceedings of ProRISC 2009, 20th Annual Workshop on Circuits Systems and Signal Processing, November 26-27, 2009, Veldhoven, The Netherlands*. Utrecht: STW Technology Foundation, blz. 484-487

#### **Wireless wire - the 60 GHz ultra-low power radio system**

Li, X., Baltus, P. G. M., Milosevic, D., Deng, W., van Zeijl, P., Bird, N. & Roermund, van, A. H. M., 2009, *Proceedings IEEE Radio and Wireless Symposium 2009, RWS'09, 18-22 January 2009, San Diego, California*. Piscataway: Institute of Electrical and Electronics Engineers, blz. 215-218

#### **60 GHz ultra-low power radio**

Li, X., Baltus, P. G. M., Deng, W., Milosevic, D., van Zeijl, P. & Roermund, van, A. H. M., 2008, *Proceedings / SAFE 2008, ProRISC 2008 : 11th Annual Workshop on Semiconductor Advances for Future Electronics and Sensors ; 19th Annual Workshop on Circuits, Systems and Signal Processing ; November 27 - 28, 2008, Veldhoven, The Netherlands*. Utrecht: STW Technology Foundation, blz. 206-209

#### **A 1.2V Inductorless Receiver Front-End for Multi-Standard Wireless Applications**

Vidojkovic, V., Sanduleanu, M. A. T., Tang, van der, J. D., Baltus, P. G. M. & Roermund, van, A. H. M., 2008, *IEEE Radio and Wireless Symposium, 22-24 Jan. 2008*. blz. 41-44

#### **A 1.2V Receiver Front-End for Multi-Standard Wireless Applications in 65nm CMOS LP**

Vidojkovic - Andjelovic, M., Sanduleanu, M. A. T., Vidojkovic, V., Tang, van der, J. D., Baltus, P. G. M. & Roermund, van, A. H. M., 2008, *ESSCIRC 2008*. blz. 41-44

#### **A 60 GHz Digitally Controlled Phase Shifter in CMOS**

Yu, Y., Baltus, P. G. M., Roermund, van, A. H. M., Jeurissen, D., Grauw, de, A., Heijden, van der, E. & Pijper, R., 2008, *European Solid State Circuits Conference, 34th (ESSCIRC2008), Proceedings Edinburgh, UK, September 15-19, 2008*. Piscataway: Institute of Electrical and Electronics Engineers, blz. 250-253

#### **An integral shannon-based view on smart front-ends**

Roermund, van, A. H. M., Baltus, P. G. M., Hegt, J. A. & Mahmoudi, R., 2008, *Proceeding of EuWIT 2008*.

#### **Im pact and digital estimation of nonlinear impairments in analog baseband processing stages**

Schoonen, A. M. J. M., Schenk, T. C. W. & Baltus, P. G. M., 2008, *Euwit 2008 European Conference on Wireless Technology*. blz. 73-76

#### **No strings attached: the complexity of omissions**

Baltus, P. G. M., 2008, Eindhoven: Technische Universiteit Eindhoven.

#### **Phase noise in frequency divider circuits**

Apostolidou, M., Baltus, P. G. M. & Vaucher, C. S., 2008, *Proceedings of 2008 IEEE International Symposium on Circuits and Systems : Seattle, WA, 18 - 21 May 2008*. Piscataway: Institute of Electrical and Electronics Engineers, blz. 2538-2541

#### **Systems and architectures for very high frequency radio links**

Baltus, P. G. M., Smulders, P. F. M. & Yu, Y., 2008, *Analog circuit design : sensors actuators and power drivers; Integrated power amplifiers from wireline to RF; very high frequency front ends*. Casier, H., Steyaert, M. & Roermund, van, A. H. M. (redacties). Berlin: Springer, blz. 237-258

#### **A 1.2 V, inductorless, broadband LNA in 90 nm CMOS LP**

Vidojkovic, M., Sanduleanu, M., van der Tang, J., Baltus, P. & van Roermund, A., 2 okt 2007, *Proceedings of the 2007 IEEE Radio Frequency Integrated Circuits Symposium, RFIC 2007*. Piscataway: Institute of Electrical and Electronics Engineers, blz. 53-56 4 blz. 4266379

#### **A Broadband Inductorless LNA for Multi-Standard Applications**

Vidojkovic - Andjelovic, M., Sanduleanu, M. A. T., Tang, van der, J. D., Baltus, P. G. M. & Roermund, van, A. H. M., 2007, *European Conference on Circuit Theory and Design (ECCTD 2007): Bridging Technology Innovations to Foundations, 26-30 August 2007, Sevilla, Spain*.

#### **A first analysis of MIMO communication as a basis for low power wireless**

Heuvel, van den, J. H. C., Baltus, P. G. M., Linnartz, J. P. M. G. & Willems, F. M. J., 2007, *Proceedings of the 3rd Annual IEEE Benelux/DSP Valley Signal Processing Symposium, SPS-DARTS 2007, 21-22 March 2007, Antwerp, Belgium*. Antwerp, Belgium: Institute of Electrical and Electronics Engineers, blz. 215-218

#### **Systems and architectures for very high frequency radio links**

Yu, Y., Baltus, P. G. M. & Smulders, P. F. M., 2007, *Proceedings of the 16th Annual Workshop to Showcase European Expertise in Semiconductor Design Applications: Advances in Analogue Circuit Design Conference (AACD), 27-29 March 2007, Oostende, Belgium*. Piscataway: Institute of Electrical and Electronics Engineers

#### **Impact of GHz disturbances on DC parametric measurements**

Tuinhout, H. P. & Baltus, P. G. M., 2006, *Proceedings of the IEEE International Conference on Microelectronics Test Structures, 2006, ICMTS 2006, 6-9 March 2006, Austin, Texas*. Piscataway: Institute of Electrical and Electronics Engineers, blz. 71-75

#### **A Gilbert Cell Mixer with Digitally Controlled Performance Space**

Vidojkovic - Andjelovic, M., Tang, van der, J. D., Baltus, P. & Roermund, van, A. H. M., 2005, *Proceedings of the IEEE International Symposium on Circuits and Systems (ISCAS 2005) 23 - 26 May 2005, Kobe, Japan*. Piscataway: Institute of Electrical and Electronics Engineers, blz. 604-609

#### **Adaptive mixers with a discretely and a continuously adjustable performance space**

Vidojkovic - Andjelovic, M., Tang, van der, J. D., Baltus, P. G. M. & Roermund, van, A. H. M., 2005, *2005 PhD Research in Microelectronics and Electronics*. Piscataway: Institute of Electrical and Electronics Engineers, Vol. 1. blz. 51-54 4 blz.

### **Design of Flexible RF Building Blocks : A Method for Implementing Configurable RF Transceiver Architectures**

Vidojkovic - Andjelovic, M., Tang, van der, J. D., Baltus, P. G. M. & Roermund, van, A. H. M., 2005, *proceeding of APCC Asia-Pacific Conference on Communications 2005, Perth, Western-Australia, 03-05 October 2005*. New York: Institute of Electrical and Electronics Engineers, blz. 445-449

### **Platform-Based RF System Design for Re-use**

Baltus, P. G. M., 2005, *IEEE International Behavioral Modeling and Simulation Conference, San Jose, USA 2005*.

### **Platform-based RF-system Design**

Baltus, P. G. M., 2005, *AACD 2005 - Limerick, Ireland*.

### **Receiver Planning for a Multi-standard Front-end**

Vidojkovic - Andjelovic, M., Tang, van der, J. D., Baltus, P. G. M. & Roermund, van, A. H. M., 2005, *ProRisc 2005*.

### **RF Transceiver Front Ends**

Baltus, P. G. M., 2005, *WIC Midwinter meeting on Wireless Communication, Eindhoven 2005*.

### **RF Transceivers Front Ends**

Baltus, P. G. M., 2005, *WIC Midwinter meeting on Wirelss Communication, Eindhoven, March 8th, 2005*.

### **A Gilbert Cell Mixer with Digitally Controlled Performance Space**

Vidojkovic - Andjelovic, M., Tang, van der, J. D., Baltus, P. & Roermund, van, A. H. M., 2004, *Proceedings of the 15th ProRISC, Annual Workshop on Circuits, Systems and Signal Processing (ProRISC 2004) 25 - 26 November 2004, Veldhoven, the Netherlands*. Utrecht, the Netherlands: STW Technology Foundation

### **Minimum power design of RF front ends**

Baltus, P. G. M., 2004, Eindhoven: Technische Universiteit Eindhoven. 280 blz.

### **Linearization Transmitter Using Asynchronous Sigma Delta Modulation for UMTS Handsets**

Wang, P., Hegt, J. A., Tang, van der, J. D., Roermund, van, A. H. M. & Baltus, P., 2003, *proceeding of ProRISC 2003*.

### **RF Platform, A Case Study on Mixers**

Vidojkovic - Andjelovic, M., Tang, van der, J. D., Baltus, P. & Roermund, van, A. H. M., 2003, *proceeding of ProRISC 2003*.

### **Substrate transfer for RF technologies**

Dekker, R., Baltus, P. G. M. & Maas, H. G. R., 2003, In : *IEEE Transactions on Electron Devices*. 50, 3, blz. 747-757 11 blz.

### **Design considerations for RF power amplifiers demonstrated through a GSM/EDGE power amplifier module**

Baltus, P. G. M. & Bezooijen, van, A., 2002, *Analog Circuit Design : Scalable Analog Circuit Design, High-Speed D/A Converters, RF Power Amplifiers*. Huijsing, J. H., Steyaert, M. & Roermund, van, A. H. M. (redacties). Dordrecht: Kluwer Academic Publishers, blz. 249-268 20 blz.

### **Efficient Design Methods for 5GHz and beyond**

Baltus, P. G. M., 2002, *proceeding of ESSCIRC 2002*.

### **How fast can you go? Efficient design methods for RF transceivers at 5 GHz and beyond**

Baltus, P. & Six, J. C., 2002, *Proceedings of the 28th European Solid-State Circuit Conference*. Firenze Italy 24-26 september, blz. 19-23

### **Multi-Staged Frequency Conversion with Single Local Oscillator (6-Mixer Single LO Dual Image Cancelation Receiver)**

Baltus, P. G. M., 28 aug 2001, Octrooi Nr. US6282413

**Diode Mixer Circuit (Schottky Ring Mixer)**

Baltus, P. G. M., 20 feb 2001, Octrooi Nr. US06192229

**Design considerations for RF power amplifiers demonstrated through a GSM/EDGE power amplifier module**

Baltus, P. & Bezooijen, van, A., 2001, *AACD2001*, Noordwijk. blz. 1-20

**RF power amplifier fundamentals**

Baltus, P., 2001, *CICC2001*. San Diego California, blz. 8-8

**Device with Circuit Element and Transmission Line Formed by a Dielectric between Facing Conductor Strips (Flip Chip Transmission Line)**

Baltus, P. G. M., 5 sep 2000, Octrooi Nr. US06060968

**RF distortion characterisation of sub-micron CMOS**

Tiemeijer, L. F., van Langevelde, R., Gaillard, O., Havens, R. J., Baltus, P. G. M., Woerlee, P. H. & Klaassen, D. B. M., 1 jan 2000, *ESSDERC 2000 - Proceedings of the 30th European Solid-State Device Research Conference*. Grunbacher, H., Crean, G. M., Lane, W. A. & McCabe, F. A. (redacties). Piscataway: IEEE Computer Society, blz. 464-467 4 blz. 1503745

**Optimizing RF front ends for low power**

Baltus, P. G. M. & Dekker, R., 2000, In : *Proceedings of the IEEE*. 88, 10, blz. 1546-1559 14 blz.

**Differential Amplifier, an Integrated Circuit, and a Telephone (Class A/B differential pair)**

Baltus, P. G. M., 12 jul 1999, Octrooi Nr. US055999050

**Radio Transmission Systems and a Radio Apparatus for use Therein (Angle Scanning Diversity Principle)**

Baltus, P. G. M., 23 mrt 1999, Octrooi Nr. US05887247

**Radio Transmission System and a Radio Apparatus for Use in such a System (Angle Scanning Diversity Implementation)**

Baltus, P. G. M., 5 dec 1998, Octrooi Nr. US05751249

**Receiver and Demodulator for Phase or Frequency Modulated Signals (Reconstruction of Data in Limited ZIF FSK Receiver)**

Baltus, P. G. M., 15 sep 1998, Octrooi Nr. US05808509

**A 3.5mW 2.5GHz Diversity Receiver and a 1.2mW 3.6GHz VCO in Silicon-On-Anything**

Baltus, P. G. M., 1998, *ISSCC 1998*.

**A 3.5-mW, 2.5-GHz diversity receiver and a 1.2-mW, 3.6-GHz VCO in silicon on anything**

Baltus, P. G. M., Wagemans, A. G., Dekker, R., Hoogstraate, A., Maas, H., Tombeur, A. & Sinderen, van, J., 1998, In : *IEEE Journal of Solid-State Circuits*. 33, 12, blz. 2074-2079 6 blz.

**Put your Powder into SOA LNA's**

Baltus, P. G. M., 1998, *Proceeding of AACD 1998 Copenhagen, Denmark*.

**Put your power into SOA LNAs!**

Baltus, P. G. M., 1998, *Analog Circuit Design: Volt Electronics, Mixed Mode Systems, Low-Noise and RF Power Amplifiers for Telecommunication*. Huijsing, J., Van de Plassche, R. & Sansen, W. (redacties). Dordrecht: Kluwer Academic Publishers, blz. 337-358

**An 8-bit 100-Mhz full-Nyquist analog-to-digital converter**

Van De Plassche, R. J. & Baltus, P., 1 jan 1988, In : *IEEE Journal of Solid-State Circuits*. 23, 6, blz. 1334-1344 11 blz.

### **The design of an 8-bit folding analog-to-digital converter**

van de Plassche, R. & Baltus, P., 1 dec 1987, In : Philips Journal of Research. 42, 5-6, blz. 482-509 29 blz., R1168.

## **Activiteiten**

### **Mikrocentrum Seminar Smart Environment, High Tech Campus, Eindhoven, the Netherlands**

Peter Baltus (Hoofdspreker)

8 jun 2010

### **CICC 2001, San Diego U.S.A.**

Peter Baltus (Organisator)

6 mei 2001

## **Projecten**