

R. Tuinier

Remco Tuinier
Full Professor
Physical Chemistry
Email: R.Tuinier@tue.nl



Research output

González García, Á., Tuinier, R., de With, G., & Cuetos, A. (2020). Directional-dependent pockets drive columnar-columnar coexistence. *Soft Matter*, *16*(29), 6720-6724. <https://doi.org/10.1039/d0sm00802h>

Dekker, F., Kuipers, B. W. M., Petukhov, A. V., Tuinier, R., & Philipse, A. P. (2020). Scattering from colloidal cubic silica shells: Part I, particle form factors and optical contrast variation. *Journal of Colloid and Interface Science*, *571*, 419-428. <https://doi.org/10.1016/j.jcis.2019.11.002>

Dekker, F., Kuipers, B. W. M., González García, G., Tuinier, R., & Philipse, A. P. (2020). Scattering from colloidal cubic silica shells: part II, static structure factors and osmotic equation of state. *Journal of Colloid and Interface Science*, *571*, 267-274. <https://doi.org/10.1016/j.jcis.2020.02.058>

Peters, V., Vis, M., Wensink, H. H., & Tuinier, R. (2020). Algebraic equations of state for the liquid crystalline phase behavior of hard rods. *Physical Review E*, *101*(6), [062707]. <https://doi.org/10.1103/PhysRevE.101.062707>

Kollau, L. J. B. M., Tuinier, R., Verhaak, J., Den Doelder, J., Filot, I. A. W., & Vis, M. (2020). Design of Nonideal Eutectic Mixtures Based on Correlations with Molecular Properties. *Journal of Physical Chemistry B*, *124*(25), 5209-5219. <https://doi.org/10.1021/acs.jpcc.0c01680>

Dekker, F., González García, G., Philipse, A. P., & Tuinier, R. (2020). Phase stability of dispersions of hollow silica nanocubes mediated by non-adsorbing polymers. *The European physical journal. E, Soft matter*, *43*(6), [38]. <https://doi.org/10.1140/epje/i2020-11962-y>

Bertens, C. J. F., Martino, C., van Osch, M. C., Lataster, A., Dias, A. J. A. A., van den Biggelaar, F. J. H. M., Tuinier, R., Nuijts, R. M. M. A., & Gijs, M. (2020). Design of the ocular coil, a new device for non-invasive drug delivery. *European Journal of Pharmaceutics and Biopharmaceutics*, *150*, 120-130. <https://doi.org/10.1016/j.ejpb.2020.03.010>

Ianiro, A., Chi, M., Hendrix, M. M. R. M., Koç, A. V., Eren, E. D., Sztucki, M., Petukhov, A. V., De With, G., Esteves, A. C. C., & Tuinier, R. (2020). Erratum: Block copolymer hierarchical structures from the interplay of multiple assembly pathways (Polymer Chemistry (2020) DOI: 10.1039/d0py00081g). *Polymer Chemistry*, *11*(15), 2762-2762. <https://doi.org/10.1039/d0py90057e>

Ianiro, A., Chi, M., Hendrix, M. M. R. M., Koç, A. V., Eren, E. D., Sztucki, M., Petukhov, A. V., de With, G., Esteves, A. C. C., & Tuinier, R. (2020). Block copolymer hierarchical structures from the interplay of multiple assembly pathways. *Polymer Chemistry*, *11*(13), 2305-2311. <https://doi.org/10.1039/d0py00081g>

Kollau, L. J. B. M., Vis, M., van den Bruinhorst, A., Tuinier, R., & de With, G. (2020). Entropy models for the description of the solid-liquid regime of deep eutectic solutions. *Journal of Molecular Liquids*, *302*(March), [112155]. <https://doi.org/10.1016/j.molliq.2019.112155>

Ianiro, A., Armes, S. P., & Tuinier, R. (2020). Design principles for metamorphic block copolymer assemblies. *Soft Matter*, *16*(9), 2342-2349. <https://doi.org/10.1039/c9sm02263e>

González García, Á., Ianiro, A., Beljon, R., Leermakers, F. A. M., & Tuinier, R. (2020). (Homo)polymer-mediated colloidal stability of micellar solutions. *Soft Matter*, *16*(6), 1560-1571. <https://doi.org/10.1039/c9sm01665a>

van Osch, D. J. G. P., van Spronsen, J., Esteves, A. C. C., Tuinier, R., & Vis, M. (2020). Oil-in-water emulsions based on hydrophobic eutectic systems. *Physical chemistry chemical physics : PCCP*, *22*(4), 2181-2187. <https://doi.org/10.1039/c9cp06762k>

Petkau-Milroy, K., Ianiro, A., Ahn, M. M. L., Magana, J. R., Vleugels, M. E. J., Lamers, B. A. G., Tuinier, R., Voets, I. K., Palmans, A. R. A., & Meijer, E. W. (2020). Architecture-dependent interplay between self-assembly and crystallization in discrete block co-oligomers. *ACS Macro Letters*, *9*(1), 38-42. <https://doi.org/10.1021/acsmacrolett.9b00814>

Koochaki, A., Moghbeli, M. R., Nikkiah, S. J., Ianiro, A., & Tuinier, R. (2020). Dual responsive PMEEECL-PAE block copolymers: a computational self-assembly and doxorubicin uptake study. *RSC Advances*, *10*(6), 3233-3245. <https://doi.org/10.1039/c9ra09066e>

Stojimirović, B., Vis, M., Tuinier, R., Philipse, A. P., & Trefalt, G. (2020). Experimental evidence for algebraic double-layer forces. *Langmuir*, *36*(1), 47-54. <https://doi.org/10.1021/acs.langmuir.9b03077>

He, Y., Li, L., Taniguchi, T., Tuinier, R., & Fan, T-H. (2020). Flow induced by an oscillating sphere in probing complex viscosity of polymer solutions. *Physical Review Fluids*, *5*(1), [013302]. <https://doi.org/10.1103/PhysRevFluids.5.013302>

González García, Á., Nagelkerke, M. M. B., Tuinier, R., & Vis, M. (2020). Polymer-mediated colloidal stability: on the transition between adsorption and depletion. *Advances in Colloid and Interface Science*, *275*, [102077]. <https://doi.org/10.1016/j.cis.2019.102077>

Ratcliffe, L. P. D., Derry, M. J., Ianiro, A., Tuinier, R., & Armes, S. P. (2019). A single thermoresponsive diblock copolymer can form spheres, worms or vesicles in aqueous solution. *Angewandte Chemie - International Edition*, *58*(52), 18964-18970. <https://doi.org/10.1002/anie.201909124>, <https://doi.org/10.1002/ange.201909124>

Krooshof, G. J. P., Tuinier, R., & de With, G. (2019). Dispersion activity coefficient models. Part 2: perturbed chain equations of state. *Fluid Phase Equilibria*, *502*, [112286]. <https://doi.org/10.1016/j.fluid.2019.112286>

Krooshof, G. J. P., Tuinier, R., & de With, G. (2019). Dispersion activity coefficient models. Part 1: cubic equations of state. *Fluid Phase Equilibria*, *501*, [112275]. <https://doi.org/10.1016/j.fluid.2019.112275>

Kollau, L. J. B. M., Vis, M., van den Bruinhorst, A., de With, G., & Tuinier, R. (2019). Activity modelling of the solid-liquid equilibrium of deep eutectic solvents. *Pure and Applied Chemistry*, *91*(8), 1341-1349. <https://doi.org/10.1515/pac-2018-1014>

Ianiro, A., González García, Á., Wijker, S., Patterson, J. P., Esteves, A. C. C., & Tuinier, R. (2019). Controlling the spatial distribution of solubilized compounds within copolymer micelles. *Langmuir*, *35*(13), 4776-4786. <https://doi.org/10.1021/acs.langmuir.9b00180>

Ianiro, A., Wu, H., van Rijt, M. M. J., Vena, M. P., Keizer, A. D. A., Esteves, A. C. C., Tuinier, R., Friedrich, H., Sommerdijk, N. A. J. M., & Patterson, J. P. (2019). Liquid-liquid phase separation during amphiphilic self-assembly. *Nature Chemistry*, *11*(4), 320-328. <https://doi.org/10.1038/s41557-019-0210-4>

van Osch, D. J. G. P., Dietz, C. H. J. T., van Spronsen, J., Kroon, M. C., Gallucci, F., van Sint Annaland, M., & Tuinier, R. (2019). A search for natural hydrophobic deep eutectic solvents based on natural components. *ACS Sustainable Chemistry & Engineering*, *7*(3), 2933-2942. <https://doi.org/10.1021/acssuschemeng.8b03520>

González García, Á., Timmers, E. M., Romijn, N., Song, S., Sahebali, S., Tuinier, R., & Voets, I. K. (2019). Micellization of a weakly charged surfactant in aqueous salt solution: self-consistent field theory and experiments. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, *561*, 201-208. <https://doi.org/10.1016/j.colsurfa.2018.10.039>

García, Á. G., Ianiro, A., & Tuinier, R. (2018). On the colloidal stability of spherical copolymeric micelles. *ACS Omega*, *3* (12), 17976-17985. <https://doi.org/10.1021/acsomega.8b02548>

van den Bruinhorst, A., Kollau, L. J. B. M., Kroon, M. C., Meuldijk, J., Tuinier, R., & Esteves, A. C. C. (2018). A centrifuge method to determine the solid-liquid phase behavior of eutectic mixtures. *Journal of Chemical Physics*, *149*(22), [224505]. <https://doi.org/10.1063/1.5051515>

Kollau, L. J. B. M., Vis, M., van den Bruinhorst, A., Esteves, A. C. C., & Tuinier, R. (2018). Quantification of the liquid window of deep eutectic solvents. *Chemical Communications*, *54*(95), 13351-13354. <https://doi.org/10.1039/c8cc05815f>

García, Á. G., Tuinier, R., Maring, J. V., Opdam, J., Wensink, H. H., & Lekkerkerker, H. N. W. (2018). Depletion-driven four-phase coexistences in discotic systems. *Molecular Physics*, *116*(21-22), 2757-2772. <https://doi.org/10.1080/00268976.2018.1463471>

Peters, V. F. D., & Tuinier, R. (2018). Phase behavior of hard spheres mixed with supramolecular polymers. *Physica A: Statistical Mechanics and its Applications*, *510*, 233-242. <https://doi.org/10.1016/j.physa.2018.06.108>

García, Á. G., Opdam, J., Tuinier, R., & Vis, M. (2018). Isostructural solid-solid coexistence of colloid-polymer mixtures. *Chemical Physics Letters*, *709*, 16-20. <https://doi.org/10.1016/j.cplett.2018.08.028>

Krooshof, G. J. P., Tuinier, R., & With, G. D. (2018). Generalization of Guggenheim's combinatorial activity coefficient equation. *Journal of Molecular Liquids*, *266*, 467-471. <https://doi.org/10.1016/j.molliq.2018.06.092>

González García, Á., Opdam, J., & Tuinier, R. (2018). Phase behaviour of colloidal superballs mixed with non-adsorbing polymers. *European Physical Journal E : Soft Matter*, *41*(9), [110]. <https://doi.org/10.1140/epje/i2018-11719-3>

Vleugels, L. F. W., Ricois, S., Voets, I. K., & Tuinier, R. (2018). Determination of the 'apparent pK_a ' of selected food hydrocolloids using ortho-toluidine blue. *Food Hydrocolloids*, *81*, 273-283. <https://doi.org/10.1016/j.foodhyd.2018.02.049>

Vis, M., Tuinier, R., Kuipers, B. W. M., Vrij, A., & Philipse, A. P. (2018). Interactions between amphoteric surfaces with strongly overlapping double layers. *Soft Matter*, *14*(23), 4702-4710. <https://doi.org/10.1039/C8SM00662H>

Krooshof, G. J. P., Tuinier, R., & de With, G. (2018). On the calculation of nearest neighbors in activity coefficient models. *Fluid Phase Equilibria*, *465*, 10-23. <https://doi.org/10.1016/j.fluid.2018.02.024>

Wu, H., Ianiro, A., van Rij, M., de Carvalho Esteves, C., Friedrich, H., Tuinier, R., Sommerdijk, N., & Patterson, J. (2018). Watching block copolymer self-assembly with liquid phase transmission electron microscopy. In *Abstracts of Papers, 255th ACS National Meeting & Exposition [POLY 295]* American Chemical Society.

Ianiro, A., Patterson, J. P., Gonzalez Garcia, A., van Rij, M. M. J., Hendrix, M. M. R. M., Sommerdijk, N. A. J. M., Voets, I. K., de Carvalho Esteves, A. C., & Tuinier, R. (2018). A roadmap for poly(ethylene oxide)-block-poly- ϵ -caprolactone self-assembly in water : prediction, synthesis, and characterization and characterization. *Journal of Polymer Science, Part B: Polymer Physics*, *56*(4), 330-339. <https://doi.org/10.1002/polb.24545>

Wu, H., Ianiro, A., van Rij, M. M. J., Esteves, A. C. C. C., Tuinier, R., Friedrich, H., Sommerdijk, N. A. J. M., & Patterson, J. P. (2018). In-situ Liquid phase electron microscopy of beam-sensitive materials. In *Proceedings of CISCEM 2018 - the 4th Conference on In-Situ and Correlative Electron Microscopy* (Vol. 25, pp. 66-64). Cambridge University Press. <https://doi.org/10.1017/S1431927618016045>

Gonzalez Garcia, A., Wensink, H. H., Lekkerkerker, H. N. W., & Tuinier, R. (2017). Entropic patchiness drives multi-phase coexistence in discotic colloid-depletant mixtures. *Scientific Reports*, *7*(1), [17058]. <https://doi.org/10.1038/s41598-017-16415-0>

Philipse, A. P., Tuinier, R., Kuipers, B. W. M., Vrij, A., & Vis, M. (2017). On the repulsive interaction between strongly overlapping double layers of charge-regulated surfaces. *Colloids and Interface Science Communications*, *21*, 10-14. <https://doi.org/10.1016/j.colcom.2017.10.002>

Lankhorst, P. P., Voogt, B., Tuinier, R., Lefol, B., Pellerin, P., & Virone, C. (2017). Prevention of tartrate crystallization in wine by hydrocolloids: the mechanism studied by dynamic light scattering. *Journal of Agricultural and Food Chemistry*, *65*(40), 8923-8929. <https://doi.org/10.1021/acs.jafc.7b01854>

Vleugels, L. F. W., Ricois, S., Voets, I. K., & Tuinier, R. (2017). Reversal of metachromasy revisited; displacement of Toluidine-blue from alginate by surfactants. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, *529*, 454-461. <https://doi.org/10.1016/j.colsurfa.2017.06.027>

Petukhov, A. V., Tuinier, R., & Vroege, G. J. (2017). Entropic patchiness: effects of colloid shape and depletion. *Current Opinion in Colloid and Interface Science*, *30*, 54-61. <https://doi.org/10.1016/j.cocis.2017.05.008>

Vleugels, L. F. W., Féat, A., Voets, I. K., & Tuinier, R. (2017). Toluidine blue-sodium lauryl ether sulfate complexes: Influence of ethylene oxide length. *Dyes and Pigments*, *141*, 420-427. <https://doi.org/10.1016/j.dyepig.2017.02.044>

Gonzalez Garcia, A., & Tuinier, R. (2016). Tuning the phase diagram of colloid-polymer mixtures via Yukawa. *Physical Review*, *94*, 062607. <https://doi.org/10.1103/PhysRevE.94.062607>

Lebouille, J. G. J. L., Leermakers, F. A. M., Cohen Stuart, M. A., & Tuinier, R. (2016). Design of block-copolymer-based micelles for active and passive targeting. *Physical Review E*, *94*(4), [042503]. <https://doi.org/10.1103/PhysRevE.94.042503>

Tuinier, R. (2016). Introduction to depletion interaction and colloidal phase behaviour. In P. R. Lang, & Y. Liu (Eds.), *Soft matter at aqueous interfaces* (Vol. 1, pp. 71-106). (Lecture Notes in Physics; Vol. 917). Springer. https://doi.org/10.1007/978-3-319-24502-7_3

Ianiro, A., Jiménez-Pardo, I., Esteves, A. C. C., & Tuinier, R. (2016). One-pot, solvent-free, metal-free synthesis and UCST-based purification of poly(ethylene oxide)/poly- ϵ -caprolactone block copolymers. *Journal of Polymer Science, Part A: Polymer Chemistry*, *54*(18), 2992-2999. <https://doi.org/10.1002/pola.28185>

van Osch, D. J. G. P., Parmentier, D., Dietz, C. H. J. T., van den Bruinhorst, A., Tuinier, R., & Kroon, M. C. (2016). Removal of alkali and transition metal ions from water with hydrophobic deep eutectic solvents. *Chemical Communications*, *52*, 11987-11990. <https://doi.org/10.1039/c6cc06105b>

Ouhajji, S., Nylander, T., Piculell, L., Tuinier, R., Linse, P., & Philipse, A. P. (2016). Depletion controlled surface deposition of uncharged colloidal spheres from stable bulk dispersions. *Soft Matter*, *12*(17), 3963-3971. <https://doi.org/10.1039/c5sm02892b>

Li, F., Tuinier, R., van Casteren, I. A., Tennebroek, R., Overbeek, A., & Leermakers, F. A. M. F. (2016). Self-organization of polyurethane pre-polymers as studied by self-consistent field theory. *Macromolecular Theory and Simulations*, *25*(1), 16-27. <https://doi.org/10.1002/mats.201400106>

Tuinier, R. (2016). A simple free energy for the isotropic-nematic phase transition of rods. *Advances in Condensed Matter Physics*, *2016*, 1-6. [5871826]. <https://doi.org/10.1155/2016/5871826>

Lekkerkerker, H. N. W., Tuinier, R., & Wensink, H. H. (2015). Multiphase coexistence in mixed suspensions of large and small hard platelets. *Molecular Physics*, *113*(17-18), 2666-2673. <https://doi.org/10.1080/00268976.2015.1048319>

Li, F., Schellekens, M., De Bont, J., Peters, R., Overbeek, A., Leermakers, F. A. M., & Tuinier, R. (2015). Self-assembled structures of PMAA-PMMA block copolymers: synthesis, characterization, and self-consistent field computations. *Macromolecules*, *48*(4), 1194-1203. <https://doi.org/10.1021/ma501878n>

Tuinier, R., Fan, T. H., & Taniguchi, T. (2015). Depletion and the dynamics in colloid-polymer mixtures. *Current Opinion in Colloid and Interface Science*, *20*(1), 66-70. <https://doi.org/10.1016/j.cocis.2014.11.009>

Vleugels, L. F. W., Pollet, J., & Tuinier, R. (2015). Polycation-sodium lauryl ether sulfate-type surfactant complexes : influence of ethylene oxide length. *Journal of Physical Chemistry*, *119*(20), 6338-6347. <https://doi.org/10.1021/acs.jpcc.5b02043>

Tuinier, R., & Feenstra, M. S. (2014). Second virial coefficient at the critical point in a fluid of colloidal spheres plus depletants. *Langmuir*, *30*(44), 13121-13124. <https://doi.org/10.1021/la5023856>

Gonzato, C., Semsarilar, M., Jones, E. R., Li, F., Krooshof, G. J. P., Wyman, P., Mykhaylyk, O. O., Tuinier, R., & Armes, S. P. S. (2014). Rational synthesis of low-polydispersity block copolymer vesicles in concentrated solution via polymerization-induced self-assembly. *Journal of the American Chemical Society*, *136*(31), 11100-11106. <https://doi.org/10.1021/ja505406s>

Karzar-Jeddi, M., Tuinier, R., Taniguchi, T., & Fan, T. H. (2014). Stochastic interactions of two Brownian hard spheres in the presence of depletants. *Journal of Chemical Physics*, *140*(21), 1-14. [214906]. <https://doi.org/10.1063/1.4880199>

Lebouille, J. G. J. L., Stepanyan, R., Slot, J. J. M., Cohen Stuart, M. A., & Tuinier, R. (2014). Nanoprecipitation of polymers in a bad solvent. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, *460*, 225-235. <https://doi.org/10.1016/j.colsurfa.2013.11.045>

van Gruijthuisen, K., Tuinier, R., Brader, J. M., & Stradner, A. (2013). Phase behaviour of colloids with short-range repulsions plus nonadsorbing polymer chains. *Soft Matter*, *9*(42), 9977-9982. <https://doi.org/10.1039/c3sm51432c>

Lebouille, J. G. J. L., Vleugels, L. F. W., Dias, A. A., Leermakers, F. A. M., Cohen Stuart, M. A., & Tuinier, R. (2013). Controlled block copolymer micelle formation for encapsulation of hydrophobic ingredients. *European Physical Journal E : Soft Matter*, *36*(9), 1-12. [107]. <https://doi.org/10.1140/epje/i2013-13107-y>

Lebouille, J. G. J. L., Tuinier, R., Vleugels, L. F. W., Cohen Stuart, M. A., & Leermakers, F. A. M. (2013). Self-consistent field predictions for quenched spherical biocompatible triblock copolymer micelles. *Soft Matter*, *9*(31), 7515-7525. <https://doi.org/10.1039/c3sm27829h>

Tuinier, R., & Krooshof, G. J. P. (2012). Interfacial tension between benzene and water in the presence of caprolactam. *Journal of Colloid and Interface Science*, *382*(1), 105-109. <https://doi.org/10.1016/j.jcis.2012.05.013>

Taniguchi, T., Arai, Y., Tuinier, R., & Fan, T. H. (2012). How flow changes polymer depletion in a slit. *European Physical Journal E : Soft Matter*, *35*(9), 1-12. [88]. <https://doi.org/10.1140/epje/i2012-12088-7>

van Gruijthuisen, K., Herle, V., Tuinier, R., Schurtenberger, P., & Stradner, A. (2012). Origin of suppressed demixing in casein/xanthan mixtures. *Soft Matter*, *8*(5), 1547-1555. <https://doi.org/10.1039/c1sm06761c>

Stepanyan, R., Lebouille, J. G. J. L., Slot, J. J. M., Tuinier, R., & Cohen Stuart, M. A. (2012). Controlled nanoparticle formation by diffusion limited coalescence. *Physical Review Letters*, *109*(13), 1-5. [138301]. <https://doi.org/10.1103/PhysRevLett.109.138301>

- Tuinier, R. (2011). Phase stability of a reversible supramolecular polymer solution mixed with nanospheres. *Journal of Physics : Condensed Matter*, 23(19), 1-7. [194113]. <https://doi.org/10.1088/0953-8984/23/19/194113>
- Lekkerkerker, H. N. W., & Tuinier, R. (2011). Introduction. *Lecture Notes in Physics*, 833, 1-56. https://doi.org/10.1007/978-94-007-1223-2_1
- Lekkerkerker, H. N. W., & Tuinier, R. (2011). Phase transitions in suspensions of rod-like colloids plus polymers. *Lecture Notes in Physics*, 833, 197-228. https://doi.org/10.1007/978-94-007-1223-2_6
- Lekkerkerker, H. N. W., & Tuinier, R. (2011). Phase transitions of hard spheres plus colloids. In *Colloids and the depletion interaction* (pp. 177-195). (Lecture Notes in Physics; Vol. 833). Springer. https://doi.org/10.1007/978-94-007-1223-2_5
- Lekkerkerker, H. N. W., & Tuinier, R. (2011). Phase transitions of hard spheres plus depletants; Basics. *Lecture Notes in Physics*, 833, 109-129. https://doi.org/10.1007/978-94-007-1223-2_3
- Lekkerkerker, H. N. W., & Tuinier, R. (2011). Stability of colloid-polymer mixtures. *Lecture Notes in Physics*, 833, 131-175. https://doi.org/10.1007/978-94-007-1223-2_4
- Fan, T. H., & Tuinier, R. (2010). Hydrodynamic interaction of two colloids in nonadsorbing polymer solutions. *Soft Matter*, 6(3), 647-654. <https://doi.org/10.1039/b918614j>
- Bremer, L., Tuinier, R., & Jahromi, S. (2009). High refractive index nanocomposite fluids for immersion lithography. *Langmuir*, 25(4), 2390-2401. <https://doi.org/10.1021/la8026896>
- Gögelein, C., Nägele, G., Buitenhuis, J., Tuinier, R., & Dhont, J. K. G. (2009). Polymer depletion-driven cluster aggregation and initial phase separation in charged nanosized colloids. *Journal of Chemical Physics*, 130(20), 1-15. [204905]. <https://doi.org/10.1063/1.3141984>
- Fleer, G. J., & Tuinier, R. (2008). Analytical phase diagrams for colloids and non-adsorbing polymer. *Advances in Colloid and Interface Science*, 143(1-2), 1-47. <https://doi.org/10.1016/j.cis.2008.07.001>
- Fleer, G. J., & Tuinier, R. (2008). Conditions for the existence of a stable colloidal liquid. In *Highlights in Colloid Science* (pp. 119-133). Wiley. <https://doi.org/10.1002/9783527623884.ch7>
- Gögelein, C., & Tuinier, R. (2008). Phase behaviour of a dispersion of charge-stabilised colloidal spheres with added non-adsorbing interacting polymer chains. *European Physical Journal E : Soft Matter*, 27(2), 171-184. <https://doi.org/10.1140/epje/i2008-10367-6>
- Tuinier, R., Smith, P. A., Poon, W. C. K., Egelhaaf, S. U., Aarts, D. G. A. L., Lekkerkerker, H. N. W., & Fleer, G. J. (2008). Phase diagram for a mixture of colloids and polymers with equal size. *EPL*, 82(6), [68002]. <https://doi.org/10.1209/0295-5075/82/68002>
- Kleshchanok, D., Tuinier, R., & Lang, P. R. (2008). Direct measurements of polymer-induced forces. *Journal of Physics : Condensed Matter*, 20(7), [073101]. <https://doi.org/10.1088/0953-8984/20/7/073101>
- Gögelein, C., Nägele, G., Tuinier, R., Gibaud, T., Stradner, A., & Schurtenberger, P. (2008). A simple patchy colloid model for the phase behavior of lysozyme dispersions. *Journal of Chemical Physics*, 129(8), 1-12. [085102]. <https://doi.org/10.1063/1.2951987>
- Tuinier, R., Dhont, J. K. G., Taniguchi, T., & Fan, T. H. (2008). Nanoparticle retardation in semidilute polymer solutions. In *Complex systems: 5th International Workshop on Complex Systems, Sendai, 25-28 September 2007* (pp. 326-330). (AIP Conference Proceedings; Vol. 982). <https://doi.org/10.1063/1.2897807>

Tuinier, R., & Fan, T. H. (2008). Scaling of nanoparticle retardation in semi-dilute polymer solutions. *Soft Matter*, 4(2), 254. <https://doi.org/10.1039/b711902j>

Jungblut, S., Tuinier, R., Binder, K., & Schilling, T. (2007). Depletion induced isotropic-isotropic phase separation in suspensions of rod-like colloids. *Journal of Chemical Physics*, 127(24), [244909]. <https://doi.org/10.1063/1.2815805>

Fan, T. H., Xie, B., & Tuinier, R. (2007). Asymptotic analysis of tracer diffusivity in nonadsorbing polymer solutions. *Physical Review E - Statistical, Nonlinear, and Soft Matter Physics*, 76(5), [051405]. <https://doi.org/10.1103/PhysRevE.76.051405>

Rediguieri, C. F., de Freitas, O., Lettinga, M. P., & Tuinier, R. (2007). Thermodynamic incompatibility and complex formation in pectin/caseinate mixtures. *Biomacromolecules*, 8(11), 3345-3354. <https://doi.org/10.1021/bm7004438>

Fleer, G. J., & Tuinier, R. (2007). Analytical phase diagram for colloid-polymer mixtures. *Physical Review E - Statistical, Nonlinear, and Soft Matter Physics*, 76(4), [041802]. <https://doi.org/10.1103/PhysRevE.76.041802>

Tuinier, R., Taniguchi, T., & Wensink, H. H. (2007). Phase behavior of a suspension of hard spherocylinders plus ideal polymer chains. *European Physical Journal E : Soft Matter*, 23(4), 355-365. <https://doi.org/10.1140/epje/i2007-10197-0>

Fleer, G. J., Skvortsov, A. M., & Tuinier, R. (2007). A simple relation for the concentration dependence of osmotic pressure and depletion thickness in polymer solutions. *Macromolecular Theory and Simulations*, 16(5), 531-540. <https://doi.org/10.1002/mats.200700022>

Fleer, G. J., & Tuinier, R. (2007). The critical endpoint in phase diagrams of attractive hard spheres. *Physica A: Statistical and Theoretical Physics*, 379(1), 52-58. <https://doi.org/10.1016/j.physa.2006.12.052>

Fan, T. H., Dhont, J. K. G., & Tuinier, R. (2007). Motion of a sphere through a polymer solution. *Physical Review E - Statistical, Nonlinear, and Soft Matter Physics*, 75(1), [011803]. <https://doi.org/10.1103/PhysRevE.75.011803>

Kleshchanok, D., Tuinier, R., & Lang, P. R. (2006). Depletion interaction mediated by a polydisperse polymer studied with total internal reflection microscopy. *Langmuir*, 22(22), 9121-9128. <https://doi.org/10.1021/la061657m>

Tuinier, R., & Fleer, G. J. (2006). Critical endpoint and analytical phase diagram of attractive hard-core Yukawa spheres. *Journal of Physical Chemistry B*, 110(41), 20540-20545. <https://doi.org/10.1021/jp063650j>

Tuinier, R., Dhont, J. K. G., & Fan, T. H. (2006). How depletion affects sphere motion through solutions containing macromolecules. *Europhysics Letters*, 75(6), 929-935. <https://doi.org/10.1209/epl/i2006-10200-0>

Bhat, S., Tuinier, R., & Schurtenberger, P. (2006). Spinodal decomposition in a food colloid-biopolymer mixture: Evidence for a linear regime. *Journal of Physics : Condensed Matter*, 18(26), [L01]. <https://doi.org/10.1088/0953-8984/18/26/L01>

Kleshchanok, D., Strunk, H., Tuinier, R., & Lang, P. R. (2006). Interactions and two-phase coexistence in nonionic micellar solutions as determined by static light scattering. *Physical Chemistry Chemical Physics*, 8(7), 869-876. <https://doi.org/10.1039/b513225h>

Fortini, A., Dijkstra, M., & Tuinier, R. (2005). Phase behaviour of charged colloidal sphere dispersions with added polymer chains. *Journal of Physics : Condensed Matter*, 17(50), 7783-7803. <https://doi.org/10.1088/0953-8984/17/50/002>

Tuinier, R., & Taniguchi, T. (2005). Polymer depletion-induced slip near an interface. *Journal of Physics : Condensed Matter*, 17(2). <https://doi.org/10.1088/0953-8984/17/2/L01>

Tuinier, R., & Fleer, G. J. (2004). Concentration and solvency effects on the excess amount and surface free energy of a colloidal particle in a solution of nonadsorbing polymer. *Macromolecules*, *37*(23), 8754-8763. <https://doi.org/10.1021/ma0485742>

Tuinier, R., & Fleer, G. J. (2004). Concentration and solvency effects on the pair interaction between colloidal particles in a solution of nonadsorbing polymer. *Macromolecules*, *37*(23), 8764-8772. <https://doi.org/10.1021/ma048571p>

Fleer, G. J., Skvortsov, A. M., & Tuinier, R. (2003). Mean-field equation for the depletion thickness. *Macromolecules*, *36*(20), 7857-7872. <https://doi.org/10.1021/ma0345145>

Tuinier, R., Aarts, D. G. A. L. D., Wensink, H. H., & Lekkerkerker, H. N. W. (2003). Pair interaction and phase separation in mixtures of colloids and excluded volume polymers. *Physical Chemistry Chemical Physics*, *5*(17), 3707-3715. <https://doi.org/10.1039/b305244c>

Tuinier, R., Rieger, J., & de Kruif, C. G. (2003). Depletion-induced phase separation in colloid-polymer mixtures. *Advances in Colloid and Interface Science*, *103*(1), 1-31. [https://doi.org/10.1016/S0001-8686\(02\)00081-7](https://doi.org/10.1016/S0001-8686(02)00081-7)

ten Grotenhuis, E., Tuinier, R., & de Kruif, C. G. (2003). Phase stability of concentrated dairy products. *Journal of Dairy Science*, *86*(3), 764-769.

Holt, C., de Kruif, C. G., Tuinier, R., & Timmins, P. A. (2003). Substructure of bovine casein micelles by small-angle X-ray and neutron scattering. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, *213*(2-3), 275-284. [https://doi.org/10.1016/S0927-7757\(02\)00520-4](https://doi.org/10.1016/S0927-7757(02)00520-4)

Tuinier, R. (2003). Approximate solutions to the Poisson-Boltzmann equation in spherical and cylindrical geometry. *Journal of Colloid and Interface Science*, *258*(1), 45-49. [https://doi.org/10.1016/S0021-9797\(02\)00142-X](https://doi.org/10.1016/S0021-9797(02)00142-X)

Tuinier, R. (2003). Segment-sphere size ratio influence on the stability of a polymer-colloid mixture. *European Physical Journal E: Soft Matter*, *10*(2), 123-128. <https://doi.org/10.1140/epje/e2003-00011-4>

Koenderink, G. H., Aarts, D. G. A. L. D., de Villeneuve, V. W. A., Philipse, A. P., Tuinier, R., & Lekkerkerker, H. N. W. (2003). Morphology and kinetics of phase separating transparent xanthan-colloid mixtures. *Biomacromolecules*, *4*(1), 129-136. <https://doi.org/10.1021/bm025633f>

Tuinier, R., & Brûlet, A. (2003). On the long-range attraction between proteins due to nonadsorbing polysaccharide. *Biomacromolecules*, *4*(1), 28-31. <https://doi.org/10.1021/bm0255544>

Tuinier, R., & Lekkerkerker, H. N. W. (2003). Preface. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, *213*(2-3), 105-.

Aarts, D. G. A. L. D., Tuinier, R., & Lekkerkerker, H. N. W. (2002). Phase behaviour of mixtures of colloidal spheres and excluded-volume polymer chains. *Journal of Physics: Condensed Matter*, *14*(33), 7551-7561. <https://doi.org/10.1088/0953-8984/14/33/301>

Tuinier, R., & de Kruif, C. G. (2002). Stability of casein micelles in milk. *Journal of Chemical Physics*, *117*(3), 1290-1295. <https://doi.org/10.1063/1.1484379>

de Kruif, C. G., Tuinier, R., Holt, C., Timmins, P. A., & Rollema, H. S. (2002). Physicochemical study of κ - and β -casein dispersions and the effect of cross-linking by transglutaminase. *Langmuir*, *18*(12), 4885-4891. <https://doi.org/10.1021/la025543w>

Tuinier, R., Lekkerkerker, H. N. W., & Aarts, D. G. A. L. D. (2002). Interaction potential between two spheres mediated by excluded volume polymers. *Physical Review E - Statistical, Nonlinear, and Soft Matter Physics*, 65(6), [060801]. <https://doi.org/10.1103/PhysRevE.65.060801>

Tuinier, R., & Lekkerkerker, H. N. W. (2002). Polymer density around a sphere. *Macromolecules*, 35(8), 3312-3313. <https://doi.org/10.1021/ma0119474>

Scholten, E., Tuinier, R., Tromp, R. H., & Lekkerkerker, H. N. W. (2002). Interfacial tension of a decomposed biopolymer mixture. *Langmuir*, 18(6), 2234-2238. <https://doi.org/10.1021/la0114373>

Tuinier, R., Rolin, C., & de Kruif, C. G. (2002). Electrosorption of pectin onto casein micelles. *Biomacromolecules*, 3(3), 632-638. <https://doi.org/10.1021/bm025530x>

Ruas-Madiedo, P., Tuinier, R., Kanning, M., & Zoon, P. (2002). Role of exopolysaccharides produced by *Lactococcus lactis* subsp. *cremoris* on the viscosity of fermented milks. *International Dairy Journal*, 12(8), 689-695. [https://doi.org/10.1016/S0958-6946\(01\)00161-3](https://doi.org/10.1016/S0958-6946(01)00161-3)

Tuinier, R., Casteren, van, W. H. M., Looijesteijn, P. J., Schols, H. A., Voragen, A. G. J., & Zoon, P. (2001). Effects of structural modifications on some physical characteristics of exo-polysaccharides from *Lactococcus lactis*. *Biopolymers*, 59, 160-166. [https://doi.org/10.1002/1097-0282\(200109\)59:3<160::AID-BIP1015>3.0.CO;2-V](https://doi.org/10.1002/1097-0282(200109)59:3<160::AID-BIP1015>3.0.CO;2-V)

Tuinier, R., & Lekkerkerker, H. N. W. (2001). Excluded-volume polymer-induced depletion interaction between parallel flat plates. *European Physical Journal E : Soft Matter*, 6(2), 129-132. <https://doi.org/10.1007/s101890170013>

Tuinier, R., Vliegthart, G. A., & Lekkerkerker, H. N. W. (2001). Polymer-mediated interaction between a sphere and a plate. *Macromolecules*, 34(13), 4636-4641. <https://doi.org/10.1021/ma0100549>

de Kruif, C. G., & Tuinier, R. (2001). Polysaccharide protein interactions. *Food Hydrocolloids*, 15(4-6), 555-563. [https://doi.org/10.1016/S0268-005X\(01\)00076-5](https://doi.org/10.1016/S0268-005X(01)00076-5)

Tuinier, R., Vliegthart, G. A., & Lekkerkerker, H. N. W. (2000). Depletion interaction between spheres immersed in a solution of ideal polymer chains. *Journal of Chemical Physics*, 113, 10768-10775. <https://doi.org/10.1063/1.1323977>

Tuinier, R., Dhont, J. K. G., & de Kruif, C. G. (2000). Depletion-induced phase separation of aggregated whey protein colloids by an exocellular polysaccharide. *Langmuir*, 16, 1497-1507. <https://doi.org/10.1021/la990202c>

Looijesteijn, P. J., Casteren, van, W. H. M., Tuinier, R., Doeswijk-Voragen, C. H. L., & Hugenholtz, J. (2000). Influence of different substrate limitations on the yield, composition and molecular mass of exopolysaccharides produced by *Lactococcus lactis* subsp. *cremoris* in continuous cultures. *Journal of Applied Microbiology*, 89(1), 116-122. <https://doi.org/10.1046/j.1365-2672.2000.01082.x>

Tuinier, R., Holt, C., Timmins, P. A., & de Kruif, C. G. (2000). Small-angle neutron scattering of aggregated whey protein colloids with an exocellular polysaccharide. *Journal of Applied Crystallography*, 33(3-1), 540-543. <https://doi.org/10.1107/S0021889800099921>

Tuinier, R., Grotenhuis, ten, E., & de Kruif, C. G. (2000). The effect of depolymerised guar gum on the stability of skim milk. *Food Hydrocolloids*, 14(1), 1-7. [https://doi.org/10.1016/S0268-005X\(99\)00039-9](https://doi.org/10.1016/S0268-005X(99)00039-9)

Tuinier, R., Oomen, C. J., Zoon, P., Cohen Stuart, M. A., & de Kruif, C. G. (2000). Viscoelastic properties of a polysaccharide produced by a *Lactococcus lactis*. *Biomacromolecules*, 1(2), 219-223. <https://doi.org/10.1021/bm000282v>

Tuinier, R., Zoon, P., Cohen Stuart, M. A., Fleer, G. J., & Kruif, de, C. G. (1999). Concentration and shear-rate dependence of an exocellular polysaccharide. *Biopolymers*, 50(6), 641-646. [https://doi.org/10.1002/\(SICI\)1097-0282\(199911\)50:6<641::AID-BIP8>3.0.CO;2-D](https://doi.org/10.1002/(SICI)1097-0282(199911)50:6<641::AID-BIP8>3.0.CO;2-D)

Tuinier, R., ten Grotenhuis, E., Holt, C., Timmins, P. A., & de Kruif, C. G. (1999). Depletion interaction of casein micelles and an exocellular polysaccharide. *Physical Review E: Statistical, Physics, Plasmas, Fluids, and Related Interdisciplinary Topics*, 60(1), 848-856. <https://doi.org/10.1103/PhysRevE.60.848>

Kleerebezem, M., Kranenburg, van, R., Tuinier, R., Boels, I. C., Zoon, P., Looijesteijn, E., Hugenholtz, J., & de Vos, W. M. (1999). Exopolysaccharides produced by *Lactococcus lactis* : from genetic engineering to improved rheological properties? *Antonie van Leeuwenhoek*, 76(1), 357-365. <https://doi.org/10.1023/A:1002084822851>

Tuinier, R., Zoon, P., Olieman, C., Cohen Stuart, M. A., Fler, G. J., & de Kruif, C. G. (1999). Isolation and physical characterization of an exocellular polysaccharide. *Biopolymers*, 49(1), 1-9. [https://doi.org/10.1002/\(SICI\)1097-0282\(199901\)49:1<1::AID-BIP1>3.0.CO;2-B](https://doi.org/10.1002/(SICI)1097-0282(199901)49:1<1::AID-BIP1>3.0.CO;2-B)

Tuinier, R., & de Kruif, C. G. (1999). Phase behavior of casein micelles/exocellular polysaccharide mixtures : experiment and theory. *Journal of Chemical Physics*, 110, 9296-9304. <https://doi.org/10.1063/1.478851>

Tuinier, R., & de Kruif, C. G. (1999). Phase separation, creaming, and network formation of oil-in-water emulsions induced by an exocellular polysaccharide. *Journal of Colloid and Interface Science*, 218(1), 201-210. <https://doi.org/doi:10.1006/jcis.1999.6327>

de Kruif, C. G., & Tuinier, R. (1999). Whey protein aggregates and their interaction with exo-polysaccharides. *International Journal of Food Science and Technology*, 34(14), 487-492. <https://doi.org/10.1046/j.1365-2621.1999.00329.x>

Hoogendam, C. W., Peters, J. C. W., Tuinier, R., Keizer, de, A., Cohen Stuart, M. A., & Bijsterbosch, B. H. (1998). Effective viscosity of polymer solutions : relation to the determination of the depletion thickness of the adsorbed layer of cellulose derivatives. *Journal of Colloid and Interface Science*, 207(2), 309-316. <https://doi.org/10.1006/jcis.1998.5762>

Tuinier, R., Bisperink, C. G. J., van den Berg, C., & Prins, A. (1996). Transient foaming behavior of aqueous alcohol solutions as related to their dilational surface properties. *Journal of Colloid and Interface Science*, 179(2), 327-334. <https://doi.org/10.1006/jcis.1996.0223>

Projects